



## CT Geological Survey Geological Formation Educational Hand Sample Collection

Content last updated 06/30/2010



Geological Formation	TOWN	Sample Numer	Description
Cd	Kent	46-1	Precambrian Dalton Formation, road cut just west of bridge, S side quartzite sitting above PC, from Kent School outcrop, see R. Jackson 1982 NEIGC trip stop #1
	New Milford	46-4	Dalton (Lowerre) from R. Jackson 1982 NEIGC field trip stop #5, Dalton is a Schist (as it is in the E) and is described as being similar to Manhattan C or Canaan Mountain, which Jackson believes is an eastern facies of Dalton, now Allochthonous
	Sharon	16-5	Precambrian Dalton Formation, well exposed, fairly clean quartzite, contrasting rocks (dirty Dalton) are exposed at head of Dean's Ravine in S. Canaan Quad and on south side of road leading away from Dean's Ravine to the north
Ce	Salisbury	16-3 b	Precambrian Everett Schist sample from boulder and blocks, south side of Mt. Riga Rd., garnet-poor
	Salisbury	16-3 a	Precambrian Everett Schist sample from boulder and blocks, south side of Mt. Riga Rd., garnet rich, more typical of zone near contact with Walloomsac
Cma	New Milford	46-3	Canaan Mountain, typical Manhattan C schist outcrops in Odovician? See R. Jackson 1982 NEIGC field trip stop #4, station 4-B
Csa	North Canaan	2-1 b	Precambrian Tremolite concentration, taken from blocks around quarry
	North Canaan	2-1 a	Precambrian Dolomite marble Unit, typical marble, taken from blocks around quarry
	North Canaan	2-3 a	2-3' above top of marble- Iron ore? From Allyndale Quarry, Limonite Concentrations found in red clay "Saprolite", NW side of quarry
	North Canaan	2- 4	2' above marble Red clay "Saprolite", From Allyndale Quarry, NW side of quarry, Samples 2-3 a,b from this clay
	North Canaan	2-3 b	2-3' above top of marble- Iron ore? From Allyndale Quarry, Limonite Concentrations found in red clay "Saprolite", NW side of quarry



## CT Geological Survey

# Geological Formation Educational Hand Sample Collection

Content last updated 06/30/2010



Geological Formation	TOWN	Sample Numer	Description
Csc	Salisbury	16-4	Precambrian Dolomitic Marble Stockbridge Unit C, underlies a large area in the central part of the quad, may have calcite cement around dolomite grains, the cement weathering leaving a dolomite sand
D?d	Willington	25-1 d	Foliated quartz diorite, quartz diorite with lavender garnet, exit ramp from eastbound I-84, exit 71 (Ruby Rd. Route 320) Willington
	Willington	25-1 c	Foliated quartz diorite, quartz diorite with lavender garnet, exit ramp from eastbound I-84, exit 71 (Ruby Rd. Route 320) Willington
	Willington	25-1 b	Foliated quartz diorite, quartz diorite with lavender garnet, exit ramp from eastbound I-84, exit 71 (Ruby Rd. Route 320) Willington
Dbl	Glastonbury	54-3 a	Along Algonquin Pipeline SW of Diamond Lake in Glastonbury
Dc	Canterbury	57-6-1	Canterbury Gneiss, Note Muskovite and garnet?
	Chester	84-7	In woods SW of Chester Elementary School, Ridge Rd, Chester
	Lyme	84-3	Sample taken in area of old quarry, S of Hadlyme Ferry within sheared zone of Honey Hill Fault
	Salem	85-2	Canterbury, From Rt 11, Hamburg Quad
	Scotland	57-5-1	Collected in bed of brook to the south of the road, somewhat more bio rich than typical
Dce	Eastford	42-2-1	Eastford Gneiss phase of Canterbury Gneiss, collected N side at Rt. 44 near Frog Rock
Dl	Lebanon	71-1	From boulder in fence by road, seems to be representative of Gabbro in this area
Dng	Watertown	63-1	From Rt 6-202 Watertown, N side of road 1000-15000' east of Woodbury town line
DSt	Burlington	35-5-1	Straits Schist, collected on road cut for entrance of side road on W side of Maine Rd



## CT Geological Survey Geological Formation Educational Hand Sample Collection

Content last updated 06/30/2010



Geological Formation	TOWN	Sample Numer	Description
	Thomaston	49-1 b	Thomaston Dam area, mica Schists, typical of this area, samples collected from Railway cuts below the dam and to the E, major rock type is pegmatite, above pegmatite is Muscovite phyllite
	Thomaston	49-1 a	Thomaston Dam area, mica schists, typical of this area, samples collected from Railway cuts below the dam and to the E, major rock type is pegmatite, large muscovite books quartz & feldspar laths, within pegmatite are xenoliths of Muscovite schist
	Thomaston	49-1 c	Thomaston Dam area, mica Schists, typical of this area, samples collected from Railway cuts below the dam and to the E, major rock type is pegmatite, Muscovite schist along road across dam, very crenulated
DSts	Southington	65-1	Collected at Roaring Brook at GSA Guidebook #7 Field Trip D stop #10, Gt unconformity
Jb	East Hampton	69-1	Higganum Dike Sample collected along old Railroad grade
	Haddam	83-2	Higganum dike, Diabase, collected in core of dike at exit ramp on southbound Rt 9 to 81
Jeb	Cromwell	52-2	Arkose Sandstone Rt 72-9-91 Westbound Lane 72
	Cromwell	52-3	Mudstone-Shale Rt 72-9-91 Westbound Lane 72
	Cromwell	52-4	Dark Gray Shale Rt 72-9-91 Westbound Lane 72
	Rocky Hill	52-5 a	Track bearing layers from Dinosaur Park
	Rocky Hill	52-5 b	Miscellaneous Samples from Dinosaur Park
	Rocky Hill	52-5 c	Track bearing layers from Dinosaur Park
	Rocky Hill	52-6	Shear Zone, NE end of Vexatron Hill, South side of Eastbound 291
	Southbury	78-1-1	Grey shale with asphalt and oil like filling on open joints, from loose rock under bridge in bed of stream
Jeb, Jha	Cromwell	52-9	Miscellaneous Samples from Rt 91-72-9 road cut



## CT Geological Survey Geological Formation Educational Hand Sample Collection

Content last updated 06/30/2010



Geological Formation	TOWN	Sample Numer	Description
Jeb/Jha	Farmington	51-1-2	Sample from small fault to the south of 51-1-1, fault N40E vertical striae, suspect NW side up about 10 feet apparent movement
	Farmington	51-1-1	Sample from fault zone N45E45NW strike 60 SW, suspect normal movement zone several inches to more than one foot crushed rock
Jha	Cromwell	52-1	Hampden Basalt, Rt 9-91-72 Westbound Lane along 72
Jho	Middlefield	67-2	Columnar Basalt, Collected S side of Rt 66 eastbound just after Black Pond
	Rocky Hill	52-8	"Asphalt" material in basalt in N side of road cut lane going to 91 N
Jp	Durham	82-3	Fanglomerate contains basalt clast, collected just S of Durham Center on E side of highway 77, S of intersection with highway 79
	Manchester	38-1	Portland Arkose, fanglomerate from the Wolcott Quarry, Manchester
	Middletown	67-3	Portland Arkose, From N side of road to Crystal Lake launching ramp, medium to coarse conglomerate, some sand and siltstone bands, 0-40 degrees E
	Portland	67-1	Collected on waste piles to the N of Portland Brownstone Quarries
Jsm	Newington	52-7	Behind Rizzo's swimming pool about 300,000N 608,500E, Loose in piles, specific source not known for sure
	North Branford	82-1	Core Quarry limestone
	Plainville	51-1	Limestone, Shuttle Meadow Farm see SEPM 1978 field trip stop #6
Jta	East Granby	22-2	Breccia and other material collected at Higley Mine
	East Haven	96-2 d	Talcott Basalt breccia, just above contact with New Haven Arkose, Cinque Quarry, East Haven, E of Lake Saltonstall between Laurel St and North High St
	East Haven	96-2 c	Talcott Basalt breccia, just above contact with New Haven Arkose, Cinque Quarry, East Haven, E of Lake Saltonstall between Laurel St and North High St
	East Haven	96-2 e	Part glass, vugs filled with minerals, Cinque Quarry, East Haven, E of Lake Saltonstall between Laurel St and North High St
Jta/TRnh	Meriden	66-1	Base of Talcott Basalt. Pillow formations behind Target Store off Rte 691 (exit 5). Secondary minerals in basalt vesicles. Contact of Talcott with TRnh top.



# CT Geological Survey Geological Formation Educational Hand Sample Collection

Content last updated 06/30/2010



Geological Formation	TOWN	Sample Numer	Description
Jwr	New Haven	95-1	Collected at S end of West Rock just above baseball field at Gustave X. Amrhyh Field
Ob	Newtown	92-3-1	Young Granite sheared in broad Fault Zone nearly horizontal movement, nearby good ultramylonite
	Newtown	92-3-2	Rock exposures in sand pit
	Newtown	77-2	Newtown Gneiss, massive porphyroblastic phase
Obr	Old Saybrook	99-6-4	Amphibolite in Brimfield, 99-6-4F Felsic Gneiss which appears to intrude amphibole, see S. Quarrier field notes 8/77
	Old Saybrook	99-5-6	Conglomerate and quartzite from W of Pequot Swamp
	Salem	70-1	Brimfield Schist
	Union	26-1	Brimfield Schist, from valley north of unnamed brook north of Kinney Pond along Kinney Hollow Road in Union
	Westbrook	99-8	Rust-stained biotite-orthoclase-sillimanite-garnet schist, collected behind Westbrook Factory Stores just S of rest area on I-95 in Westbrook
	Westbrook	99-5-3	Quartzite and conglomerate from W side of Rt 153, Essex, see S. Quarrier field notes 8/77
	Willington	25-2	Brimfield Schist, Collected along I-84 off exit 70 (Route 32) S side of I-84 just past end of eastbound onramp
	Willington	26-5 b	Plagioclase quartz k-feldspar, biotite garnet schist, pink garnets, S side I-84, 2 miles E of Ruby Road, exit 71, Route 320 before Potter School Rd overpass
	Willington	26-5 c	Plagioclase quartz k-feldspar, biotite garnet schist, pink garnets, S side I-84, 2 miles E of Ruby Road, exit 71, Route 320 before Potter School Rd overpass
Willington	26-5 a	Brimfield Schist, S side I-84, 2 miles E of Ruby Road, exit 71, Route 320 before Potter School Rd overpass	
Obrg	Union	26-2	Gneiss (metovolcanic) member of Brimfield Schist, collected along Route 89 between exit 72 of I-84 and Route 190 in Union



## CT Geological Survey Geological Formation Educational Hand Sample Collection

Content last updated 06/30/2010



Geological Formation	TOWN	Sample Numer	Description
	Union	26-4	Gneiss (metavolcanic) member of Brimfield Schist, collected 1.1 miles along Webster Rd. from Toute 190, Union
	Union	11-2 b	Gneiss (metavolcanic) member of Brimfield Schist, two pyroxene granulite and orthopyroxen, k-feldspar granulite, Roadcut along exit ramp from Exit 74, I-84 westbound and Route 171, Union
	Union	11-2 a	Gneiss (metavolcanic) member of Brimfield Schist, two pyroxene granulite, Roadcut along exit ramp from Exit 74, I-84 westbound and Route 171, Union
Oc	Oxford	78-4	Collected at Southford Falls State Park near stream along trail
Oc	Thomaston	49-2	Aplite Dike in Reynolds Bridge Gneiss
Och	East Hampton	68-13	Pegmatite with large tourmaline crystal from Halberg Quarry, East Hampton
	East Hampton	68-4	Two colored feldspar samples from old pegmatite quarry, Meshomasic State Forest near Cobalt
	Haddam	83-4	Collins Hill Formation, Plagioclase Quartz Biotite (Hornblend?) Garnet Gneiss, E side of northbound lane of Rt 9, almost coticule-like
	Haddam	83-5	Collins Hill Formation, Muscovite? schist with abundant sulphides, weather rapidly to yellow rusty color, Rt 9 N, E side
	Haddam	68-15	Collected on Chamberlain Hill Rd in Haddam, just below Middletown border, 0.2 miles E of Roberts Rd
	Haddam	68-8	Feldspar with some muscovite from Rock Landing Quarry, East Hampton
	Haddam	68-9	Piece of smokey quartz, blackness of quartz is due to radiation burns from Rock Landing Quarry, East Hampton
	Haddam	68-10	Smokey quartz with Uranium minerals from Rock Landing Quarry, East Hampton, CT
	Middletown	68-6	Vein quartz and galena from former silver mine, Middletown
	Middletown	68-7 a	Vein contains quartz, bornite, sphalerite from former silver mine, Middletown
	Middletown	68-5	Vein quartz and galena from former silver mine, Middletown



## CT Geological Survey

# Geological Formation Educational Hand Sample Collection

Content last updated 06/30/2010



Geological Formation	TOWN	Sample Numer	Description
	Portland	68-3	Two samples, mica and quartz feldspar and turmolite from debris on roadway at Strickland Quarry
Ochv	Haddam	82-2	Coticule Metavolcanic Rocks of Bible Brook, Eaton and Rosenfeld 1972, opposite side of road from Millers Pond
	Haddam	83-9	Coticule Metavolcanic Rocks of Bible Brook, Eaton and Rosenfeld 1972, Under power lines
	Middletown	68-17	Metavolcanic member of Collins Hill Formation, amphibolite and hornblende schist, collected from White Rocks Quarry, River Rd, Middletown
OCr	Harwinton	34-7-1	Rowe Schist, Hartland II
	Roxbury	62-1	Kyanite Gneiss, south of Berry Rd, Roxbury, sample has 1-2" kyanite blades, site has 6-8" specimens
	Roxbury	62-1 a	Sample from Log Jam Schist
	Roxbury	62-3	Mica schist with garnet porphyroblasts, Hartland formation
OCs	Bethel	76-9-1	Inwood? Marble from W side of stream just below Cameron's Line
Og	Bethel	92-4-1	Collected from Huntington State Park, site of large tourmaline
	Redding	92-5	From Huntington State Park, intersection of blue and red trails
	Redding	92-6	Biotite Schist with garnets from Huntington State Park along red trail near swamp
	Roxbury	62-5	Mine Hill Granite Gneiss from operating quarry on Roxbury Landtrust land, noticeable amounts of Biotite
	Roxbury	62-5 a	Includes white colored band of aplite, does not split
	Roxbury	62-7	Sample from 1-2' wide vein along north wall of quarry, siderite, etc presumably in part of the vein network forming iron deposit, see also 62-4
	Roxbury	62-4	Mine Hill Granite Gneiss from blocks in the Rockside Quarry, see Dale 1911 USGS Bull 484, Muscovite Granite Gneiss, See also 62-6



## CT Geological Survey Geological Formation Educational Hand Sample Collection

Content last updated 06/30/2010



Geological Formation	TOWN	Sample Numer	Description
Ogl	Glastonbury	54-1 a	Glastonbury Gneiss with Xenolith, Cliff Ambers at Indiana University working on this outcrop
	Glastonbury	54-1 b	Several photos of this, large exposed area of polished and straited surface, glacial striate
	Manchester	54-2 b	Glastonbury gneiss collected from old curbstone? quarry
	Manchester	54-2 a	Glastonbury gneiss from large boulder that was split as part of local quarrying, may have come from some distance north
	Manchester	39-2	Glastonbury Gneiss- pegmatite phase, collected during NEIGC trip between I-384 and eastbound entrance ramp from Wyllis St in Manchester (Highland Park)
	Portland	68-12	Collected from Case Quarry, Portland
	Portland	53-1	Collected along Algonquin Gas Pipeline trench
	Portland	53-4	Pegmatite in Glastonbury Gneiss, Collected along Algonquin Gas Pipeline trench
	Portland	53-3	Aplite Dike in Glastonbury Gneiss, Collected along Algonquin Gas Pipeline trench
	Portland	53-2	Glastonbury Gneiss and aplite dike, Collected along Algonquin Gas Pipeline trench
Ohb	Bridgeport	109-1	Collected in Beardsley Park, Bridgeport
Oma	Milford	110-1 a	Greenstone, collected along road into Silver Sands State Park
	Milford	110-1 b	Schist, collected along road into Silver Sands State Park
Oml	Haddam	83-10	Middletown Formation, Haddam Map Om if microcline bearing gneiss, Light gneiss S of Hackney Pond, W side of the swamp, S of road
	Haddam	83-3	Amphibolite/Hornblende Gneiss, massive amphibolite E side, southbound lane Rt. 9, S end of large amphibolite, just S of Beaver Meadow Rd
	Haddam	83-11	Anthophyllite, Hubbard Rd just N of Beaver Meadow Rd off Exit 8 of Rt 2, Haddam





# CT Geological Survey Geological Formation Educational Hand Sample Collection

Content last updated 06/30/2010



Geological Formation	TOWN	Sample Numer	Description
	Haddam	68-1	Pegmatite from Pegmatite sill in bottom of Middletown Formation, W side of Rt 9 southbound lane just past power lines
Omo	Haddam	83-1	Collected E side of southbound lane Rt 9
	Haddam	84-6	From small Farm Lot Quarry, S. Quarrier Field Notes 87-1-2
	Killingworth	98-1	Chatfield Hollow State Park, W side of trail around Indian Caves
	Killingworth	83-7	Monson Gneiss, Haddam Gneiss, N side Rt 148, N of Murry Ponds, cloudy quartz in joints in this area, tan gneiss is typical of the area
	Killingworth	83-8	N80E10N, E side road, typical Haddam Gneiss
	Madison	97-5	Monson Gneiss, massive to well layered biotite gneiss, layering 1 cm to 1 m, some interlayered amphibolite, sample shows moderately well-layered rock, foliation well-developed on biotite mica layers
	Westbrook	99-5-2	Rusty weathering monson gneiss, Bio, Hbl, Sulfide from W side of Rt 153, Essex, see S. Quarrier field notes 8/77
	Westbrook	99-5-1	Monson Hbl Gneiss from E side of Rt 153, Essex, see S. Quarrier field notes 8/77
Omu	Haddam	83-6	Middletown Formation, Quartz Plagioclase (Gedrite-Anthophyllite) Gneiss, Rt 9 northbound entrance ramp E side, Beaver Meadow Rd
Oo	Milford	111-1	Collected from Merwin Point, Woodmont
Op	North Stonington	88-1	From N side of Rt 2
Oq	Plainfield	58-1	Gneiss from near the village of Wauregan, TILCON Wauregan Quarry
Or	Bethel	76-9-2	Sheared Hartland? from E side of stream just above Cameron's Line
	Danbury	76-8-1	Mylonite sample in granite behind Auto sales place
	Harwinton	34-7-3	Ratlum Mountain Schist, Hartland I, N side of highway just before Rt. 8, gneiss
	Harwinton	34-8-2	Ratlum Mountain Schist, Hartland III, S. side of road just NE of Kelly Pond, Burlington
	Roxbury	62-2	Mica quartzite- Schist, Hartland formation



## CT Geological Survey

# Geological Formation Educational Hand Sample Collection

Content last updated 06/30/2010



Geological Formation	TOWN	Sample Numer	Description
	Roxbury	62-6	Siderite collected from debris piles around the base of the Furnaces at the Roxbury Iron Mines
Ot	Oxford	78-3	Collected at Southford Falls State Park, SE side of Papermill Pond on ridge
	Woodbury	63-2	Basalt with copper and sulfide mineralization, from apparent mine tunnel in basalt cliff along South Brook, accessible from trail starting just north of golf driving range
Ota	Lisbon	72-2	Typical section of Biogneiss lithology, good exposure
	Lisbon	73-1	Bottom of Tatnic Hill
	Lisbon	72-1	Rusty and garnetiferous
	Lyme	84-4	Putnam Gneiss, N side of Whole Bow Creek, taken from rock about 50' above mine, within sheared zone of Honey Hill Fault
	Norwich	72-3	Exposure of what is mapped as the schist phase of the Tatic Hill
	Old Saybrook	99-6-2	Putnam Gneiss, Biotite Gneiss, see S. Quarrier field notes 8/77
	Thompson	28-1	Tatnic Hill Formation, On-ramp for S I-395 at exit 98 from Route 12 in Thompson
	Thompson	14-1 b	Tatnic Hill Formation, Gneiss from intersection I-395 and Wilsonville Rd
	Thompson	14-1 a	Tatnic Hill Formation, Quartzite from intersection I-395 and Wilsonville Rd
	Thompson	14-1 a	Tatnic Hill Formation, Quartzite from intersection I-395 and Wilsonville Rd
Otaf	Norwich	72-4	Follow road cut to the S beyond entrance for Exit 27N, some calc silicate under pegon, nice water polished rocks
Otay	Bozrah	71-5	Collected from intersection of South and Bishop Rds, Bozrah
Ow	Kent	45-1	Walloomsac Schist from Bulls Bridge, stop #2 on R. Jackson 1982 NEIGC trip, may be similar to Owm, calcite marble with very little dolomite
	Salisbury	16-8	Ore Hill Iron Mine, "Iron Ore" hematite, Salisbury
	Salisbury	16-7	Ore Hill Iron Mine, "Iron Ore" hematite and pyrolucite, Salisbury
	Salisbury	16-6	Ore Hill Iron Mine, "Iron Ore" limonite/goethite, Salisbury



## CT Geological Survey Geological Formation Educational Hand Sample Collection

Content last updated 06/30/2010



Geological Formation	TOWN	Sample Numer	Description
	Salisbury	16-2	Walloomsac garnet staurolite schist, Owgs on Gates Map, sample was taken from float (Gates oral communication) but is typical of this rock type, part of red color may be due to sample being used as part of camp fire, ridge has good exposures of Ose
	Salisbury	16-1	Walloomsac Schist, from roadcut on S side of pond, characterized by medium to fine grained, dark colored, cross bio mica and carbonaceous material
Ps	Southbury	78-2 a	From W side of road just below falls at Southford State Park, shows rounded pegmatite (eroded) and oxidized xenolith
	Southbury	78-2	From W side of road just below falls at Southford State Park
Sbc	East Hampton	68-2 b	Arsenopyrite in quartz from Meshomasic State Forest near Cobalt
	East Hampton	68-2 a	Arsenopyrite in quartz from near Cobalt
	Vernon	39-1	Clough Quartzite, from stone quarry at NW end of Box Hill, Vernon, Northerly striking, E dipping
SObu	Union	26-3	Upper member of Bigelow Brook Formation, Lavender garnets, glagioclase, quartz, biotite, sillimantite? schist, N side Route 17 just W of Bigelow Pond, Bigelow State Park, Union
SOh	Canterbury	57-6-2	Meta siltstone/Hornfels? Mapped as hCS on GQ 392, Collected just W of pond, low outcrops Canterbury is just to the W of the outcrop, inclusions of this rock and a very fine grained biotite schist are found in Canterbury. This rock is quite massive with n
	Chester	84-1 b	Biotite Gneiss and schist, E side of northbound entrance ramp intersection of Rt 9 and 148
	Chester	84-1 c	Biotite Gneiss and schist, E side of northbound entrance ramp intersection of Rt 9 and 148
	Chester	84-1 a	Biotite Gneiss and schist, E side of northbound entrance ramp intersection of Rt 9 and 148



## CT Geological Survey Geological Formation Educational Hand Sample Collection

Content last updated 06/30/2010



Geological Formation	TOWN	Sample Numer	Description
	Deep River	99-7	Sulfur rich layer in Hebron Gneiss, from Kelsey Hill Rd near Rt 9 overpass, Deep River
	Hampton	42-5-1	Hebron Gneiss, Metasiltstone, Hebron (Oakdale) well layered sample collected from Knob behind house, well developed chevron folds in outcrop, fold acts as N50-60E plunge gentle N and S, Amplitude 1-2', W over E couple
	Lebanon	71-2	Metasiltstone Hebron, like Oakdale
	Lyme	84-5	Gillette Castle area, partway down the slope facing ferry, note dark mylonite layer
	Old Saybrook	99-6-1	Hebron Biotite Schist, N 60-80E 80N, see S. Quarrier field notes 8/77, also sample of Calcified Silicate Gneiss
Stb	Trumbull	93-1	Marble in lower Straits Schist, taken on SW side of Mine Hill
TRnh	East Haven	96-2 b	Contains carbonized wood fossils, from just below contact with Talcott Basalt, Cinque Quarry, East Haven, E of Lake Saltonstall between Laural St and North High St
	East Haven	96-2 a	From just below contact with Talcott Basalt, Cinque Quarry, East Haven, E of Lake Saltonstall between Laurel St and North High St
	Southbury	77-1	Petrified Wood reportedly from Pomperaug Triassic
u	Deep River	99-2-1	Ultramafic body shown on quad report
Ygn	New Milford	46-5	Pre-Cambrian, Proterozoic gneiss, just up the hill from sample 46-4, R. Jackson 1982 NEIGC field trip stop #5, can trace a contact between Dalton and Ygn
Zl	New Haven	111-2	From Light House Point Park, New Haven, below lighthouse
Zp	Killingly	44-1	Plainfield Formation, N side of route (Conn. Turnpike) in zone of transition from quartzite to schist, note lineation
Zp, Zsc & Pn	Branford	97-6	From Red Hill Quarry, Stony Creek Preserve, Branford
	Guilford	97-2	"Mamacoke Formation" of Bernold, 1962 p. 22, NE side of Joshua Cove, N of road, coarse quartzite



## CT Geological Survey

# Geological Formation Educational Hand Sample Collection

Content last updated 06/30/2010



Geological Formation	TOWN	Sample Numer	Description
	Guilford	97-3	"Mamacoke Formation" of Bernold, 1962 p. 22, migmatite, 140-50N
Zp, Zsph & Pn?	Old Lyme	100-1	Plainfield Formation Quartzite
Zpq, Zsc & Pn	Guilford	97-4	Plainfield Formation, Quartzite and Quartz schist, bedding striking parallel to valley and dip N 40 degrees
Zsc & Pn	Branford	97-1	Stony Creek Quarry Granite
Zsh	Groton	102-2	Collected on point above Bluff Point Beach
	Plainfield	59-1	North side of Rt 14 in middle of large OTC
Zsp	Killingly	44-2	Hope Valley Alaskite gneiss or Ponaganset gneiss, note lack of mafics and strong lineations
Zsph	Old Lyme	100-2	Sterling Plutonic Group, biotite granitic gneiss collected behind boatyard
Zw	Griswold	73-2	From NW side of Glasgo Pond, Griswold
Zwnj	Lyme	84-2	New London Gneiss, Joshua Rock Member, Aegerine augite gneissic granite, collected from Joshua Rock
	Montville	86-2	New London Gneiss, Joshua Rock Gneiss Member, Aegerine augite
	Waterford	86-3	Cherry Red spots, collected from abandoned stone quarry
Zwr	Deep River	84-8	From steamboat landing between town parking lot and railroad track, Deep River
	Salem	85-1	From Rt 11 in Salem, Not collected yet
	Salem	86-1	Monson, from S of Honey Hill Fault Zone
Eh	Barkhamsted	19-9-1	Cambrian "Waramaug Formation", Hoosac Schist, West Hill Road, New Hartford, 2 samples. Quartzplagioclase- biotite schist and gneissic schist.
Quat	Windsor	22-3	Concretions and Bone, Concretions (2) out of Varved Clay (Pleistocene), Bone taken to Peabody