

Small Quantity Generator Outreach Program

- Educate SQGs regarding their regulatory obligations
- Provide information that can be brought back to facilities for training purposes



David Stokes

Environmental Analyst, Field Staff
Waste Engineering & Enforcement Division

David.stokes@ct.gov

(860) 424-3269

General Agency Outreach Information

- DEEP web site www.ct.gov/dep/
- Contact Information
 - Emergency Response and Spill Prevention Division
 - Emergency Spill Reporting (860) 424-3338
 - Information (860) 424-3377
 - National Response Center (800) 424-8802
 - Bureau of Air Management (860) 424-3436
 - Bureau of Materials Management & Compliance Assurance
 - Hazardous Waste Compliance Assistance (888) 424-4193
 - Solid Waste and Recycling Program (860) 424-3366/3365
 - Stormwater and Wastewater Discharge Programs (860) 424-3018
 - Underground Storage Tank Program (860) 424-3374
 - Office of Pollution Prevention (860) 424-3297
 - Bureau of Water Protection and Land Reuse
 - Remediation Division (860) 424-3705
- Electronic version of Guidance Document www.ct.gov/dep/hazardouswaste

Hazardous Waste Sources of Assistance

- DEEP's [Hazardous Waste](http://www.ct.gov/DEP/hazardouswaste) homepage:
www.ct.gov/DEP/hazardouswaste
- EPA's Waste Management homepage:
www.epa.gov/osw/index.htm
- Compliance Assistance Program ([COMPASS](#))
 - *Toll free help line 1-888-424-4193*
 - *On-site compliance assistance audits*
 - [RCRAHelp!](http://www.ct.gov/DEP/RCRAHelp) page : www.ct.gov/DEP/RCRAHelp

DEEP is revising regulations to keep track with Federal changes and make it easier to follow

(22a-449(c)-100 – 119 and 11)

Topics for Discussion

- **An Introduction to RCRA**
- **Hazardous Waste Determination**
- **Generator Status**
- **Container Accumulation & Storage**
- **Tank Accumulation & Storage**
- **Pre-Transport Functions**
- **Uniform Hazardous Waste Manifest**



Topics for Discussion (cont'd)

- Land Disposal Restriction
- Emergency Preparedness & Planning
- Inspection & Maintenance
- Universal Waste
- Used Oil
- Closure Requirements
- Recycling



Introduction to RCRA

- What is RCRA?
 - *Resource Conservation & Recovery Act*
 - *Title 40 of the Code of Federal Regulations*
 - *Parts 260 – 279*
 - *Effective November 1980*
- Goals of RCRA
 - *Reduce, reuse, recover, eliminate solid & hazardous waste*
- How does RCRA affect Connecticut?
 - *CT is an Authorized State (40 CFR 272 subpart H)*

Who is Regulated?

Any business, utility, service, institution
(governmental and non-governmental) that:

- *Generate hazardous waste*
- *Treat, store, dispose of hazardous waste*
- *Transport hazardous waste, used oil, universal waste*
- *Generate or handle universal waste*
- *Generate or handle used oil*

Conditionally Exempt Small Quantity Generator CESQG

Less than 100 kilograms non-acute HW and less than 1 kilogram acute HW per month, never exceed 1000 kilograms non-acute HW or 1 kilogram of acute HW at any one time

- Determine if waste is HW (and document)
- Send to a permitted facility
- Take to household hazardous waste collection
- Follow DOT shipping requirements
 - and if applicable

Used oil requirements in 40 CFR 279

Universal waste requirements in 40 CFR 273

Large Quantity Generator LQG

Greater than 1000 kilograms HW or 1 kilogram of acute HW

- EPA Id. No.
- Determine if waste is HW (and document)
- Ship within 90 days
- Container/tank requirements
- Weekly/daily inspections and log
- Emergency response plan (written)
- Employee training & job descriptions (written & documented)
- Emission controls
- HW manifest & biennial reports
- Closure

If applicable

Used oil requirements in 40 CFR 279

Universal waste requirements in 40 CFR 273

Small Quantity Generator SQG

100 to 1000 kilograms non-acute HW per month and less than one kilogram of acute HW per month, never exceed 1000 kilograms of non-acute HW or 1 kilogram of acute HW at any one time

- EPA Id. No. (40 CFR 262.12)
- Determine if waste is HW (and document) (40 CFR 262.11)
- Land disposal restrictions (40 CFR 268)
- Ship waste within 180 days (270 if >200 miles) (40 CFR 262.34)
- Container management (40 CFR 265.170-177)
 - *Secondary containment impervious base* (40 CFR 264.175)
 - Aisle space (40 CFR 264.35)
- Tank management (40 CFR 265.201)
 - *Note: SQG cannot operate an open top tank*

SQG continued

- Weekly, daily inspections and inspection logs (40 CFR 265.15 & 201)
- Emergency response procedures (posting) (40 CFR 262.34)
- Employee training (no documentation) (40 CFR 262.34)
- Pre-transport requirements (40 CFR 30-33)
- Hazardous waste manifests (40 CFR 20-22)
- Closure (40 CFR 265.111, 114, 201)

If applicable

Used oil requirements in 40 CFR 279

Universal waste requirements in 40 CFR 273

Where it begins

Determining if your waste is a hazardous waste

(40 CFR 262.11)

1. *Determine if the waste is a solid waste*
2. *Determine if the waste is a hazardous waste*
 - *Use knowledge of the chemicals, processes, contaminants*
 - ✓ *Material Safety Data Sheets*
 - ✓ *Product labeling and manufacturer's information*
 - *Testing*
 - *Both*
3. *Determine if the waste is excluded from the definition of solid waste and hazardous waste*

Where it begins

Documenting your waste determinations

- *Documentation for both HW and non-HW*
 - *Also, for any waste when claiming its excluded*
 - *Reuse as effective substitute as ingredient*
 - *Reuse as commercial product*

- *No prescribed way to document waste determination*
 - *Use waste profile sheets from receiving facility*
 - *Memo to your file with supporting documentation*
 - ✓ *Description of process/chemicals that generates the waste*
 - ✓ *Material Safety Data Sheets or other product information*
 - ✓ *Analytical testing*
 - ✓ *Waste profiles from other businesses doing similar processes*
 - ✓ *Documentation from off-site business claiming reuse for excluded materials*

What is a Hazardous Waste?

“A

*hazardous waste is a discarded solid waste that is listed
as a hazardous waste*

and/or

*exhibits a characteristic of a hazardous waste
and has not been excluded”*

What is a Solid Waste?



Solid waste is –

- *Spent material*
- *Sludge*
- *By-product*
- *Commercial chemical product*
- *Scrap metal*



discarded by –

- *Burned (energy recovery)*
- *Recycled/reclaimed*
- *Accumulated speculatively*
- *Used in a manner constituting disposal**
disposed means placed on ground, water, or incinerated



Table 1 in 261.2

	Use constituting disposal	Energy recovery (fuel)	Reclaimed	Speculative accumulation
Spent material	*	*	*	*
Sludge (listed in 262.31 or 32)	*	*	*	*
Sludge (exhibiting a characteristic of hazardous waste)	*	*		*
By-products (listed in 262.31 or 32)	*	*	*	*
By-products (exhibiting a characteristic of hazardous waste)	*	*		*
Commercial chemical products (listed in 262.33)	*	*		*
Scrap metal	*	*	*	*

Some Exclusions

“Used as effective substitute for a commercial chemical product, provided the product is not *used in a manner constituting disposal or burned*”

1. *Spent plastic bead blasting media (containing lead)*

Used in water resistant concrete block

- ✓ Applied aboveground – not solid waste
- ✓ Applied at or below ground – is solid waste (& HW for lead)

2. *Fly ash (sludge) used to make zinc powder (containing chromium)*

- ✓ Used to galvanize steel panels – not solid waste
- ✓ Used in plant food – is solid waste (& HW for chromium)

Gasoline & gasoline/water mixtures (ignitable and benzene)

- ✓ *Sent for fuel blending – not solid waste*
- ✓ *Spilled on ground – is solid waste (& HW ignitable/benzene)*

Solid Wastes that are Hazardous Wastes

Those that are listed as hazardous waste

40 CFR part 261.31 – 33

Those that exhibit a characteristic of hazardous waste

40 CFR part 261.21 – 24

Two sub-categories

- ✓ *Used oil – 40 CFR 279*
- ✓ *Universal waste – 40 CFR 273*

Waste Codes

Hazardous wastes are identified by “waste codes”

(except for used oil and universal waste)

The listed hazardous waste codes

F, K, U, P waste codes

(Example – F006 metal hydroxide sludge from electroplating)

The characteristic hazardous waste codes

D waste codes

(Example – D035 material with 200 mg/L or > of MEK)

The Listed Hazardous Waste

Four types of listed waste

- "F" waste code – Non-specific source (includes some acute HW)
- "K" waste code – Specific source
- "U" waste code – Commercial chemical product (non-acute)
- "P" waste code – Commercial chemical product (acute)

Reason for listings

- Ignitable (I)
- Corrosive (C)
- Reactive (R)
- Acutely hazardous (H)
- Toxic (T)

Mixture Rule

- *mixing a listed waste with any other solid waste makes the entire mixture a listed waste!*
- *not dependent on amount (one drop, one gallon, etc).*
- *not dependent on the source (intentional mixing, accidental mixing).*
- *Can cause an otherwise inexpensive waste to become more expensive when shipped off-site*

Non-specific Source “F” Waste

Waste from generic sources:

F001 – F039

- Spent solvents (F001 – F005)
- Metal finishing (F006 – F019)
- Pesticides/wood preservative (F020 - F035)
 - *Includes some acute hazardous waste (F020-23, F026 & F027)*

Some common “F” waste in CT

F001 (T)

- The following spent halogenated solvents used in degreasing: tetrachloroethylene, methylene chloride, 1,1,1 trichloroethane, carbon tetrachloride, chlorinated fluorocarbons, (10% or more) still bottoms from solvent recovery

F002 (T)

- The following spent halogenated solvents: tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1 trichloroethane, carbon tetrachloride, chlorinated fluorocarbons, (10 % or more) still bottoms from solvent recovery



Halogens

Word **chlor** or **fluor** in chemical name

Per**chlor**oethylene (1.6)

Tri**chlor**oethylene (1.46)

Methylene **chlor**ide (1.33)

Chlorinated **fluor**ocarbon (1.56)

Known or suspected carcinogens

Heavier than water

Improper handling/treatment = Dioxins


Some common “F” waste in CT

F003 (I)

The following spent non-halogenated solvents: xylene, acetone, ethyl acetate, ethyl benzene, ethyl ether, methyl isobutyl ketone, butyl alcohol, cyclohexanone, methanol, (10% or more) still bottoms from solvent recovery.

F005 (I, T)

The following spent non-halogenated solvents: toluene, methyl ethyl ketone, carbon disulfide, isobutanol, pyridine, benzene, 2-ethoxyethanol, 2-nitropropane ; (10% or more) still bottoms from recovery of spent solvents



Some common “F” waste in CT

F006 (T)

Wastewater treatment sludge from electroplating operations except from the following processes: (1) sulfuric acid anodizing of aluminum; (2) tin plating on carbon steel; (3) zinc plating on carbon steel; (4) aluminum or zinc-aluminum plating on carbon steel; (5) cleaning/stripping associated with tin, zinc, aluminum plating on carbon steel; (6) chemical etching of aluminum.

F019 (T)

Wastewater treatment sludge from chemical conversion coating of aluminum except zirconium phosphating in aluminum can washing

F006 Electroplating Sludge

Removing some of the confusion

- Electroplating processes
 - common & precious metal electroplating
 - etching (includes anodizing and bright dip)
 - chemical milling (including ECM)
 - cleaning & stripping (when associated with above)
- Sludge from wastewater treatment
 - solids & semi-solids from settling/precipitation (clarifier)
 - spun filters & ion exchange resin
 - sand filters
 - evaporator concentrate

Specific Source “K” Waste

Specifically listed industry doing specifically listed processes:

K001 – K160

- Refineries (K048, K170)
- Pharmaceutical (K084, K101)
- Foundry (K061, K069)
- Explosives (K044, K45)

Example “K” Waste

Industry	Hazardous waste	Waste & Hazard code
Wood Preservation	Bottom sediment sludge from treatment of wastewater from wood preserving process that uses creosote and/or pentachlorophenol	K001 (T)
Inorganic Pigments	Wastewater treatment sludge from the production of chrome yellow and orange pigments	K002 (T)
Organic Chemicals	Bottom stream from the acetonitrile column in the production of acrylonitrile	K013 (T, R)
Explosives	Wastewater treatment sludge from the manufacturing and processing of explosives	K044 (R)

Commercial Chemical Product

“U” and “P” waste codes

- Unused commercial products
 - Pure, technical grade
 - Sole active ingredient

Typically discarded because off-spec, shelf life,
spilled

Examples “P” Listed Waste

“acutely hazardous”

P001 - P205(H)

- *Empty containers of “P” listed materials (unless triple rinsed)*
- *Rinsate from rinsing empty containers*

Hazardous waste No.	Chemical abstract No.	Substance
P006	20859-73-8	Aluminum phosphide (R)
P075	54-11-5	Nicotine
P106	143-33-9	Sodium cyanide
P001	81-81-2	warfarin
P022	75-15-0	Carbon disulfide

Examples “U” Listed Waste

U001 – U411(T)

Hazardous waste No.	Chemical abstract No.	Substance
U002	67-64-1	Acetone (I)
U080	75-09-2	Methylene chloride
U210	127-18-4	Tetrachloroethylene
U220	108-88-3	Toluene
U240	94-75-7	2,4, Dichlorophenoxyacetic acid
U023	98-07-7	Benzotrichloride (C, R)
U160	1338-23-4	2-butanone peroxide (R)

Characteristic Hazardous Waste

Four types

"D" waste codes

- *Ignitable (D001)*
- *Corrosive (D002)*
- *Reactive (D003)*
- *Toxicity Characteristic (D004-D043)*

Some Facts

All discarded solid waste must be evaluated for the characteristics

- *Paper*
- *Tires*
- *Chemicals*
- *Lamps*
- *Electronic equipment*
- *Paint*
- *Scrap metal*
- *Construction debris*



Some Facts

Some characteristics are based on physical properties

- *flash point*
- *pH*
- *compressed or pressurized cylinders or gases*
- *Oxidizers*

Some Facts

Some characteristics are based on concentration limits

- *milligrams per liter (mg/L)*
- *test method “Toxicity Characteristic Leaching Procedure” (TCLP)*
- *limits range between 0.008 to 400 mg/L*

note: one percent (1%) equals 10,000 ppm

Ignitable Characteristic D001

- *Liquid with a flashpoint less than 140 degrees F*
- *Oxidizers (49 CFR 173.151)*
- *Ignitable compressed gas (49 CFR 173.300)*
- *Not a liquid – fire through friction, moisture, spontaneous chemical change, & burns vigorously and persistently*

Example D001

Flash point less than 140

- *Mineral spirits*
- *Gasoline*
- *Contact cement*
- *Aerosol products*

Oxidizers

- *Nitric acid*
- *Fiberglass resin hardener (Methyl ethyl ketone peroxide)*
- *Fertilizer (sodium nitrate)*

Ignitable compressed gas

- *Aerosol products (labeled "flammable")*
- *Propane*

Not a liquid

- *Aluminum fines*
- *Magnesium fines and turnings*

Corrosive Characteristic D002

- Aqueous liquid, pH less than 2 or greater than 12.5.
- A liquid that corrodes steel at greater than 0.025 inches per year at 130 degrees F.
- Examples:
 - *nitric acid, sulfuric acid, phosphoric acid, hydrochloric acid, chromic acid*
 - *sodium hydroxide, potassium hydroxide, ammonium hydroxide*
 -

Reactive Characteristic D003

- Normally unstable
- Reacts violently with water or forms toxic fumes or vapors (cyanides & sulfides)
- Capable of detonation or explosion when heated under confinement or subjected to a strong initiating force

Example D003

- *Fire works and explosives*
- *Flameless ration heaters (ready-to-eat meals)*
- *Air bags (un-deployed)*
- *Old picric acid and ether*
- *Compressed cylinders and aerosol cans*
- *Cyanides*
- *Lithium batteries (with electrical charge)*
- *Sodium*

Toxicity Characteristic D004 – D043

- 39 elements and compounds
- cause damage to tissue, impair CNS, cause severe illness or death when ingested, inhaled, or absorbed.
- based on concentration limits (mg/L).
- testing using Toxicity Characteristic Leaching Procedure.

Toxicity Characteristic D004 – D043

Waste Code & CAS		Contaminant	Concentration limit
D004	7440-38-2	Arsenic	5 mg/L
D005	7440-39-3	Barium	100 mg/L
D006	7440-43-9	Cadmium	1 mg/L
D007	7440-47-3	Chromium	5 mg/L
D008	7439-92-1	Lead	5 mg/L
D009	7439-97-6	Mercury	0.2 mg/L
D010	7782-49-2	Selenium	1 mg/L
D011	7440-22-4	Silver	5 mg/L
D012	72-20-8	Endrin	0.02 mg/L
D013	58-89-9	Lindan	0.4 mg/L
D014	72-43-5	Methoxychlor	10 mg/L
D015	8001-35-2	Toxaphene	0.5 mg/L
D016	94-75-7	2,4D	10 mg/L

Toxicity Characteristic D004 – D043

Waste Code & CAS		Contaminant	Concentration limit
D017	93-72-1	2,4,5 TP	1 mg/L
D018	71-43-2	Benzene	0.5 mg/L
D019	56-23-5	Carbon tetrachloride	0.5 mg/L
D020	57-74-9	Chlordane	0.03 mg/L
D021	108-90-7	Chlorobenzene	100 mg/L
D022	67-66-3	Chloroform	6 mg/L
D023	95-48-7	O-cresol	200 mg/L
D024	108-39-4	M-cresol	200 mg/L
D025	106-44-5	P-cresol	200 mg/L
D026	None	Cresol	200 mg/L
D027	106-46-7	1,4 dichlorobenzene	7.5 mg/L
D028	107-06-2	1,2 dichloroethane	0.5 mg/L
D029	75-35-4	1,1 dichloroethylene	0.7 mg/L

Toxicity Characteristic D004 – D043

Waste Code & CAS		Contaminant	Concentration limit
D030	121-14-2	2,4, dinitrotoluene	0.13 mg/L
D031	76-44-8	Heptachlor	0.008 mg/L
D032	118-74-1	Hexachlorobenzene	0.13 mg/L
D033	87-68-3	Hexachlorobutadiene	0.5 mg/L
D034	67-72-1	Hexachloroethane	3 mg/L
D035	78-93-3	Methyl ethyl ketone	200 mg/L
D036	98-95-3	Nitrobenzene	2 mg/L
D037	87-86-5	Pentachlorophenol	100 mg/L
D038	110-86-1	Pyridine	5 mg/L
D039	127-18-4	Tetrachloroethylene	0.7 mg/L
D040	79-01-6	Trichloroethylene	0.5 mg/L
D041	95-95-4	2,4,5 trichlorophenol	400 mg/L
D042	88-06-2	2,4,6 trichlorophenol	2 mg/L
D043	75-01-4	Vinyl chloride	0.2 mg/L

Toxicity Characteristic Examples

- D007 chromium – plating debris, coatings/paints, grinding swarf
- D008 lead – wire insulation, battery debris, plating waste, solder flux, coatings/paints, gun range debris
- D016 2,4D – weed and feed
- D039 tetrachloroethylene – degreasing, cleaning
- D018 benzene – gasoline debris/filters, coatings/paints
- D035 MEK – adhesives, paint thinner, coatings/paints
- D037 pentachlorophenol – wood preservative, insecticide

Used Oil

- Oil that has been used
 - ✓ Petroleum or synthetic
 - ✓ Lubricating, hydraulic, heat transfer
- Materials containing used oil
 - ✓ Filters, absorbents
 - ✓ Until oil has been removed
- Can be HW
 - ✓ *Listed HW*
 - ✓ *Characteristic HW*
- Testing
 - ✓ *Total halogens*
 - *Less than 1000 assumed not mixed HW (halogenated solvents)*
 - *Greater than 1000 must provide not mixed with HW*

Used Oil continued

- Marketing, blending, burning used oil
 - ✓ *Test for fuel specification*
 - *Arsenic 5 ppm max*
 - *Cadmium 2 ppm max*
 - *Chromium 10 ppm max*
 - *Lead 100 ppm max*
 - *Flash point 100 F min*
 - *Total halogens 4000 ppm max*
 - ✓ *On-spec if at or below fuel specifications (similar to virgin #4 fuel oil)*
 - ✓ *Off spec if above fuel specifications*
- Disposed
 - ✓ *Determine if listed and/or characteristic HW , if yes-*
 - ✓ *Fully regulated as hazardous waste*
 - ✓ *Comply with the applicable generator or TSD requirements*

Universal Waste

- Are RCRA HW
 - ✓ Except FIFRA recalled and waste added by state
 - ✓ No testing required
- RCRA Universal waste
 - ✓ *Batteries (heavy metals, corrosive)*
 - ✓ *Mercury thermostats (mercury)*
 - ✓ *Mercury containing lamps (mercury)*
 - ✓ *FIFRA recalled pesticides (some are RCRA HW some are not)*
- State added waste
 - ✓ *Mercury containing equipment*
 - ✓ *Used electronics*
 - ✓ *Any fluorescent lamp*

Universal Waste

- Disposed

- ✓ *Determine if listed and/or characteristic HW , if yes-*
- ✓ *Fully regulated as hazardous waste*
- ✓ *Comply with the applicable generator or TSD requirements*

CT Regulated Waste

- Only a "CT Regulated Waste" when handled in-state
- Must have a state permit to received, treat, dispose, and transport
 - ✓ *No permit needed for storing self generated waste*
 - ✓ *No permit needed for CR05 transportation*

Waste Code	Description	Examples
CR01	Waste oil with PCBs (at or above 50 ppm)	Transformer, heat transfer, hydraulic
CR02	Waste oil (& materials containing oil)	Fuel, lubrication, hydraulic, machining, grinding, bilge water
CR03	Water soluble waste oil (& materials containing oil)	Machining and grinding
CR04	Waste chemical liquid	Latex, glycol, power washing, sludge
CR05	Waste chemical solid	Foundry sand, sand blasting, polluted soil, oily debris, corrosive solids

Any Questions

