## Connecticut Department of Public Health HIV Surveillance Program Recently Diagnosed HIV cases by Risk, Sex, Race, and Age Group, New Britain, 2014 - 2018

			Mode of Transmission									
	Total		MSM		PWID		Heterosexual contact		Presumed Heterosexual contact		Unknown	
	N	% of total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total
Total	43	100.0	19	44.2	5	11.6	16	37.2	2	4.7	1	2.3
Sex												
Male	30	69.8	19	63.3	3	10.0	8	26.7	0	0	0	0
Female	13	30.2	0	0	2	15.4	8	61.5	2	15.4	1	7.7
Race/ethncity												
Black/African American	13	30.2	4	30.8	1	7.7	8	61.5	0	0	0	0
Hispanic/Latino	19	44.2	9	47.4	1	5.3	7	36.8	2	10.5	0	0
White	10	23.3	6	60.0	3	30.0	0	0	0	0	1	10.0
Other races	1	2.3	0	0	0	0	1	100.0	0	0	0	0
Age at diagnosis												
<20	3	7.0	3	100.0	0	0	0	0	0	0	0	0
20-29	12	27.9	5	41.7	2	16.7	5	41.7	0	0	0	0
30-39	8	18.6	2	25.0	0	0	6	75.0	0	0	0	0
40-49	6	14.0	3	50.0	0	0	2	33.3	0	0	1	16.7
50+	14	32.6	6	42.9	3	21.4	3	21.4	2	14.3	0	0

This table presents HIV Infection cases using the year the person was first diagnosed. The term HIV Infection is used to refer to three categories of diagnoses collectively:

2 - a diagnosis of HIV infection and a later diagnosis of AIDS

3 - concurrent diagnoses of HIV and AIDS.

Source: HIV Surveillance Registry for cases reported through December 2019

<sup>1 -</sup> persons with a diagnosis of HIV infection (not AIDS)