Connecticut Department of Public Health HIV Surveillance Program People with HIV Infection by Sex, Race, Age and Risk, Middlesex County, 2018

| | | | Mode of Transmission | | | | | | | | | | | | | | | |
|------------------------|-------|------------------|----------------------|-------------------------|------|-------------------------|-------------|-------------------------|-------------------------|----------------------|-----------|-------------------------|-------------------------------------|----------------------|-------|-------------------------|---------|-------------------------|
| | Total | | MSM | | PWID | | MSM and IDU | | Heterosexual contact | | Perinatal | | Presumed Heterosexual contact | | Other | | Unknown | |
| | N | % of total | N | % of row total | N | % of row total | N | % of row total | N | % of row total | N | % of row total | N | % of row total | N | % of row total | N | % of row total |
| Total | 301 | 100.0 | 129 | 42.9 | 67 | 22.3 | 6 | 2.0 | 61 | 20.3 | 3 | 1.0 | 6 | 2.0 | 1 | 0.3 | 28 | 9.3 |
| Sex | | | | | | | | | | | | | | | | | | |
| Male | 222 | 73.8 | 129 | 58.1 | 38 | 17.1 | 6 | 2.7 | 27 | 12.2 | 2 | 0.9 | 0 | 0 | 1 | 0.5 | 19 | 8.6 |
| Female | 79 | 26.2 | 0 | 0 | 29 | 36.7 | 0 | 0 | 34 | 43.0 | 1 | 1.3 | 6 | 7.6 | 0 | 0 | 9 | 11.4 |
| Race/ethnicity | | | | | | | | | | | | | | | | | | |
| Black/African American | 71 | 23.6 | 14 | 19.7 | 25 | 35.2 | 2 | 2.8 | 23 | 32.4 | 0 | 0 | 2 | 2.8 | 0 | 0 | 5 | 7.0 |
| Hispanic/Latino | 67 | 22.3 | 31 | 46.3 | 17 | 25.4 | 0 | 0 | 11 | 16.4 | 2 | 3.0 | 1 | 1.5 | 0 | 0 | 5 | 7.5 |
| White | 160 | 53.2 | 82 | 51.3 | 25 | 15.6 | 4 | 2.5 | 27 | 16.9 | 0 | 0 | 3 | 1.9 | 1 | 0.6 | 18 | 11.3 |
| Other races | 3 | 1.0 | 2 | 66.7 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 33.3 | 0 | 0 | 0 | 0 | 0 | 0 |
| Current Age | | | | | | | | | | | | | | | | | | |
| <20 | 2 | 0.7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-29 | 14 | 4.7 | 11 | 78.6 | 0 | 0 | 0 | 0 | 2 | 14.3 | 1 | 7.1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30-39 | 39 | 13.0 | 29 | 74.4 | 2 | 5.1 | 1 | 2.6 | 5 | 12.8 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 5.1 |
| 40-49 | 55 | 18.3 | 15 | 27.3 | 14 | 25.5 | 0 | 0 | 13 | 23.6 | 0 | 0 | 3 | 5.5 | 0 | 0 | 10 | 18.2 |
| 50-59 | 118 | 39.2 | 55 | 46.6 | 24 | 20.3 | 2 | 1.7 | 26 | 22.0 | 0 | 0 | 3 | 2.5 | 1 | 0.8 | 7 | 5.9 |
| 60+ | 73 | 24.3 | 19 | 26.0 | 27 | 37.0 | 3 | 4.1 | 15 | 20.5 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 12.3 |

Data based on most recent known address as of 2018
This table presents HIV Infection cases using the year the person was first diagnosed
The term HIV Infection is used to refer to three categories of diagnoses collectively:

- 1 persons with a diagnosis of HIV infection (not AIDS)
- 2 a diagnosis of HIV infection and a later diagnosis of AIDS
- 3 concurrent diagnoses of HIV and AIDS

Source: HIV Surveillance Registry for cases reported through December 2019