Connecticut Department of Public Health HIV Surveillance Program HIV Infection Cases by Year of First Diagnosis, Sex, Race, and Risk, New Haven County, 2009 - 2018

		Sex		Race/ethnicity				Mode of Transmission						
	Total	Male	Female	Black/African American	Hispanic/Latino	White	Other races	MSM	PWID	MSM and IDU	Heterosexual contact	Perinatal	Presumed Heterosexual contact	Unknown
	Number	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total
Diagnosis Year														
2009	102	74.5	25.5	52.9	22.5	23.5	1.0	33.3	15.7	2.9	31.4	2.0	5.9	8.8
2010	96	76.0	24.0	51.0	18.8	28.1	2.1	36.5	13.5	2.1	34.4	0	4.2	9.4
2011	93	74.2	25.8	46.2	19.4	33.3	1.1	44.1	9.7	1.1	33.3	1.1	3.2	7.5
2012	94	71.3	28.7	47.9	28.7	21.3	2.1	44.7	10.6	2.1	34.0	0	2.1	6.4
2013	89	84.3	15.7	34.8	31.5	30.3	3.4	53.9	15.7	1.1	23.6	0	0	5.6
2014	85	82.4	17.6	52.9	27.1	16.5	3.5	57.6	7.1	1.2	24.7	0	2.4	7.1
2015	81	79.0	21.0	43.2	30.9	24.7	1.2	58.0	2.5	4.9	24.7	0	3.7	6.2
2016	85	80.0	20.0	47.1	25.9	23.5	3.5	57.6	4.7	2.4	23.5	1.2	2.4	8.2
2017	87	72.4	27.6	48.3	29.9	19.5	2.3	52.9	4.6	2.3	32.2	0	1.1	6.9
2018	84	71.4	28.6	48.8	23.8	26.2	1.2	50.0	3.6	2.4	27.4	0	7.1	9.5
Total	896	76.5	23.5	47.4	25.7	24.8	2.1	48.3	9.0	2.2	29.1	0.4	3.2	7.6

This table presents HIV Infection cases using the year the person was first diagnosed. The term HIV Infection is used to refer to three categories of diagnoses collectively:

2 - a diagnosis of HIV infection and a later diagnosis of AIDS

3 - concurrent diagnoses of HIV and AIDS.

Source: HIV Surveillance Registry for cases reported through December 2019

^{1 -} persons with a diagnosis of HIV infection (not AIDS)