

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Total Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	5.4 (3.6-7.9)	5.5 (4.1-7.3)	11.9 (8.8-16.0)	23.9 (16.8-32.8)	Yes
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	12.3 (9.7-15.5)	21.4 (18.8-24.3)	29.1 (24.6-34.0)	40.4 (34.1-47.0)	Yes
QN11: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days	5.3 (3.5-7.9)	7.4 (5.2-10.5)	13.8 (10.2-18.5)	24.6 (12.9-41.7)	Yes
QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days	34.8 (29.0-41.0)	36.9 (30.6-43.7)	39.5 (30.8-49.0)	34.1 (21.3-49.8)	Yes
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	3.6 (2.1-6.0)	5.2 (3.5-7.6)	9.0 (5.9-13.5)	19.1 (13.5-26.4)	Yes
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	3.8 (2.5-5.9)	5.7 (4.2-7.6)	9.6 (7.3-12.6)	12.5 (6.8-21.8)	Yes
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	4.2 (3.0-5.8)	5.3 (4.2-6.6)	9.0 (6.1-12.9)	19.0 (12.8-27.2)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Total
Unintentional Injuries/Violence

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months	13.1 (10.7-16.0)	20.2 (17.6-23.1)	28.6 (24.2-33.4)	47.6 (39.5-55.8)	Yes
QN21: Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to	6.4 (4.4-9.2)	8.4 (6.3-11.2)	10.3 (7.4-14.3)	19.2 (10.6-32.2)	Yes
QN22: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months	7.2 (4.8-10.7)	6.9 (4.9-9.4)	10.5 (6.8-15.9)	15.7 (8.7-26.5)	Yes
QN23: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months	9.9 (7.1-13.5)	8.9 (6.5-12.2)	12.4 (8.4-18.1)	16.1 (8.0-29.9)	No
QN24: Percentage of students who had ever been bullied on school property during the past 12 months	16.5 (13.9-19.4)	23.6 (20.9-26.5)	24.5 (19.1-30.7)	22.0 (15.3-30.6)	Yes
QN25: Percentage of students who had ever been electronically bullied during the past 12 months	12.3 (9.4-16.0)	17.8 (15.1-20.9)	23.2 (18.4-28.7)	14.8 (8.9-23.6)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Total
Unintentional Injuries/Violence

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	22.3 (18.1-27.1)	24.3 (20.2-29.0)	32.1 (27.2-37.4)	43.8 (36.5-51.5)	Yes
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months	12.0 (8.9-15.9)	12.3 (10.4-14.4)	16.8 (12.3-22.5)	27.2 (19.7-36.3)	Yes
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months	4.7 (3.1-6.9)	5.6 (3.9-7.9)	11.9 (7.6-18.3)	16.1 (10.3-24.5)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Total
Tobacco Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days	5.8 (4.0-8.5)	12.0 (9.2-15.5)	18.1 (14.4-22.6)	34.8 (23.6-47.9)	Yes
QNFRCIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days	0.9 (0.3-2.7)	3.5 (2.4-5.0)	5.8 (3.5-9.4)	13.9 (7.1-25.5)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Total Alcohol/Other Drug Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	9.0 (6.3-12.8)	13.0 (10.8-15.5)	18.5 (13.1-25.4)	33.0 (24.7-42.4)	Yes
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	23.3 (19.5-27.5)	39.6 (33.7-45.7)	42.6 (37.1-48.2)	62.2 (50.4-72.7)	Yes
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	12.1 (9.1-16.0)	21.7 (18.0-25.9)	24.6 (20.4-29.4)	32.0 (22.7-43.0)	Yes
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days	33.7 (26.3-42.0)	34.2 (28.4-40.4)	29.2 (22.8-36.6)	37.6 (23.6-54.0)	No
QN47: Percentage of students who used marijuana one or more times during their life	25.0 (19.8-31.1)	42.6 (37.3-48.0)	56.4 (51.6-61.1)	68.5 (60.2-75.7)	Yes
QN48: Percentage of students who tried marijuana for the first time before age 13 years	2.9 (1.5-5.5)	4.5 (3.2-6.3)	10.7 (7.7-14.7)	25.7 (20.2-32.1)	Yes
QN49: Percentage of students who used marijuana one or more times during the past 30 days	13.1 (9.4-18.0)	25.6 (21.7-29.9)	36.3 (32.1-40.7)	52.7 (43.6-61.6)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Total Alcohol/Other Drug Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	2.6 (1.5-4.5)	4.6 (3.5-5.9)	6.3 (4.2-9.3)	12.1 (7.1-19.7)	Yes
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	5.9 (3.9-8.8)	6.1 (4.5-8.1)	10.9 (8.1-14.6)	17.6 (11.5-26.0)	Yes
QN52: Percentage of students who used heroin one or more times during their life	2.3 (1.4-3.8)	2.2 (1.5-3.2)	4.6 (2.8-7.5)	11.8 (6.1-21.4)	Yes
QN53: Percentage of students who used methamphetamines one or more times during their life	2.9 (1.8-4.6)	2.5 (1.6-4.0)	5.6 (3.7-8.5)	14.9 (7.5-27.6)	Yes
QN54: Percentage of students who used ecstasy one or more times during their life	3.3 (2.2-5.0)	6.3 (4.7-8.4)	7.5 (5.3-10.7)	16.4 (9.4-26.9)	Yes
QN57: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life	2.3 (1.5-3.5)	1.3 (0.6-2.7)	3.6 (2.1-6.4)	5.7 (2.3-13.6)	No
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	22.4 (19.2-25.9)	26.5 (23.4-29.8)	30.5 (26.6-34.7)	39.8 (29.5-51.2)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Total
Sexual Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN59: Percentage of students who ever had sexual intercourse	24.2 (19.5-29.5)	42.9 (37.3-48.7)	54.2 (49.9-58.6)	62.7 (55.2-69.7)	Yes
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	1.6 (0.8-3.3)	2.6 (1.8-3.6)	5.0 (2.7-9.1)	10.1 (6.1-16.3)	Yes
QN61: Percentage of students who had sexual intercourse with four or more people during their life	3.8 (2.2-6.3)	10.1 (7.7-13.0)	17.0 (12.7-22.4)	25.5 (17.9-35.1)	Yes
QN62: Percentage of students who had sexual intercourse with one or more people during the past three months	19.3 (14.9-24.6)	31.6 (26.2-37.6)	38.8 (33.1-44.8)	44.1 (34.3-54.4)	Yes
QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	20.3 (11.2-33.9)	15.5 (11.2-21.2)	21.1 (14.0-30.6)	34.1 (19.8-51.9)	No
QN64: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	54.2 (46.3-61.8)	61.0 (55.1-66.7)	63.8 (55.1-71.6)	64.5 (48.3-78.0)	No
QN65: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	26.4 (19.0-35.4)	33.1 (26.2-40.9)	25.4 (17.0-36.2)	21.0 (11.5-35.2)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Total
Sexual Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOTHH: Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	9.4 (3.0-26.0)	6.1 (3.6-10.1)	6.1 (2.4-14.5)	2.5 (0.3-17.3)	No
QNOTHHPL: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	35.8 (25.2-48.1)	39.2 (32.5-46.3)	31.5 (23.1-41.3)	23.5 (13.8-37.0)	No
QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	13.6 (8.7-20.6)	11.7 (8.2-16.5)	9.2 (5.2-15.6)	5.3 (1.7-15.1)	No
QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse	10.3 (5.9-17.3)	4.7 (2.4-8.9)	8.3 (4.5-15.0)	16.5 (9.0-28.3)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Total
Dietary Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)§	13.7 (11.0-16.9)	14.6 (12.1-17.5)	15.0 (11.6-19.2)	6.6 (3.8-11.1)	Yes
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)§	6.3 (4.2-9.4)	12.1 (9.9-14.8)	16.4 (12.0-21.9)	21.0 (12.9-32.5)	Yes
QN66: Percentage of students who described themselves as slightly or very overweight	26.5 (22.1-31.4)	29.5 (26.3-33.0)	31.9 (27.9-36.1)	30.4 (22.2-40.0)	No
QN67: Percentage of students who were trying to lose weight	46.3 (42.3-50.4)	48.8 (44.9-52.8)	48.3 (43.6-52.9)	39.1 (30.7-48.2)	No
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days	74.5 (69.4-79.1)	76.8 (73.3-80.0)	78.7 (72.7-83.6)	78.8 (67.3-87.0)	No
QN72: Percentage of students who ate fruit one or more times during the past seven days	91.3 (88.5-93.5)	88.4 (84.9-91.1)	82.2 (76.5-86.7)	87.0 (75.5-93.6)	No
QN73: Percentage of students who ate green salad one or more times during the past seven days	72.7 (68.4-76.6)	68.5 (64.3-72.5)	58.1 (52.2-63.7)	49.8 (39.5-60.1)	Yes
QN74: Percentage of students who ate potatoes one or more times during the past seven days	67.8 (62.8-72.4)	67.8 (64.6-70.9)	63.9 (60.4-67.3)	58.5 (45.6-70.3)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

§ Based on reference data from the 2000 CDC Growth Charts.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Total Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN75: Percentage of students who ate carrots one or more times during the past seven days	55.1 (49.7-60.3)	51.0 (46.4-55.6)	46.4 (41.3-51.7)	38.9 (31.2-47.3)	Yes
QN76: Percentage of students who ate other vegetables one or more times during the past seven days	88.3 (85.9-90.4)	85.5 (82.7-87.9)	80.8 (76.1-84.7)	73.5 (61.7-82.7)	No
QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days	23.3 (19.7-27.4)	18.8 (15.4-22.7)	17.2 (13.9-21.0)	20.3 (14.0-28.5)	Yes
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days	33.9 (29.9-38.1)	31.5 (26.9-36.6)	27.4 (22.7-32.6)	30.0 (21.5-40.1)	No
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days	4.1 (2.6-6.4)	4.9 (3.0-7.9)	3.6 (2.1-6.2)	7.8 (3.7-15.6)	No
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days	68.6 (63.5-73.2)	63.5 (59.2-67.7)	59.6 (55.0-64.1)	58.1 (49.5-66.3)	No
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days	20.0 (16.9-23.5)	18.4 (15.3-21.9)	18.5 (14.2-23.8)	19.6 (13.2-28.1)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Total Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days	16.6 (13.4-20.3)	14.3 (11.3-18.0)	13.0 (9.8-17.2)	13.0 (7.2-22.5)	No
QNVEG0: Percentage of students who ate vegetables 0 times per day during the past seven days	3.3 (1.9-5.5)	5.2 (3.5-7.5)	8.4 (6.2-11.4)	13.8 (7.8-23.5)	No
QNVEG1: Percentage of students who ate vegetables one or more times per day during the past seven days	74.5 (70.0-78.7)	66.0 (61.7-70.1)	60.1 (55.1-65.0)	56.9 (45.9-67.1)	Yes
QNVEG2: Percentage of students who ate vegetables two or more times per day during the past seven days	33.3 (29.1-37.8)	29.6 (26.2-33.3)	26.3 (22.4-30.6)	20.8 (15.5-27.3)	No
QNFRVG2: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days	11.3 (8.8-14.5)	9.4 (6.7-13.2)	7.9 (4.6-13.0)	7.4 (3.4-15.5)	No
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	7.6 (5.7-10.1)	13.6 (11.1-16.5)	18.0 (13.4-23.6)	23.2 (14.7-34.5)	Yes
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days	40.8 (36.3-45.5)	27.7 (24.9-30.7)	23.7 (18.9-29.2)	19.9 (13.8-27.9)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Total
Dietary Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days	4.8 (3.4-6.6)	8.8 (6.7-11.5)	12.6 (9.2-17.1)	20.0 (12.8-29.9)	Yes
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days	2.1 (1.3-3.4)	3.9 (2.5-6.1)	7.9 (5.3-11.6)	8.0 (4.1-14.8)	Yes
QN79: Percentage of students who ate breakfast on all of the past seven days	45.0 (40.9-49.2)	36.2 (32.2-40.4)	21.7 (17.7-26.3)	9.6 (5.3-16.8)	Yes
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days	8.3 (5.8-11.6)	10.2 (8.5-12.3)	19.5 (15.5-24.2)	25.6 (18.3-34.7)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Total
Physical Activity

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days	51.9 (46.4-57.3)	48.5 (43.6-53.4)	40.2 (33.9-46.8)	42.5 (33.6-52.0)	Yes
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days	13.7 (10.5-17.5)	10.9 (7.9-14.8)	18.6 (14.0-24.3)	18.4 (12.0-27.1)	No
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days	27.8 (22.7-33.6)	25.8 (22.2-29.8)	27.5 (22.2-33.5)	19.4 (14.1-26.0)	No
QN81: Percentage of students who watched three or more hours per day of TV on an average school day	18.5 (14.5-23.3)	22.2 (19.8-24.8)	29.9 (24.5-35.9)	34.3 (26.5-43.0)	Yes
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	32.5 (26.6-39.0)	36.7 (32.6-41.1)	40.6 (34.9-46.5)	33.6 (23.7-45.2)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Total
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who described their health as excellent or very good	73.7 (69.8-77.2)	61.7 (57.7-65.6)	51.4 (45.4-57.3)	61.9 (52.8-70.2)	Yes
QN89: Among students who drove a car or other vehicle during the past 30 days, the percentage who talked on a cell phone while driving on one or more of the past 30 days	34.1 (29.3-39.2)	37.9 (32.4-43.8)	35.7 (27.4-44.9)	38.1 (24.8-53.6)	No
QN90: Percentage of students who suffered a blow or jolt to their head while playing with a sports team (either during a game or during practice) which caused them to get "knocked out", have memory problems, double or blurry vision, headaches or "pressure" in the head, or nausea or vomiting during the past 12 months	10.3 (8.2-13.0)	15.2 (13.0-17.6)	13.9 (10.6-18.1)	15.7 (9.8-24.3)	No
QN91: Percentage of students whose property, such as their car, clothing, or books, had been stolen or deliberately damaged on school property one or more times during the past 12 months	17.8 (15.0-21.0)	17.1 (14.8-19.6)	28.7 (23.9-34.2)	30.2 (20.9-41.5)	Yes
QN92: Percentage of students whose boyfriend or girlfriend verbally or emotionally abused them (for example, called them names, made fun of them in front of others, made fun of their body or looks, or told them that they are no good or worthless) one or more times during the past 12 months	10.8 (8.4-13.9)	16.7 (14.2-19.5)	20.5 (14.7-28.0)	28.3 (19.3-39.5)	Yes
QN93: Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because of their weight, size, or physical appearance	21.5 (18.7-24.6)	25.4 (22.5-28.7)	30.2 (25.8-35.1)	28.6 (22.0-36.4)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Total
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because someone thought they were gay, lesbian, or bisexual	9.0 (6.8-11.8)	9.0 (7.3-11.1)	14.8 (11.2-19.3)	18.3 (11.4-28.0)	Yes
QN95: Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months	12.7 (9.8-16.3)	13.4 (10.8-16.5)	21.7 (16.3-28.3)	32.9 (23.6-43.9)	Yes
QN96: Percentage of students who would most likely talk about it with a school counselor or teacher or other adult when they feel sad, empty, hopeless, angry, or anxious	2.6 (1.3-5.2)	4.3 (3.0-6.2)	6.3 (4.1-9.7)	3.9 (1.5-9.8)	No
QN97: Percentage of students who most of the time or always get the kind of help they need when they feel sad, empty, hopeless, angry, or anxious	31.2 (26.7-36.0)	27.9 (24.9-31.0)	27.6 (21.3-35.0)	17.0 (11.0-25.2)	No
QN98: Percentage of students who strongly disapprove or somewhat disapprove of someone their age having one or two drinks of alcohol nearly every day	81.5 (77.6-84.9)	73.6 (69.3-77.4)	61.1 (55.8-66.2)	57.6 (43.4-70.6)	Yes
QN99: Percentage of students who think people greatly risk harming themselves (physically or in other ways), if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice each weekend	49.8 (45.3-54.3)	35.6 (32.2-39.2)	26.8 (21.9-32.3)	24.6 (16.3-35.4)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Total Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN100: Percentage of students who have taken over-the-counter drugs to get high one or more times during their life	7.0 (4.8-10.1)	9.2 (7.2-11.6)	12.7 (9.1-17.6)	23.7 (14.1-37.1)	Yes
QN101: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, codeine, Ritalin, or Xanax) without a doctor's prescription to get high one or more times during their life	6.5 (4.4-9.4)	9.4 (7.4-12.0)	16.5 (11.7-22.8)	21.3 (12.8-33.4)	Yes
QN102: Percentage of students who attended school under the influence of alcohol or other illegal drugs, such as marijuana or cocaine, one or more times during the past 12 months	7.2 (5.3-9.8)	15.0 (12.6-17.9)	22.9 (18.6-27.9)	38.0 (28.4-48.8)	Yes
QN103: Percentage of students who have been pregnant or gotten someone pregnant one or more times	1.7 (1.0-3.0)	2.5 (1.5-4.3)	4.9 (2.6-9.2)	7.6 (3.1-17.7)	Yes
QN104: Percentage of students who have had sexual contact with males and females during their life	3.2 (2.0-5.0)	4.0 (3.0-5.4)	7.0 (4.5-10.6)	8.3 (4.2-15.6)	Yes
QN105: Percentage of students who describe themselves as gay or lesbian or bisexual	6.3 (4.5-8.9)	6.9 (5.7-8.3)	10.8 (7.3-15.6)	12.6 (7.6-20.1)	Yes
QN106: Percentage of students who exercised, ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days	59.3 (55.4-63.1)	57.9 (54.5-61.1)	56.9 (50.9-62.7)	55.9 (46.9-64.5)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Total
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who went without eating for 24 hours or more (also called fasting), vomited, took laxatives or diet pills, powders, or liquids (without a doctor's advice) to lose weight or to keep from gaining weight during the past 30 days	9.5 (6.8-13.0)	8.2 (6.4-10.3)	14.1 (9.6-20.3)	20.9 (12.0-33.8)	Yes
QN108: Percentage of students who drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt, one or more times per day during the past seven days	1.6 (0.8-3.0)	2.4 (1.4-4.0)	7.1 (4.9-10.3)	6.5 (2.6-15.0)	Yes
QN109: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage (such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight) or sports drink (such as Gatorade or PowerAde) one or more times per day during the past 7 days	14.4 (12.3-16.9)	14.9 (11.9-18.6)	19.6 (16.3-23.5)	18.5 (12.3-27.0)	No
QN110: Percentage of students who ate at least one meal with their family on three or more of the past seven days	73.1 (67.9-77.7)	66.5 (60.8-71.8)	54.1 (47.9-60.1)	55.5 (44.9-65.7)	Yes
QN111: Percentage of students who have had sexuality education in school during the past 12 months	47.0 (38.7-55.4)	42.4 (36.4-48.7)	40.4 (34.6-46.5)	45.7 (34.7-57.1)	No
QN112: Percentage of students who have ever been taught about how Hepatitis A, B, and C viruses are spread	65.1 (60.1-69.9)	63.0 (59.4-66.5)	62.9 (57.6-67.9)	68.2 (59.2-76.1)	No
QN113: Percentage of students who had ever been tested for HIV, the virus that causes AIDS	10.8 (8.4-13.9)	13.1 (10.0-16.9)	14.5 (11.0-18.8)	22.8 (15.6-32.0)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Total Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN114: Percentage of students who have ever been told by a doctor or nurse that they had a sexually transmitted disease (STD)	3.7 (2.3-5.9)	5.5 (3.6-8.4)	5.6 (3.7-8.2)	11.7 (5.7-22.6)	No
QN115: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past year	85.4 (81.5-88.5)	81.7 (78.1-84.9)	72.4 (64.6-79.0)	72.2 (59.2-82.3)	Yes
QN116: Percentage of students who get eight or more hours of sleep on average school night	25.1 (20.6-30.2)	25.8 (22.7-29.1)	20.4 (16.2-25.3)	16.2 (10.9-23.3)	Yes
QN117: Percentage of students who live with at least one parent most of the time	97.2 (94.9-98.4)	96.2 (94.2-97.5)	94.6 (92.0-96.4)	89.1 (81.6-93.8)	Yes
QN118: Percentage of students who usually spend four or more hours after school without an adult present on a school day	17.7 (14.5-21.4)	20.2 (17.7-22.8)	24.1 (20.4-28.3)	32.1 (22.6-43.4)	Yes
QN119: Percentage of students whose parents or other adults in their family never or rarely know where they are when they are away from home	4.6 (2.9-7.2)	8.4 (6.3-11.1)	12.6 (9.5-16.6)	18.5 (12.6-26.3)	Yes
QN120: Percentage of students who agree or strongly agree that their family loves them and gives them help and support when they need it	91.5 (87.5-94.3)	88.6 (85.6-91.1)	83.3 (80.0-86.1)	82.8 (73.7-89.2)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Total Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN121: Percentage of students who responded that there is at least one teacher or other adult in this school that they can talk to if they have a problem	69.8 (64.9-74.4)	63.5 (60.5-66.5)	59.4 (54.1-64.5)	58.5 (47.5-68.7)	Yes
QN122: Percentage of students who are receiving special education services as part of an individual education plan or IEP	5.0 (3.7-6.8)	9.9 (7.7-12.7)	14.8 (11.1-19.6)	15.5 (10.2-22.9)	Yes
QN123: Percentage of students who probably or definitely will complete a post high school program such as a vocational training program, military service, community college, or 4-year college	85.7 (82.9-88.1)	80.0 (77.2-82.6)	64.6 (57.9-70.8)	63.1 (53.1-72.0)	Yes
QN124: Percentage of students who took part in organized after school, evening, or weekend activities (such as school clubs; sports; community center groups; music, art, or dance lessons; drama; church; or other supervised activities) on one or more of the past seven days	76.6 (71.2-81.2)	67.6 (62.7-72.1)	51.4 (45.5-57.3)	38.8 (29.0-49.7)	Yes
QN125: Percentage of students who work at a paying job outside their home five or more hours during an average week when they are in school	20.1 (16.6-24.2)	24.2 (19.9-29.1)	26.9 (21.0-33.8)	19.7 (13.2-28.3)	Yes
QN126: Percentage of students who spent one or more hours helping other people without getting paid (such as helping out a hospital, daycare center, food pantry, youth program, community service agency, or doing other things) to make their community a better place for people to live during the past 30 days	55.3 (50.8-59.8)	48.7 (44.9-52.5)	42.3 (38.2-46.6)	53.3 (42.2-64.0)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Total
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN127: Percentage of students who gambled for money or possessions one or more times during the past 12 months	14.7 (11.6-18.3)	20.5 (17.3-24.2)	25.0 (19.8-31.1)	40.8 (31.2-51.0)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Male Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	5.7 (3.5-9.2)	6.3 (4.1-9.6)	12.4 (7.9-18.9)	18.4 (8.6-35.2)	Yes
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	11.8 (8.1-16.9)	21.5 (17.3-26.3)	30.9 (26.3-36.0)	31.8 (23.3-41.8)	Yes
QN11: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days	8.3 (4.9-13.6)	6.4 (3.9-10.2)	14.5 (10.5-19.7)	19.3 (7.2-42.5)	Yes
QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days	35.9 (27.7-45.0)	41.1 (34.6-48.0)	45.6 (34.9-56.8)	34.8 (21.8-50.5)	No
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	5.3 (2.9-9.3)	7.3 (5.2-10.2)	12.3 (7.7-19.0)	22.8 (14.2-34.4)	Yes
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	3.6 (1.7-7.5)	4.7 (3.2-6.8)	8.9 (6.2-12.5)	12.6 (6.9-22.0)	Yes
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	6.4 (3.8-10.6)	6.2 (4.6-8.3)	11.0 (6.7-17.6)	20.2 (13.2-29.7)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Male Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	13.4 (8.6-20.3)	17.4 (13.6-22.0)	21.0 (16.2-26.7)	36.4 (29.0-44.5)	Yes
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months	8.9 (5.3-14.4)	8.1 (6.4-10.2)	13.1 (8.9-18.9)	22.7 (12.5-37.6)	Yes
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months	4.3 (1.9-9.4)	6.1 (3.9-9.2)	12.0 (6.5-21.1)	9.7 (4.3-20.3)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Male
Tobacco Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days	6.0 (3.5-10.2)	13.6 (10.3-17.8)	18.5 (13.6-24.7)	30.3 (17.7-46.6)	Yes
QNFRCIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days	1.7 (0.4-7.0)	3.9 (2.5-5.9)	7.5 (4.7-11.7)	15.1 (6.8-30.1)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Male
Alcohol/Other Drug Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	10.2 (6.5-15.6)	18.2 (14.9-22.0)	20.2 (14.6-27.3)	33.0 (24.0-43.3)	Yes
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	24.4 (17.7-32.5)	38.3 (32.7-44.2)	39.9 (33.4-46.7)	59.0 (43.2-73.1)	Yes
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	14.7 (9.5-22.1)	24.1 (19.6-29.2)	27.8 (22.5-33.9)	30.4 (19.0-45.0)	Yes
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days	28.0 (17.9-41.0)	27.8 (22.3-34.1)	22.4 (16.0-30.5)	39.4 (24.3-56.9)	No
QN47: Percentage of students who used marijuana one or more times during their life	27.7 (21.2-35.2)	45.4 (39.6-51.3)	58.1 (49.1-66.5)	63.1 (50.9-73.8)	Yes
QN48: Percentage of students who tried marijuana for the first time before age 13 years	5.6 (2.6-11.6)	6.1 (4.0-9.2)	14.2 (10.0-19.7)	23.2 (16.8-31.0)	Yes
QN49: Percentage of students who used marijuana one or more times during the past 30 days	16.7 (11.1-24.4)	27.8 (23.7-32.4)	36.4 (29.9-43.5)	48.4 (36.5-60.5)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Male
Alcohol/Other Drug Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	3.7 (1.6-8.3)	6.0 (4.5-8.0)	8.9 (6.1-12.7)	15.2 (8.3-26.1)	Yes
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	5.3 (2.7-10.0)	5.8 (4.0-8.3)	13.4 (9.7-18.2)	13.5 (7.8-22.4)	Yes
QN52: Percentage of students who used heroin one or more times during their life	4.2 (2.3-7.6)	3.5 (2.2-5.5)	6.6 (4.0-10.7)	14.4 (6.4-29.5)	No
QN53: Percentage of students who used methamphetamines one or more times during their life	5.6 (3.0-10.0)	3.5 (2.1-5.6)	8.8 (5.6-13.5)	14.8 (6.4-30.5)	Yes
QN54: Percentage of students who used ecstasy one or more times during their life	5.7 (3.2-9.7)	7.7 (5.3-11.1)	8.9 (5.9-13.2)	19.1 (9.9-33.6)	Yes
QN57: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life	3.3 (1.7-6.3)	1.9 (0.9-4.0)	6.0 (3.5-10.1)	5.4 (2.0-14.0)	No
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	24.6 (18.6-31.9)	28.1 (24.0-32.8)	30.6 (25.0-36.8)	38.2 (26.4-51.5)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Male
Sexual Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN59: Percentage of students who ever had sexual intercourse	23.0 (17.4-29.8)	43.5 (36.4-50.8)	52.6 (44.9-60.2)	64.2 (53.4-73.7)	Yes
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	3.9 (1.7-8.5)	3.8 (2.3-6.4)	5.9 (2.7-12.7)	10.3 (4.7-21.0)	No
QN61: Percentage of students who had sexual intercourse with four or more people during their life	4.0 (1.6-9.5)	11.7 (8.2-16.3)	20.9 (14.1-29.9)	26.4 (17.3-38.3)	Yes
QN62: Percentage of students who had sexual intercourse with one or more people during the past three months	17.6 (13.1-23.3)	29.8 (24.2-36.1)	37.0 (29.3-45.4)	42.3 (30.4-55.1)	Yes
QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	29.2 (15.7-47.8)	18.4 (9.9-31.6)	24.1 (14.6-36.9)	-	
QN64: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	62.6 (44.1-78.1)	66.3 (58.3-73.5)	62.6 (50.0-73.7)	-	
QN65: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	22.9 (11.9-39.5)	27.9 (19.1-38.6)	20.6 (10.1-37.6)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Male
Sexual Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOTHH: Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	4.7 (0.6-27.7)	5.3 (2.7-9.9)	6.0 (2.3-14.6)	-	
QNOTHHPL: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	27.6 (14.1-47.0)	33.1 (23.2-44.7)	26.6 (14.1-44.4)	-	
QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	11.4 (5.0-24.0)	10.6 (6.3-17.3)	5.3 (2.1-13.0)	-	
QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse	11.0 (4.3-25.2)	6.1 (2.7-13.1)	9.4 (4.1-19.8)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Male
Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)§	14.3 (10.6-19.1)	15.3 (11.7-19.7)	15.6 (10.8-22.1)	5.7 (2.9-11.1)	Yes
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)§	8.8 (5.5-13.7)	13.9 (10.6-18.0)	18.2 (12.3-26.1)	19.6 (10.1-34.8)	Yes
QN66: Percentage of students who described themselves as slightly or very overweight	16.4 (12.3-21.7)	26.1 (22.6-29.9)	26.5 (21.2-32.6)	26.1 (15.9-39.8)	Yes
QN67: Percentage of students who were trying to lose weight	26.4 (20.4-33.4)	30.9 (25.4-36.9)	36.2 (29.6-43.3)	23.9 (13.6-38.5)	No
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days	77.5 (69.8-83.7)	81.4 (77.7-84.7)	81.7 (75.6-86.6)	79.0 (64.5-88.6)	No
QN72: Percentage of students who ate fruit one or more times during the past seven days	89.2 (83.0-93.3)	87.2 (83.8-90.0)	80.0 (74.8-84.3)	87.7 (74.9-94.4)	No
QN73: Percentage of students who ate green salad one or more times during the past seven days	66.6 (58.5-73.8)	62.0 (56.6-67.1)	55.9 (49.5-62.0)	47.2 (35.7-59.0)	No
QN74: Percentage of students who ate potatoes one or more times during the past seven days	71.2 (65.3-76.6)	71.9 (66.9-76.5)	66.5 (60.9-71.6)	62.7 (49.3-74.3)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

§ Based on reference data from the 2000 CDC Growth Charts.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Male
Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN75: Percentage of students who ate carrots one or more times during the past seven days	56.4 (50.1-62.5)	54.6 (48.6-60.6)	49.6 (41.9-57.3)	38.7 (27.4-51.4)	No
QN76: Percentage of students who ate other vegetables one or more times during the past seven days	87.2 (83.6-90.2)	83.7 (79.5-87.1)	80.5 (74.4-85.4)	76.4 (59.4-87.8)	No
QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days	24.6 (20.0-29.9)	19.1 (14.7-24.6)	17.3 (14.8-20.1)	21.3 (12.4-34.2)	Yes
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days	35.8 (29.8-42.3)	32.2 (26.7-38.3)	26.6 (20.9-33.2)	31.9 (22.1-43.7)	No
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days	4.9 (2.4-9.9)	4.5 (2.7-7.4)	4.6 (2.3-9.2)	8.0 (3.3-18.2)	No
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days	70.1 (63.4-76.0)	67.9 (62.4-73.0)	57.9 (51.8-63.8)	60.8 (50.2-70.4)	No
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days	21.1 (15.8-27.5)	19.5 (15.8-23.8)	18.1 (13.3-24.2)	19.8 (11.7-31.5)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Male
Dietary Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days	17.8 (14.3-21.9)	14.7 (10.5-20.2)	11.1 (7.4-16.4)	14.4 (7.2-26.7)	No
QNVEG0: Percentage of students who ate vegetables 0 times per day during the past seven days	4.9 (2.6-9.1)	6.0 (3.9-9.1)	10.2 (6.7-15.3)	13.0 (6.7-23.7)	No
QNVEG1: Percentage of students who ate vegetables one or more times per day during the past seven days	75.0 (70.0-79.4)	67.0 (60.4-73.0)	61.7 (54.1-68.8)	55.8 (42.1-68.6)	Yes
QNVEG2: Percentage of students who ate vegetables two or more times per day during the past seven days	36.1 (30.8-41.7)	30.2 (24.8-36.1)	26.7 (20.8-33.4)	20.0 (12.3-30.9)	No
QNFRVG2: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days	12.3 (8.8-17.0)	8.9 (5.5-14.0)	7.2 (4.3-11.9)	8.7 (3.6-20.0)	No
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	10.8 (7.2-16.0)	18.6 (14.6-23.5)	16.2 (11.4-22.6)	25.7 (16.2-38.1)	Yes
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days	36.5 (28.4-45.5)	20.7 (16.8-25.4)	21.4 (16.4-27.3)	17.7 (10.4-28.6)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Male
Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days	7.5 (4.5-12.1)	11.2 (8.0-15.5)	12.2 (8.2-17.7)	20.8 (13.1-31.3)	Yes
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days	3.7 (1.9-7.1)	4.2 (2.5-7.1)	6.5 (4.1-10.2)	4.9 (1.7-13.7)	No
QN79: Percentage of students who ate breakfast on all of the past seven days	51.7 (47.0-56.5)	41.6 (36.7-46.6)	24.3 (18.3-31.6)	7.7 (3.2-17.6)	Yes
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days	8.0 (5.3-11.9)	9.9 (7.4-13.1)	19.9 (14.0-27.6)	27.7 (18.3-39.5)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Male
Physical Activity

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days	61.4 (54.9-67.6)	58.1 (51.9-64.0)	48.8 (41.1-56.5)	53.4 (40.4-66.0)	No
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days	10.2 (6.8-15.1)	7.5 (5.5-10.2)	15.9 (10.7-23.0)	9.9 (4.9-19.1)	No
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days	37.3 (30.2-45.0)	34.0 (28.3-40.1)	33.5 (26.0-41.9)	24.2 (16.9-33.3)	No
QN81: Percentage of students who watched three or more hours per day of TV on an average school day	19.2 (13.0-27.5)	20.7 (17.7-24.1)	30.9 (25.1-37.4)	38.8 (27.1-51.9)	Yes
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	29.2 (22.3-37.3)	34.2 (29.1-39.8)	37.4 (29.1-46.4)	29.8 (18.3-44.6)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Male
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who described their health as excellent or very good	82.3 (77.3-86.4)	70.6 (65.5-75.2)	56.9 (51.3-62.4)	70.0 (58.2-79.6)	Yes
QN89: Among students who drove a car or other vehicle during the past 30 days, the percentage who talked on a cell phone while driving on one or more of the past 30 days	35.8 (28.6-43.8)	41.4 (35.6-47.4)	42.2 (32.9-52.2)	37.6 (23.4-54.4)	No
QN90: Percentage of students who suffered a blow or jolt to their head while playing with a sports team (either during a game or during practice) which caused them to get "knocked out", have memory problems, double or blurry vision, headaches or "pressure" in the head, or nausea or vomiting during the past 12 months	11.1 (7.6-16.0)	18.5 (15.0-22.5)	18.4 (14.4-23.3)	19.0 (11.6-29.7)	No
QN91: Percentage of students whose property, such as their car, clothing, or books, had been stolen or deliberately damaged on school property one or more times during the past 12 months	18.2 (13.2-24.5)	16.6 (13.6-20.2)	30.1 (24.4-36.5)	33.6 (21.1-48.8)	Yes
QN92: Percentage of students whose boyfriend or girlfriend verbally or emotionally abused them (for example, called them names, made fun of them in front of others, made fun of their body or looks, or told them that they are no good or worthless) one or more times during the past 12 months	7.5 (4.1-13.1)	11.0 (8.2-14.7)	16.5 (11.6-23.0)	19.1 (12.1-28.9)	Yes
QN93: Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because of their weight, size, or physical appearance	18.9 (14.6-24.2)	21.0 (17.5-25.1)	25.4 (19.8-31.9)	20.5 (13.9-29.3)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Male
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because someone thought they were gay, lesbian, or bisexual	12.0 (9.0-15.9)	9.2 (7.1-11.9)	14.3 (10.2-19.7)	16.8 (9.9-27.1)	No
QN95: Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months	5.7 (3.5-9.1)	8.0 (5.8-11.0)	17.3 (11.3-25.6)	24.2 (13.2-40.3)	Yes
QN96: Percentage of students who would most likely talk about it with a school counselor or teacher or other adult when they feel sad, empty, hopeless, angry, or anxious	2.0 (0.6-6.1)	3.6 (1.8-7.0)	5.8 (2.9-11.3)	1.8 (0.5-6.6)	No
QN97: Percentage of students who most of the time or always get the kind of help they need when they feel sad, empty, hopeless, angry, or anxious	28.5 (22.1-35.8)	26.0 (21.1-31.6)	20.2 (14.3-27.8)	10.1 (4.2-22.3)	Yes
QN98: Percentage of students who strongly disapprove or somewhat disapprove of someone their age having one or two drinks of alcohol nearly every day	76.6 (69.6-82.4)	69.0 (61.7-75.6)	56.6 (51.0-62.0)	58.7 (42.5-73.2)	Yes
QN99: Percentage of students who think people greatly risk harming themselves (physically or in other ways), if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice each weekend	40.3 (34.7-46.2)	29.7 (25.5-34.4)	21.8 (16.8-27.9)	27.1 (16.7-40.8)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Male
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN100: Percentage of students who have taken over-the-counter drugs to get high one or more times during their life	10.2 (6.2-16.4)	10.5 (7.9-13.8)	13.5 (9.8-18.4)	19.1 (10.7-31.6)	No
QN101: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, codeine, Ritalin, or Xanax) without a doctor's prescription to get high one or more times during their life	7.9 (4.3-14.1)	10.2 (7.4-13.8)	19.3 (13.3-27.2)	20.0 (9.5-37.5)	Yes
QN102: Percentage of students who attended school under the influence of alcohol or other illegal drugs, such as marijuana or cocaine, one or more times during the past 12 months	8.9 (5.6-13.8)	17.9 (14.4-22.0)	24.4 (19.0-30.8)	39.8 (28.0-53.0)	Yes
QN103: Percentage of students who have been pregnant or gotten someone pregnant one or more times	2.2 (1.4-3.6)	3.3 (1.9-5.8)	6.9 (3.4-13.5)	7.9 (3.0-19.4)	Yes
QN104: Percentage of students who have had sexual contact with males and females during their life	1.4 (0.4-4.8)	1.6 (0.9-3.0)	2.8 (1.4-5.5)	7.3 (2.6-18.5)	No
QN105: Percentage of students who describe themselves as gay or lesbian or bisexual	3.1 (1.7-5.6)	5.2 (3.7-7.3)	8.3 (5.2-13.0)	8.9 (3.6-20.4)	No
QN106: Percentage of students who exercised, ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days	48.1 (42.0-54.2)	43.7 (38.6-48.9)	48.1 (41.8-54.5)	49.8 (38.9-60.8)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Male
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who went without eating for 24 hours or more (also called fasting), vomited, took laxatives or diet pills, powders, or liquids (without a doctor's advice) to lose weight or to keep from gaining weight during the past 30 days	6.6 (3.7-11.6)	4.2 (2.3-7.7)	8.3 (4.9-13.7)	16.3 (8.3-29.5)	Yes
QN108: Percentage of students who drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt, one or more times per day during the past seven days	2.9 (1.4-6.0)	3.3 (1.9-5.8)	6.9 (4.7-10.0)	5.2 (1.4-17.5)	Yes
QN109: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage (such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight) or sports drink (such as Gatorade or PowerAde) one or more times per day during the past 7 days	19.9 (16.2-24.3)	17.4 (13.3-22.5)	24.4 (18.9-30.9)	16.6 (8.9-28.9)	No
QN110: Percentage of students who ate at least one meal with their family on three or more of the past seven days	74.2 (67.2-80.1)	68.8 (62.2-74.7)	55.7 (47.5-63.5)	57.3 (44.3-69.3)	No
QN111: Percentage of students who have had sexuality education in school during the past 12 months	49.3 (40.0-58.6)	46.8 (39.3-54.3)	39.9 (32.5-47.9)	48.4 (36.7-60.2)	No
QN112: Percentage of students who have ever been taught about how Hepatitis A, B, and C viruses are spread	65.4 (59.1-71.1)	62.7 (57.6-67.6)	58.8 (50.8-66.3)	67.0 (55.9-76.4)	No
QN113: Percentage of students who had ever been tested for HIV, the virus that causes AIDS	11.4 (7.6-16.6)	15.2 (10.8-20.8)	14.3 (9.6-20.9)	20.6 (12.4-32.2)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Male
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN114: Percentage of students who have ever been told by a doctor or nurse that they had a sexually transmitted disease (STD)	5.0 (2.2-11.2)	7.7 (5.1-11.5)	6.2 (3.8-10.0)	13.0 (5.9-26.3)	No
QN115: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past year	84.2 (78.2-88.7)	81.2 (76.5-85.2)	68.5 (59.8-76.1)	72.0 (57.0-83.3)	No
QN116: Percentage of students who get eight or more hours of sleep on average school night	34.0 (28.2-40.3)	26.1 (22.0-30.6)	19.1 (14.2-25.3)	16.2 (9.9-25.4)	Yes
QN117: Percentage of students who live with at least one parent most of the time	97.4 (93.6-98.9)	96.2 (93.4-97.9)	94.1 (90.3-96.5)	87.7 (75.0-94.4)	No
QN118: Percentage of students who usually spend four or more hours after school without an adult present on a school day	18.4 (13.2-25.0)	18.4 (15.1-22.1)	23.1 (17.5-29.7)	31.4 (19.7-46.2)	Yes
QN119: Percentage of students whose parents or other adults in their family never or rarely know where they are when they are away from home	9.3 (5.6-15.0)	10.1 (7.2-14.1)	15.8 (11.4-21.3)	14.6 (9.2-22.4)	No
QN120: Percentage of students who agree or strongly agree that their family loves them and gives them help and support when they need it	94.0 (88.6-97.0)	90.6 (87.5-93.0)	85.0 (79.3-89.4)	87.4 (80.3-92.2)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Male
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN121: Percentage of students who responded that there is at least one teacher or other adult in this school that they can talk to if they have a problem	73.7 (65.8-80.3)	63.4 (58.5-68.1)	58.2 (50.7-65.4)	50.6 (34.9-66.2)	Yes
QN122: Percentage of students who are receiving special education services as part of an individual education plan or IEP	7.8 (5.1-11.9)	10.1 (7.3-13.9)	15.1 (11.5-19.5)	15.1 (8.1-26.6)	No
QN123: Percentage of students who probably or definitely will complete a post high school program such as a vocational training program, military service, community college, or 4-year college	82.5 (76.9-86.9)	77.7 (72.9-81.8)	63.3 (56.1-70.0)	64.0 (51.7-74.7)	Yes
QN124: Percentage of students who took part in organized after school, evening, or weekend activities (such as school clubs; sports; community center groups; music, art, or dance lessons; drama; church; or other supervised activities) on one or more of the past seven days	77.5 (69.0-84.2)	68.9 (62.9-74.4)	55.2 (46.7-63.4)	38.6 (28.0-50.5)	Yes
QN125: Percentage of students who work at a paying job outside their home five or more hours during an average week when they are in school	17.7 (13.2-23.3)	23.8 (18.3-30.4)	28.0 (20.4-37.2)	23.7 (15.6-34.2)	Yes
QN126: Percentage of students who spent one or more hours helping other people without getting paid (such as helping out a hospital, daycare center, food pantry, youth program, community service agency, or doing other things) to make their community a better place for people to live during the past 30 days	50.3 (42.8-57.7)	48.5 (44.0-53.0)	43.7 (38.0-49.6)	47.6 (33.4-62.1)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Male
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN127: Percentage of students who gambled for money or possessions one or more times during the past 12 months	24.8 (18.6-32.2)	31.1 (26.5-36.2)	33.2 (25.8-41.5)	48.3 (34.5-62.4)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Female Unintentional Injuries/Violence		Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
Health Risk Behavior	A's	B's	C's	D's/F's		
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI		
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	5.0 (2.8-8.5)	4.7 (3.0-7.3)	11.0 (8.4-14.3)	33.1 (20.7-48.3)	Yes	
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	12.4 (9.2-16.6)	21.3 (17.1-26.3)	26.4 (19.0-35.5)	58.3 (46.2-69.6)	Yes	
QN11: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days	3.1 (1.2-7.7)	8.4 (5.3-13.1)	12.6 (6.4-23.2)	-		
QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days	34.2 (26.8-42.3)	32.9 (25.3-41.4)	28.5 (20.4-38.1)	-		
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	2.2 (0.7-6.4)	3.0 (1.3-7.1)	3.8 (1.8-8.0)	12.0 (4.7-27.4)	Yes	
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	4.0 (2.1-7.4)	6.7 (4.3-10.2)	10.8 (7.0-16.2)	12.7 (4.7-30.1)	No	
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	2.3 (1.2-4.4)	4.3 (2.8-6.6)	5.6 (3.4-9.0)	15.5 (6.5-32.4)	Yes	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Female Unintentional Injuries/Violence		Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
Health Risk Behavior	A's	B's	C's	D's/F's		
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI		
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months	7.9 (5.3-11.6)	14.1 (11.2-17.7)	19.5 (14.5-25.7)	51.4 (37.1-65.6)	Yes	
QN21: Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to	7.0 (4.7-10.4)	9.8 (6.6-14.3)	16.0 (10.2-24.2)	37.2 (18.7-60.3)	Yes	
QN22: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months	7.0 (4.3-11.1)	7.7 (4.8-12.3)	13.3 (7.3-23.1)	23.1 (11.9-40.0)	Yes	
QN23: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months	12.6 (8.4-18.5)	11.8 (7.9-17.2)	19.0 (12.1-28.4)	26.8 (10.8-52.6)	No	
QN24: Percentage of students who had ever been bullied on school property during the past 12 months	16.1 (12.7-20.2)	28.8 (23.6-34.7)	34.1 (25.1-44.4)	35.9 (20.7-54.5)	Yes	
QN25: Percentage of students who had ever been electronically bullied during the past 12 months	13.9 (9.9-19.3)	24.7 (20.2-29.9)	33.9 (24.6-44.7)	19.9 (9.9-35.8)	Yes	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Female Unintentional Injuries/Violence		Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
Health Risk Behavior	A's	B's	C's	D's/F's		
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI		
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	28.3 (23.0-34.4)	31.3 (25.4-38.0)	49.0 (41.3-56.7)	58.0 (44.2-70.7)	Yes	
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months	13.8 (10.2-18.4)	16.4 (13.0-20.5)	22.5 (14.9-32.4)	36.6 (23.1-52.6)	Yes	
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months	4.4 (2.9-6.6)	5.1 (3.3-7.8)	11.8 (7.3-18.6)	26.8 (15.1-43.0)	Yes	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Female
Tobacco Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days	5.2 (3.3-8.3)	10.4 (6.9-15.2)	17.6 (11.7-25.5)	41.1 (23.7-61.1)	Yes
QNFRDIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days	0.3 (0.1-1.4)	3.1 (1.6-5.6)	3.2 (1.1-9.5)	12.2 (4.5-29.0)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Female Alcohol/Other Drug Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	7.9 (5.1-12.0)	7.7 (5.5-10.8)	15.5 (9.0-25.5)	31.9 (14.9-55.5)	No
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	22.4 (18.3-27.2)	40.8 (33.8-48.2)	46.9 (38.1-55.9)	66.5 (51.3-78.9)	Yes
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	10.6 (7.4-14.9)	19.3 (15.5-23.8)	19.7 (14.1-26.7)	32.5 (20.2-47.9)	Yes
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days	36.9 (26.8-48.3)	40.0 (29.5-51.5)	38.0 (24.3-53.8)	-	
QN47: Percentage of students who used marijuana one or more times during their life	23.3 (17.7-30.0)	39.8 (34.0-46.0)	53.7 (44.6-62.6)	78.3 (61.9-88.9)	Yes
QN48: Percentage of students who tried marijuana for the first time before age 13 years	0.8 (0.4-1.8)	2.9 (1.6-5.3)	5.2 (2.6-10.1)	30.6 (19.3-45.0)	Yes
QN49: Percentage of students who used marijuana one or more times during the past 30 days	10.7 (6.7-16.6)	23.4 (18.5-29.1)	36.0 (28.5-44.2)	60.1 (43.7-74.5)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Female
Alcohol/Other Drug Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	1.6 (0.7-3.7)	3.1 (1.9-5.1)	2.4 (0.7-7.6)	5.1 (1.3-17.4)	No
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	6.4 (3.9-10.2)	6.4 (4.5-8.9)	7.2 (3.9-13.1)	22.7 (12.4-38.0)	No
QN52: Percentage of students who used heroin one or more times during their life	0.8 (0.3-2.3)	0.9 (0.3-2.5)	1.6 (0.4-6.8)	3.5 (0.7-15.9)	No
QN53: Percentage of students who used methamphetamines one or more times during their life	1.1 (0.5-2.4)	1.6 (0.7-3.5)	0.7 (0.1-5.1)	12.0 (3.6-33.4)	No
QN54: Percentage of students who used ecstasy one or more times during their life	1.6 (0.9-2.8)	4.9 (3.3-7.2)	5.5 (2.9-10.3)	9.1 (3.1-23.6)	Yes
QN57: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life	1.1 (0.4-3.3)	0.7 (0.3-2.1)	0.0	4.9 (0.6-30.0)	Yes
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	20.8 (17.7-24.3)	24.8 (20.7-29.4)	30.2 (23.5-37.9)	43.7 (27.9-60.8)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Female
Sexual Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN59: Percentage of students who ever had sexual intercourse	24.7 (19.0-31.5)	42.3 (36.1-48.9)	56.3 (50.2-62.2)	59.6 (43.9-73.6)	Yes
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	0.3 (0.0-2.0)	1.4 (0.6-3.4)	3.6 (1.5-8.4)	9.7 (3.3-25.4)	No
QN61: Percentage of students who had sexual intercourse with four or more people during their life	3.6 (2.1-6.3)	8.6 (6.2-11.7)	11.3 (7.3-17.0)	24.1 (12.3-41.9)	Yes
QN62: Percentage of students who had sexual intercourse with one or more people during the past three months	20.2 (14.6-27.2)	33.4 (26.7-40.9)	41.0 (34.9-47.4)	47.0 (33.6-60.9)	Yes
QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	15.5 (6.2-33.6)	13.1 (8.1-20.4)	17.7 (9.8-29.8)	-	
QN64: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	49.6 (37.3-62.1)	56.5 (48.3-64.4)	64.9 (50.9-76.8)	-	
QN65: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	28.3 (19.3-39.5)	37.7 (28.7-47.7)	31.7 (20.6-45.4)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Female
Sexual Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOTHH: Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	12.1 (4.1-30.6)	6.8 (2.5-17.3)	6.2 (1.7-19.6)	-	
QNOTHHPL: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	40.4 (27.2-55.1)	44.5 (34.6-54.9)	37.9 (28.0-48.9)	-	
QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	14.8 (8.8-23.7)	12.7 (7.6-20.5)	14.1 (6.4-28.2)	-	
QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse	9.9 (4.9-18.9)	3.5 (1.2-10.0)	7.1 (2.5-18.6)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Female
Dietary Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)§	13.3 (9.3-18.6)	13.9 (10.8-17.6)	14.1 (10.5-18.6)	8.1 (2.3-25.2)	No
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)§	4.8 (2.5-8.8)	10.4 (7.3-14.5)	13.7 (8.8-20.7)	23.6 (10.1-46.0)	Yes
QN66: Percentage of students who described themselves as slightly or very overweight	33.0 (26.6-40.2)	32.9 (27.9-38.3)	39.8 (33.0-47.1)	37.7 (26.1-50.9)	No
QN67: Percentage of students who were trying to lose weight	58.9 (53.3-64.3)	66.6 (61.8-71.1)	66.3 (57.2-74.3)	71.4 (59.1-81.1)	No
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days	73.0 (67.3-78.0)	72.4 (67.6-76.7)	74.3 (66.1-81.1)	77.9 (60.0-89.3)	No
QN72: Percentage of students who ate fruit one or more times during the past seven days	93.2 (89.4-95.7)	89.5 (85.1-92.7)	85.4 (76.6-91.2)	85.6 (66.2-94.7)	No
QN73: Percentage of students who ate green salad one or more times during the past seven days	76.9 (71.8-81.4)	75.0 (69.9-79.5)	61.6 (52.0-70.4)	54.1 (36.8-70.5)	Yes
QN74: Percentage of students who ate potatoes one or more times during the past seven days	65.6 (60.2-70.6)	63.8 (57.9-69.2)	60.3 (54.3-66.0)	49.6 (27.5-72.0)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

§ Based on reference data from the 2000 CDC Growth Charts.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Female
Dietary Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN75: Percentage of students who ate carrots one or more times during the past seven days	54.0 (46.5-61.3)	47.4 (41.6-53.3)	41.5 (32.2-51.5)	38.4 (28.3-49.6)	No
QN76: Percentage of students who ate other vegetables one or more times during the past seven days	88.9 (84.8-92.0)	87.3 (84.2-89.9)	81.5 (72.5-88.0)	67.3 (48.7-81.7)	Yes
QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days	22.3 (17.3-28.3)	18.5 (14.6-23.1)	17.1 (11.0-25.5)	18.7 (10.7-30.5)	No
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days	32.8 (27.8-38.2)	30.9 (25.2-37.2)	28.6 (22.7-35.4)	26.6 (14.3-44.2)	No
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days	3.3 (1.8-6.0)	5.3 (2.9-9.6)	2.0 (0.6-6.3)	7.7 (2.2-23.4)	No
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days	68.0 (61.8-73.5)	59.3 (54.6-63.8)	62.4 (53.3-70.8)	52.2 (39.9-64.2)	Yes
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days	19.4 (15.5-24.1)	17.3 (13.6-21.7)	19.2 (12.3-28.7)	19.6 (10.8-33.0)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Female
Dietary Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days	15.6 (11.3-21.2)	14.0 (10.2-18.8)	16.0 (11.2-22.2)	9.0 (3.3-22.3)	No
QNVEG0: Percentage of students who ate vegetables 0 times per day during the past seven days	2.3 (1.1-4.7)	4.3 (2.3-7.9)	5.7 (3.3-9.6)	15.6 (6.3-33.9)	No
QNVEG1: Percentage of students who ate vegetables one or more times per day during the past seven days	74.1 (68.0-79.4)	65.0 (59.9-69.7)	57.9 (49.3-66.0)	58.3 (44.7-70.8)	Yes
QNVEG2: Percentage of students who ate vegetables two or more times per day during the past seven days	31.4 (24.8-38.9)	29.1 (24.4-34.3)	25.7 (19.3-33.4)	21.1 (13.0-32.3)	No
QNFRVG2: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days	10.8 (7.4-15.4)	10.0 (6.7-14.5)	8.8 (4.3-17.2)	5.0 (1.1-19.4)	No
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	5.3 (3.2-8.6)	8.6 (5.7-12.8)	20.3 (14.6-27.4)	18.6 (8.6-35.6)	Yes
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days	43.8 (38.4-49.5)	34.6 (29.6-39.9)	27.2 (19.9-36.0)	24.0 (12.7-40.5)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Female
Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days	2.8 (1.5-5.1)	6.4 (3.8-10.6)	13.1 (8.8-18.9)	18.6 (8.6-35.6)	Yes
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days	0.9 (0.3-2.9)	3.5 (1.7-7.1)	10.1 (5.8-16.8)	13.6 (5.7-28.9)	Yes
QN79: Percentage of students who ate breakfast on all of the past seven days	40.9 (36.3-45.6)	30.9 (26.0-36.3)	17.9 (13.0-24.1)	13.6 (5.3-30.3)	Yes
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days	8.3 (5.2-12.9)	10.5 (8.0-13.7)	18.9 (14.8-23.9)	21.8 (11.3-37.9)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Female
Physical Activity**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days	45.7 (38.7-52.8)	39.0 (33.3-45.0)	27.4 (19.7-36.8)	21.8 (11.7-37.0)	Yes
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days	16.0 (11.7-21.4)	14.2 (9.1-21.5)	22.5 (16.3-30.3)	35.1 (19.6-54.5)	No
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days	21.8 (16.1-28.8)	17.7 (14.9-20.8)	18.7 (12.0-28.0)	10.3 (4.1-23.3)	No
QN81: Percentage of students who watched three or more hours per day of TV on an average school day	18.1 (14.1-23.1)	23.7 (19.7-28.3)	28.5 (20.9-37.4)	25.8 (15.0-40.7)	No
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	34.6 (27.3-42.8)	39.2 (33.4-45.3)	45.5 (38.8-52.3)	41.1 (26.5-57.5)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Female
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who described their health as excellent or very good	68.1 (62.0-73.6)	52.8 (47.0-58.5)	42.6 (31.4-54.6)	47.1 (30.9-63.9)	Yes
QN89: Among students who drove a car or other vehicle during the past 30 days, the percentage who talked on a cell phone while driving on one or more of the past 30 days	33.1 (26.5-40.4)	34.5 (27.7-42.1)	22.9 (14.1-34.9)	-	
QN90: Percentage of students who suffered a blow or jolt to their head while playing with a sports team (either during a game or during practice) which caused them to get "knocked out", have memory problems, double or blurry vision, headaches or "pressure" in the head, or nausea or vomiting during the past 12 months	9.6 (7.1-13.0)	11.8 (9.5-14.7)	6.7 (3.5-12.6)	6.1 (1.8-18.8)	No
QN91: Percentage of students whose property, such as their car, clothing, or books, had been stolen or deliberately damaged on school property one or more times during the past 12 months	17.2 (13.5-21.7)	17.5 (14.7-20.8)	26.8 (20.3-34.5)	24.1 (16.0-34.6)	No
QN92: Percentage of students whose boyfriend or girlfriend verbally or emotionally abused them (for example, called them names, made fun of them in front of others, made fun of their body or looks, or told them that they are no good or worthless) one or more times during the past 12 months	13.1 (10.2-16.6)	22.4 (19.1-26.1)	26.7 (17.5-38.6)	45.4 (28.6-63.2)	Yes
QN93: Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because of their weight, size, or physical appearance	23.1 (19.4-27.4)	29.9 (24.5-35.9)	37.9 (30.3-46.1)	46.1 (26.9-66.5)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Female
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because someone thought they were gay, lesbian, or bisexual	6.8 (4.3-10.4)	8.8 (6.2-12.3)	15.7 (10.0-23.8)	21.2 (8.2-44.8)	Yes
QN95: Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months	17.1 (12.8-22.3)	18.8 (14.6-23.8)	28.5 (21.6-36.6)	48.9 (35.8-62.1)	Yes
QN96: Percentage of students who would most likely talk about it with a school counselor or teacher or other adult when they feel sad, empty, hopeless, angry, or anxious	3.0 (1.4-6.5)	5.0 (2.9-8.6)	7.2 (3.7-13.3)	8.1 (2.5-23.3)	No
QN97: Percentage of students who most of the time or always get the kind of help they need when they feel sad, empty, hopeless, angry, or anxious	33.0 (27.4-39.2)	29.6 (26.4-33.2)	38.4 (27.1-51.0)	30.3 (15.5-50.6)	No
QN98: Percentage of students who strongly disapprove or somewhat disapprove of someone their age having one or two drinks of alcohol nearly every day	84.8 (80.7-88.2)	78.1 (73.2-82.4)	68.1 (60.6-74.9)	53.9 (37.3-69.7)	Yes
QN99: Percentage of students who think people greatly risk harming themselves (physically or in other ways), if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice each weekend	56.0 (48.5-63.3)	41.5 (35.4-47.8)	34.3 (26.2-43.4)	20.9 (10.3-37.9)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Female
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN100: Percentage of students who have taken over-the-counter drugs to get high one or more times during their life	4.2 (2.3-7.5)	7.9 (5.5-11.2)	11.6 (5.7-22.1)	29.4 (14.1-51.6)	Yes
QN101: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, codeine, Ritalin, or Xanax) without a doctor's prescription to get high one or more times during their life	5.1 (3.2-7.9)	8.7 (6.2-12.1)	12.4 (7.1-20.9)	21.0 (10.7-37.0)	Yes
QN102: Percentage of students who attended school under the influence of alcohol or other illegal drugs, such as marijuana or cocaine, one or more times during the past 12 months	5.9 (3.8-9.2)	12.2 (9.3-15.9)	20.7 (16.6-25.6)	33.5 (18.4-52.9)	Yes
QN103: Percentage of students who have been pregnant or gotten someone pregnant one or more times	1.1 (0.4-3.3)	1.8 (0.8-4.1)	2.1 (0.8-5.6)	7.1 (1.8-23.7)	No
QN104: Percentage of students who have had sexual contact with males and females during their life	4.4 (2.8-6.9)	6.3 (4.2-9.4)	13.1 (7.2-22.9)	10.3 (4.1-23.6)	Yes
QN105: Percentage of students who describe themselves as gay or lesbian or bisexual	8.5 (5.8-12.4)	8.6 (6.4-11.4)	14.5 (9.0-22.4)	18.3 (8.2-36.1)	No
QN106: Percentage of students who exercised, ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days	66.3 (60.6-71.6)	71.7 (66.9-76.1)	69.9 (60.2-78.1)	68.2 (53.8-79.8)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Female
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who went without eating for 24 hours or more (also called fasting), vomited, took laxatives or diet pills, powders, or liquids (without a doctor's advice) to lose weight or to keep from gaining weight during the past 30 days	11.4 (7.8-16.2)	12.0 (9.1-15.6)	22.5 (14.8-32.8)	29.7 (14.8-50.7)	Yes
QN108: Percentage of students who drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt, one or more times per day during the past seven days	0.4 (0.1-3.0)	1.5 (0.7-3.2)	7.5 (3.3-16.1)	9.2 (2.6-27.7)	Yes
QN109: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage (such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight) or sports drink (such as Gatorade or PowerAde) one or more times per day during the past 7 days	10.7 (7.0-15.9)	12.4 (8.7-17.5)	12.3 (8.3-18.0)	22.7 (13.1-36.5)	No
QN110: Percentage of students who ate at least one meal with their family on three or more of the past seven days	72.3 (65.9-77.8)	64.3 (57.2-70.7)	51.5 (41.0-61.9)	53.2 (39.2-66.7)	Yes
QN111: Percentage of students who have had sexuality education in school during the past 12 months	45.7 (36.5-55.1)	38.2 (31.4-45.5)	41.0 (34.2-48.0)	41.4 (24.9-60.2)	No
QN112: Percentage of students who have ever been taught about how Hepatitis A, B, and C viruses are spread	65.3 (59.2-71.0)	63.4 (58.5-68.0)	69.0 (62.4-74.8)	70.3 (56.7-81.0)	No
QN113: Percentage of students who had ever been tested for HIV, the virus that causes AIDS	10.5 (7.0-15.5)	11.1 (8.2-14.8)	14.8 (10.9-19.8)	25.8 (14.2-42.2)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Female
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN114: Percentage of students who have ever been told by a doctor or nurse that they had a sexually transmitted disease (STD)	2.8 (1.2-6.6)	3.3 (1.7-6.4)	4.6 (2.7-7.9)	9.3 (2.5-29.2)	No
QN115: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past year	86.0 (81.4-89.7)	82.2 (77.5-86.1)	78.3 (67.5-86.3)	73.9 (54.7-86.9)	No
QN116: Percentage of students who get eight or more hours of sleep on average school night	19.4 (15.0-24.7)	25.5 (21.7-29.7)	22.0 (15.0-31.2)	16.4 (6.5-35.6)	No
QN117: Percentage of students who live with at least one parent most of the time	97.0 (93.9-98.6)	96.2 (93.1-97.9)	95.2 (91.0-97.5)	91.9 (74.3-97.8)	No
QN118: Percentage of students who usually spend four or more hours after school without an adult present on a school day	17.3 (13.5-21.8)	21.9 (18.6-25.7)	25.5 (19.0-33.3)	34.0 (17.8-54.9)	No
QN119: Percentage of students whose parents or other adults in their family never or rarely know where they are when they are away from home	1.4 (0.6-3.2)	6.7 (4.2-10.5)	8.0 (5.0-12.7)	24.7 (13.4-40.9)	Yes
QN120: Percentage of students who agree or strongly agree that their family loves them and gives them help and support when they need it	89.8 (85.1-93.2)	86.7 (81.9-90.4)	80.7 (74.7-85.5)	73.8 (57.0-85.7)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Female
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN121: Percentage of students who responded that there is at least one teacher or other adult in this school that they can talk to if they have a problem	67.2 (60.4-73.3)	63.7 (60.0-67.1)	61.3 (51.3-70.5)	72.0 (53.8-85.0)	No
QN122: Percentage of students who are receiving special education services as part of an individual education plan or IEP	3.2 (1.6-6.1)	9.8 (7.1-13.4)	14.4 (8.7-22.9)	16.4 (8.8-28.5)	Yes
QN123: Percentage of students who probably or definitely will complete a post high school program such as a vocational training program, military service, community college, or 4-year college	88.0 (84.2-90.9)	82.3 (77.7-86.2)	66.8 (56.7-75.6)	62.3 (44.4-77.4)	Yes
QN124: Percentage of students who took part in organized after school, evening, or weekend activities (such as school clubs; sports; community center groups; music, art, or dance lessons; drama; church; or other supervised activities) on one or more of the past seven days	76.0 (69.1-81.7)	66.3 (59.6-72.4)	45.8 (37.3-54.6)	38.2 (24.7-53.8)	Yes
QN125: Percentage of students who work at a paying job outside their home five or more hours during an average week when they are in school	21.8 (17.0-27.4)	24.6 (19.3-30.7)	25.2 (18.0-34.0)	10.9 (2.6-35.5)	No
QN126: Percentage of students who spent one or more hours helping other people without getting paid (such as helping out a hospital, daycare center, food pantry, youth program, community service agency, or doing other things) to make their community a better place for people to live during the past 30 days	58.8 (53.3-64.0)	48.8 (44.2-53.5)	40.3 (32.1-49.0)	63.4 (42.9-80.1)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Female
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN127: Percentage of students who gambled for money or possessions one or more times during the past 12 months	7.8 (5.1-11.8)	10.2 (7.7-13.4)	12.2 (7.5-19.3)	26.1 (16.2-39.2)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

White* Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	2.4 (1.2-4.9)	4.2 (2.9-6.0)	13.8 (9.2-20.1)	11.1 (4.8-23.5)	Yes
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	11.8 (8.7-15.8)	21.1 (18.1-24.5)	30.3 (24.3-36.9)	43.0 (31.5-55.3)	Yes
QN11: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days	4.7 (2.7-8.0)	7.4 (5.0-10.8)	17.1 (12.0-23.8)	-	
QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days	38.5 (31.5-46.1)	43.4 (35.5-51.6)	46.3 (35.5-57.6)	-	
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	2.1 (0.8-5.4)	5.9 (3.7-9.4)	11.6 (6.8-19.1)	22.6 (11.9-38.6)	Yes
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	3.4 (2.0-5.6)	4.0 (2.8-5.8)	9.4 (5.2-16.6)	13.5 (7.2-24.1)	Yes
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	2.6 (1.5-4.3)	4.4 (3.3-5.9)	9.9 (5.8-16.4)	18.1 (9.4-32.0)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

White* Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months	13.3 (10.8-16.3)	18.5 (15.3-22.3)	28.2 (22.6-34.6)	33.2 (22.9-45.4)	Yes
QN21: Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to	4.9 (2.9-8.3)	6.5 (4.4-9.5)	10.0 (6.3-15.6)	16.0 (7.2-31.6)	Yes
QN22: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months	5.7 (3.2-9.9)	6.8 (4.3-10.5)	8.4 (5.1-13.6)	17.1 (7.4-34.9)	Yes
QN23: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months	6.7 (4.0-11.0)	8.2 (5.5-12.0)	8.8 (4.8-15.4)	15.8 (7.2-31.3)	No
QN24: Percentage of students who had ever been bullied on school property during the past 12 months	17.1 (14.1-20.7)	24.4 (20.9-28.2)	32.4 (26.3-39.3)	22.2 (12.2-37.1)	Yes
QN25: Percentage of students who had ever been electronically bullied during the past 12 months	12.4 (8.9-17.2)	19.3 (16.2-22.8)	29.4 (22.5-37.4)	19.1 (9.3-35.0)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

White* Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	20.8 (16.3-26.2)	20.8 (16.1-26.5)	33.6 (26.7-41.4)	37.1 (25.8-49.9)	Yes
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months	11.5 (8.2-15.9)	11.6 (9.9-13.6)	20.0 (14.1-27.5)	31.9 (18.9-48.5)	Yes
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months	3.8 (2.7-5.4)	4.0 (2.5-6.4)	11.8 (6.7-20.2)	10.7 (5.3-20.6)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

White* Tobacco Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days	5.5 (3.5-8.6)	13.7 (10.2-18.1)	25.4 (20.1-31.5)	33.6 (18.5-53.0)	Yes
QNFRCIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days	0.4 (0.1-2.1)	3.9 (2.4-6.3)	9.0 (5.3-15.0)	19.2 (7.6-40.7)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

White* Alcohol/Other Drug Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	7.5 (4.6-12.0)	10.6 (8.7-13.0)	16.7 (12.3-22.3)	30.5 (17.6-47.5)	Yes
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	25.3 (20.7-30.6)	43.3 (36.8-50.0)	49.5 (43.3-55.8)	66.0 (49.8-79.1)	Yes
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	13.2 (9.2-18.6)	23.6 (19.8-28.0)	31.2 (25.8-37.0)	38.1 (24.3-54.1)	Yes
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days	30.5 (22.1-40.5)	36.3 (30.1-43.0)	24.6 (17.7-33.0)	33.4 (18.3-52.9)	No
QN47: Percentage of students who used marijuana one or more times during their life	24.3 (19.1-30.4)	42.6 (36.4-49.0)	60.1 (53.9-66.0)	67.9 (52.5-80.2)	Yes
QN48: Percentage of students who tried marijuana for the first time before age 13 years	1.0 (0.4-2.5)	3.0 (1.9-4.5)	11.5 (7.6-16.9)	27.4 (18.5-38.4)	Yes
QN49: Percentage of students who used marijuana one or more times during the past 30 days	12.3 (8.4-17.7)	26.4 (22.0-31.3)	39.1 (33.5-45.1)	55.8 (40.0-70.4)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

White* Alcohol/Other Drug Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	1.0 (0.3-3.3)	4.0 (2.7-5.9)	8.2 (5.0-13.0)	15.6 (7.8-28.7)	Yes
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	6.2 (4.1-9.2)	5.2 (3.4-7.8)	11.9 (7.3-18.8)	14.8 (7.9-26.1)	Yes
QN52: Percentage of students who used heroin one or more times during their life	1.1 (0.4-2.8)	1.6 (0.8-3.0)	5.8 (2.9-11.0)	14.6 (4.5-38.6)	Yes
QN53: Percentage of students who used methamphetamines one or more times during their life	1.1 (0.4-3.2)	2.1 (1.2-3.5)	6.0 (3.2-10.8)	20.4 (8.3-41.9)	Yes
QN54: Percentage of students who used ecstasy one or more times during their life	2.5 (1.4-4.5)	6.1 (4.5-8.0)	10.4 (6.4-16.3)	19.7 (7.8-41.5)	Yes
QN57: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life	1.3 (0.6-3.1)	0.7 (0.3-1.8)	4.5 (2.0-9.8)	8.8 (2.9-23.5)	No
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	20.8 (17.4-24.7)	26.0 (22.9-29.4)	35.8 (29.9-42.3)	48.8 (31.9-66.0)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

White* Sexual Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN59: Percentage of students who ever had sexual intercourse	23.4 (17.8-30.0)	42.2 (35.5-49.1)	55.5 (49.0-61.8)	60.6 (47.3-72.4)	Yes
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	0.4 (0.1-2.0)	1.6 (0.9-2.9)	2.7 (1.4-5.2)	10.3 (4.5-21.7)	Yes
QN61: Percentage of students who had sexual intercourse with four or more people during their life	2.2 (1.0-4.9)	8.3 (6.1-11.0)	15.6 (10.2-23.0)	22.2 (12.7-35.8)	Yes
QN62: Percentage of students who had sexual intercourse with one or more people during the past three months	18.9 (13.9-25.2)	32.4 (26.1-39.4)	36.8 (30.1-44.0)	34.5 (20.0-52.7)	Yes
QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	17.3 (9.6-29.1)	13.4 (8.8-19.8)	27.2 (17.5-39.8)	-	
QN64: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	58.8 (47.8-68.9)	62.1 (54.3-69.3)	55.7 (45.2-65.8)	-	
QN65: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	26.0 (17.6-36.5)	37.9 (29.6-47.1)	35.2 (23.2-49.5)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

White* Sexual Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNOTHH: Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	8.1 (2.3-24.8)	7.1 (4.0-12.2)	4.0 (1.2-12.5)	-	
QNOTHHPL: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	34.1 (24.4-45.4)	45.0 (36.5-53.8)	39.3 (26.2-54.0)	-	
QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	13.1 (7.6-21.7)	15.7 (11.2-21.5)	9.8 (3.9-22.5)	-	
QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse	8.8 (4.3-17.1)	4.5 (2.1-9.1)	6.2 (2.1-16.7)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

White* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)¶	12.2 (10.0-14.9)	14.2 (11.5-17.5)	13.5 (9.5-18.9)	7.7 (4.0-14.2)	No
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)¶	4.3 (2.5-7.4)	10.4 (7.9-13.6)	15.0 (9.7-22.4)	14.6 (6.4-29.9)	Yes
QN66: Percentage of students who described themselves as slightly or very overweight	26.0 (21.4-31.4)	28.1 (23.6-33.1)	31.2 (26.4-36.5)	26.8 (16.5-40.3)	No
QN67: Percentage of students who were trying to lose weight	44.6 (39.2-50.1)	47.9 (44.0-51.8)	48.6 (41.4-55.8)	40.7 (29.3-53.3)	Yes
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days	73.2 (67.0-78.5)	77.3 (73.7-80.5)	75.2 (67.7-81.5)	80.6 (66.3-89.8)	No
QN72: Percentage of students who ate fruit one or more times during the past seven days	93.7 (90.5-95.9)	91.6 (88.6-93.8)	84.3 (78.3-88.9)	84.8 (69.9-93.1)	Yes
QN73: Percentage of students who ate green salad one or more times during the past seven days	76.6 (71.4-81.1)	70.8 (65.6-75.5)	67.9 (62.1-73.2)	52.9 (36.4-68.7)	No
QN74: Percentage of students who ate potatoes one or more times during the past seven days	70.9 (65.7-75.6)	69.5 (65.5-73.2)	66.5 (59.9-72.6)	59.2 (45.0-72.1)	No

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

¶Based on reference data from the 2000 CDC Growth Charts.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

White* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN75: Percentage of students who ate carrots one or more times during the past seven days	59.1 (52.9-65.0)	52.5 (48.3-56.6)	50.3 (44.3-56.3)	37.7 (24.6-53.0)	Yes
QN76: Percentage of students who ate other vegetables one or more times during the past seven days	91.0 (87.1-93.8)	87.6 (84.3-90.2)	85.1 (80.7-88.6)	76.9 (63.8-86.2)	No
QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days	24.3 (19.9-29.4)	17.7 (13.7-22.5)	16.9 (12.0-23.3)	20.6 (11.1-35.1)	Yes
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days	34.3 (29.8-39.0)	28.5 (23.4-34.2)	25.6 (20.8-31.0)	24.3 (15.4-36.2)	Yes
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days	3.5 (1.9-6.2)	3.7 (2.2-6.2)	3.0 (1.3-6.6)	9.6 (3.8-22.2)	No
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days	70.2 (64.8-75.1)	64.6 (59.1-69.7)	59.6 (53.0-65.9)	57.2 (45.9-67.8)	Yes
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days	19.5 (16.1-23.5)	16.2 (12.8-20.3)	14.5 (10.2-20.3)	13.8 (7.1-25.0)	No

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

White* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days	17.3 (12.7-23.0)	13.6 (10.2-17.8)	13.9 (8.9-21.1)	17.9 (10.2-29.7)	No
QNVEG0: Percentage of students who ate vegetables 0 times per day during the past seven days	2.5 (1.3-4.9)	3.7 (2.2-6.1)	4.1 (2.2-7.7)	15.6 (7.9-28.5)	Yes
QNVEG1: Percentage of students who ate vegetables one or more times per day during the past seven days	78.2 (73.8-81.9)	70.0 (65.0-74.5)	65.5 (61.5-69.3)	56.8 (41.6-70.8)	Yes
QNVEG2: Percentage of students who ate vegetables two or more times per day during the past seven days	34.4 (29.2-39.9)	31.6 (27.9-35.6)	30.5 (23.4-38.7)	24.1 (16.0-34.8)	No
QNFRVG2: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days	12.6 (9.2-17.1)	9.3 (6.5-13.2)	7.4 (3.9-13.6)	11.3 (4.6-24.9)	No
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	6.5 (4.7-8.8)	11.5 (8.7-15.1)	17.8 (12.5-24.7)	23.9 (13.4-38.8)	Yes
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days	42.7 (37.1-48.5)	28.5 (25.2-32.0)	25.6 (18.5-34.3)	24.4 (14.0-38.9)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

White* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days	3.1 (2.1-4.5)	7.2 (5.2-9.9)	11.5 (6.7-19.0)	18.6 (9.0-34.6)	Yes
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days	1.1 (0.4-2.8)	2.5 (1.6-3.9)	7.1 (3.9-12.6)	6.2 (1.4-23.6)	Yes
QN79: Percentage of students who ate breakfast on all of the past seven days	48.6 (44.7-52.5)	38.6 (35.2-42.1)	24.0 (18.9-29.9)	9.4 (3.8-21.2)	Yes
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days	7.2 (4.5-11.3)	9.0 (7.5-10.8)	19.2 (14.7-24.5)	21.2 (12.9-32.7)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

White* Physical Activity	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days	58.1 (52.9-63.0)	53.2 (47.9-58.4)	43.4 (34.9-52.3)	49.2 (35.7-62.9)	Yes
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days	9.2 (7.0-12.2)	7.0 (5.1-9.7)	15.3 (9.4-23.8)	15.7 (7.1-31.2)	Yes
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days	30.6 (24.5-37.5)	27.7 (23.7-32.1)	32.2 (24.5-41.0)	21.8 (12.9-34.4)	No
QN81: Percentage of students who watched three or more hours per day of TV on an average school day	15.0 (10.5-20.9)	19.5 (16.6-22.8)	26.3 (20.0-33.8)	25.5 (16.9-36.5)	Yes
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	29.8 (22.9-37.8)	35.5 (31.1-40.1)	36.8 (30.6-43.5)	34.2 (23.2-47.3)	No

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**White*
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who described their health as excellent or very good	76.9 (72.3-81.0)	63.6 (58.5-68.5)	51.2 (44.6-57.7)	63.2 (48.1-76.1)	Yes
QN89: Among students who drove a car or other vehicle during the past 30 days, the percentage who talked on a cell phone while driving on one or more of the past 30 days	36.1 (29.1-43.8)	42.4 (36.4-48.5)	38.9 (29.5-49.3)	-	
QN90: Percentage of students who suffered a blow or jolt to their head while playing with a sports team (either during a game or during practice) which caused them to get "knocked out", have memory problems, double or blurry vision, headaches or "pressure" in the head, or nausea or vomiting during the past 12 months	9.8 (8.1-11.8)	14.6 (12.4-17.2)	14.4 (10.3-19.8)	16.2 (7.6-31.2)	Yes
QN91: Percentage of students whose property, such as their car, clothing, or books, had been stolen or deliberately damaged on school property one or more times during the past 12 months	14.1 (12.0-16.5)	15.4 (12.7-18.4)	28.1 (21.3-36.0)	25.0 (15.1-38.4)	Yes
QN92: Percentage of students whose boyfriend or girlfriend verbally or emotionally abused them (for example, called them names, made fun of them in front of others, made fun of their body or looks, or told them that they are no good or worthless) one or more times during the past 12 months	10.9 (8.0-14.6)	18.1 (15.4-21.1)	21.0 (13.9-30.5)	20.2 (12.2-31.4)	Yes
QN93: Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because of their weight, size, or physical appearance	21.3 (18.2-24.6)	25.5 (22.3-28.9)	31.5 (25.5-38.2)	34.7 (24.9-46.1)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

White*
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because someone thought they were gay, lesbian, or bisexual	8.1 (5.5-11.7)	7.3 (5.3-9.9)	14.4 (9.3-21.6)	20.3 (11.4-33.4)	Yes
QN95: Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months	12.4 (9.0-16.8)	12.9 (10.5-15.9)	20.5 (14.0-29.0)	38.1 (23.2-55.7)	Yes
QN96: Percentage of students who would most likely talk about it with a school counselor or teacher or other adult when they feel sad, empty, hopeless, angry, or anxious	2.4 (0.9-5.7)	3.8 (2.5-5.6)	4.4 (2.2-8.7)	2.4 (0.6-9.6)	No
QN97: Percentage of students who most of the time or always get the kind of help they need when they feel sad, empty, hopeless, angry, or anxious	33.2 (27.7-39.1)	28.8 (25.5-32.4)	30.8 (22.3-40.7)	11.8 (5.1-24.9)	No
QN98: Percentage of students who strongly disapprove or somewhat disapprove of someone their age having one or two drinks of alcohol nearly every day	84.5 (80.9-87.6)	75.1 (69.5-80.0)	58.0 (50.6-65.0)	56.3 (41.1-70.4)	Yes
QN99: Percentage of students who think people greatly risk harming themselves (physically or in other ways), if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice each weekend	49.7 (45.1-54.3)	35.8 (31.7-40.2)	24.5 (18.8-31.2)	16.5 (7.6-32.1)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**White*
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN100: Percentage of students who have taken over-the-counter drugs to get high one or more times during their life	7.0 (4.4-10.7)	8.4 (6.6-10.7)	15.2 (10.5-21.5)	28.4 (17.4-42.8)	Yes
QN101: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, codeine, Ritalin, or Xanax) without a doctor's prescription to get high one or more times during their life	6.9 (4.6-10.0)	10.2 (7.5-13.8)	22.0 (15.7-29.9)	24.9 (12.0-44.7)	Yes
QN102: Percentage of students who attended school under the influence of alcohol or other illegal drugs, such as marijuana or cocaine, one or more times during the past 12 months	5.1 (3.4-7.5)	15.0 (12.0-18.5)	26.8 (21.0-33.6)	37.0 (20.9-56.7)	Yes
QN103: Percentage of students who have been pregnant or gotten someone pregnant one or more times	1.2 (0.4-3.3)	1.6 (0.8-3.0)	3.6 (2.0-6.7)	5.0 (1.4-16.4)	No
QN104: Percentage of students who have had sexual contact with males and females during their life	2.9 (1.3-6.2)	4.0 (2.6-6.0)	4.6 (2.1-9.7)	4.5 (0.6-26.0)	No
QN105: Percentage of students who describe themselves as gay or lesbian or bisexual	5.5 (3.3-9.0)	5.6 (4.0-7.7)	6.7 (4.0-10.9)	9.7 (3.3-25.3)	No
QN106: Percentage of students who exercised, ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days	59.2 (54.1-64.2)	57.7 (54.4-61.0)	60.3 (53.7-66.5)	50.9 (37.6-64.1)	No

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**White*
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association [†]
	A's	B's	C's	D's/F's	
	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who went without eating for 24 hours or more (also called fasting), vomited, took laxatives or diet pills, powders, or liquids (without a doctor's advice) to lose weight or to keep from gaining weight during the past 30 days	8.8 (6.0-12.7)	6.8 (5.3-8.8)	18.4 (12.6-26.2)	23.9 (15.5-34.9)	Yes
QN108: Percentage of students who drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt, one or more times per day during the past seven days	1.1 (0.4-2.9)	2.1 (1.2-3.9)	8.1 (5.0-12.8)	7.2 (2.0-22.7)	Yes
QN109: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage (such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight) or sports drink (such as Gatorade or PowerAde) one or more times per day during the past 7 days	14.8 (12.0-18.2)	15.2 (12.2-18.7)	22.4 (16.8-29.3)	21.0 (13.2-31.7)	No
QN110: Percentage of students who ate at least one meal with their family on three or more of the past seven days	77.6 (72.1-82.3)	73.3 (69.3-76.9)	63.4 (57.1-69.3)	55.0 (39.0-70.0)	Yes
QN111: Percentage of students who have had sexuality education in school during the past 12 months	46.8 (37.5-56.3)	43.8 (37.3-50.5)	37.9 (30.1-46.3)	41.0 (27.3-56.2)	Yes
QN112: Percentage of students who have ever been taught about how Hepatitis A, B, and C viruses are spread	64.7 (58.6-70.2)	63.3 (59.2-67.3)	66.7 (58.5-73.9)	67.6 (51.8-80.3)	No
QN113: Percentage of students who had ever been tested for HIV, the virus that causes AIDS	8.2 (5.6-11.8)	11.4 (8.3-15.6)	13.5 (8.1-21.8)	17.0 (8.0-32.4)	No

*Non-Hispanic.

[†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[§]Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

White*
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association [†]
	A's	B's	C's	D's/F's	
	% 95% CI [‡]	% 95% CI	% 95% CI	% 95% CI	
QN114: Percentage of students who have ever been told by a doctor or nurse that they had a sexually transmitted disease (STD)	1.6 (0.7-3.4)	4.4 (2.5-7.6)	3.5 (1.9-6.4)	15.3 (5.6-35.4)	Yes
QN115: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past year	88.5 (85.1-91.2)	84.7 (81.7-87.2)	77.7 (71.1-83.1)	74.7 (54.3-88.0)	Yes
QN116: Percentage of students who get eight or more hours of sleep on average school night	26.1 (20.8-32.1)	27.8 (24.8-31.1)	20.8 (15.9-26.8)	11.3 (5.3-22.5)	Yes
QN117: Percentage of students who live with at least one parent most of the time	98.0 (96.0-99.0)	97.8 (97.0-98.4)	94.3 (90.3-96.7)	91.1 (80.4-96.2)	Yes
QN118: Percentage of students who usually spend four or more hours after school without an adult present on a school day	14.5 (11.2-18.5)	19.9 (16.2-24.2)	26.4 (21.3-32.2)	28.7 (15.3-47.3)	Yes
QN119: Percentage of students whose parents or other adults in their family never or rarely know where they are when they are away from home	2.5 (1.4-4.5)	5.3 (3.2-8.5)	14.0 (10.1-19.2)	15.0 (7.5-27.8)	Yes
QN120: Percentage of students who agree or strongly agree that their family loves them and gives them help and support when they need it	91.4 (86.7-94.5)	90.1 (86.3-93.0)	81.8 (75.5-86.7)	80.9 (68.0-89.4)	Yes

*Non-Hispanic.

[†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[‡]Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**White*
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN121: Percentage of students who responded that there is at least one teacher or other adult in this school that they can talk to if they have a problem	71.5 (65.9-76.5)	68.1 (64.8-71.3)	59.9 (52.9-66.7)	60.0 (40.3-76.9)	No
QN122: Percentage of students who are receiving special education services as part of an individual education plan or IEP	3.8 (2.6-5.4)	9.3 (6.8-12.5)	15.0 (10.0-21.8)	15.9 (8.0-28.9)	Yes
QN123: Percentage of students who probably or definitely will complete a post high school program such as a vocational training program, military service, community college, or 4-year college	87.9 (84.4-90.7)	83.0 (78.8-86.6)	67.3 (58.9-74.7)	59.2 (42.4-74.1)	Yes
QN124: Percentage of students who took part in organized after school, evening, or weekend activities (such as school clubs; sports; community center groups; music, art, or dance lessons; drama; church; or other supervised activities) on one or more of the past seven days	82.6 (77.6-86.7)	71.4 (65.8-76.4)	52.6 (45.4-59.7)	47.4 (30.1-65.3)	Yes
QN125: Percentage of students who work at a paying job outside their home five or more hours during an average week when they are in school	22.0 (17.2-27.7)	27.0 (21.8-32.8)	31.7 (24.3-40.1)	18.7 (10.5-31.0)	No
QN126: Percentage of students who spent one or more hours helping other people without getting paid (such as helping out a hospital, daycare center, food pantry, youth program, community service agency, or doing other things) to make their community a better place for people to live during the past 30 days	59.8 (53.8-65.6)	49.0 (44.2-53.8)	42.4 (36.8-48.1)	53.0 (38.9-66.7)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

White*
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN127: Percentage of students who gambled for money or possessions one or more times during the past 12 months	15.7 (12.0-20.4)	19.5 (17.2-22.0)	31.8 (24.8-39.8)	37.3 (22.9-54.3)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Black* Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	-	10.3 (5.3-19.3)	7.6 (2.8-19.1)	-	
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	-	18.9 (10.5-31.7)	27.8 (16.6-42.8)	-	
QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days	-	-	-	-	
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	-	3.2 (0.7-13.4)	6.5 (2.1-18.0)	-	
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	-	8.6 (5.0-14.4)	1.5 (0.2-10.6)	-	
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	-	7.1 (4.2-11.7)	6.1 (2.0-17.1)	-	
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months	-	24.3 (15.1-36.7)	27.0 (16.2-41.4)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN21: Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to	-	13.1 (5.0-30.1)	9.5 (4.3-19.9)	-	
QN22: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months	-	4.3 (0.9-18.6)	13.0 (3.8-36.4)	-	
QN23: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months	-	12.0 (3.8-32.0)	21.4 (11.0-37.5)	-	
QN24: Percentage of students who had ever been bullied on school property during the past 12 months	-	18.8 (10.1-32.2)	10.2 (3.3-27.7)	-	
QN25: Percentage of students who had ever been electronically bullied during the past 12 months	-	11.1 (6.8-17.7)	13.1 (6.5-24.8)	-	
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	-	25.2 (11.8-45.9)	15.7 (8.1-28.2)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association [†]
	A's	B's	C's	D's/F's	
	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months	-	14.8 (7.4-27.2)	10.2 (3.8-24.5)	-	
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months	-	6.3 (1.9-18.9)	10.5 (3.6-26.5)	-	

*Non-Hispanic.

[†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[§]Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association [†]
	A's	B's	C's	D's/F's	
	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days	-	7.1 (1.9-23.0)	10.2 (4.8-20.3)	-	
QNFRDIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days	-	0.0	4.3 (1.1-15.6)	-	

*Non-Hispanic.

[†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[§]Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Black* Alcohol/Other Drug Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	-	19.1 (9.9-33.8)	26.7 (14.0-45.0)	-	
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	-	27.7 (18.6-39.2)	31.6 (18.8-48.1)	-	
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	-	14.0 (5.4-31.8)	13.6 (7.1-24.7)	-	
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days	-	-	-	-	
QN47: Percentage of students who used marijuana one or more times during their life	-	41.2 (24.3-60.4)	53.2 (37.1-68.7)	-	
QN48: Percentage of students who tried marijuana for the first time before age 13 years	-	10.1 (5.0-19.2)	11.4 (4.8-24.6)	-	
QN49: Percentage of students who used marijuana one or more times during the past 30 days	-	19.4 (9.5-35.4)	32.3 (18.1-50.7)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Black* Alcohol/Other Drug Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	-	3.8 (0.7-18.0)	3.1 (0.4-20.5)	-	
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	-	5.6 (1.4-19.6)	10.0 (5.2-18.3)	-	
QN52: Percentage of students who used heroin one or more times during their life	-	3.8 (0.7-18.0)	1.5 (0.2-10.9)	-	
QN53: Percentage of students who used methamphetamines one or more times during their life	-	1.3 (0.1-11.5)	5.2 (1.1-21.2)	-	
QN54: Percentage of students who used ecstasy one or more times during their life	-	6.0 (1.1-27.6)	5.1 (1.2-19.9)	-	
QN57: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life	-	1.3 (0.1-11.5)	1.6 (0.2-11.2)	-	
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	-	23.2 (13.9-36.1)	17.6 (9.8-29.4)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Black*
Sexual Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN59: Percentage of students who ever had sexual intercourse	-	44.4 (28.5-61.5)	49.6 (33.6-65.6)	-	
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	-	1.5 (0.1-13.6)	10.1 (3.6-25.6)	-	
QN61: Percentage of students who had sexual intercourse with four or more people during their life	-	19.6 (9.4-36.5)	27.9 (14.5-47.0)	-	
QN62: Percentage of students who had sexual intercourse with one or more people during the past three months	-	31.5 (18.2-48.6)	39.0 (23.7-56.8)	-	
QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	-	-	-	-	
QN64: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	-	-	-	-	
QN65: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	-	-	-	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Sexual Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNOTHH: Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	-	-	-	-	
QNOTHPL: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	-	-	-	-	
QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	-	-	-	-	
QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse	-	-	-	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Black* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)¶	-	16.1 (8.0-29.7)	8.8 (2.9-24.3)	-	
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)¶	-	11.8 (5.1-25.0)	17.8 (7.6-36.3)	-	
QN66: Percentage of students who described themselves as slightly or very overweight	-	25.1 (18.4-33.1)	25.5 (13.3-43.2)	-	
QN67: Percentage of students who were trying to lose weight	-	48.3 (33.9-63.0)	35.6 (22.5-51.3)	-	
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days	-	78.4 (55.4-91.3)	89.7 (75.1-96.2)	-	
QN72: Percentage of students who ate fruit one or more times during the past seven days	-	77.3 (56.6-89.9)	82.9 (70.0-90.9)	-	
QN73: Percentage of students who ate green salad one or more times during the past seven days	-	55.8 (38.0-72.2)	36.5 (22.9-52.7)	-	
QN74: Percentage of students who ate potatoes one or more times during the past seven days	-	63.0 (45.2-77.9)	62.9 (44.5-78.1)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

¶Based on reference data from the 2000 CDC Growth Charts.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Black* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN75: Percentage of students who ate carrots one or more times during the past seven days	-	47.5 (30.0-65.6)	43.8 (28.5-60.4)	-	
QN76: Percentage of students who ate other vegetables one or more times during the past seven days	-	76.8 (62.3-86.9)	75.8 (59.4-87.1)	-	
QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days	-	30.8 (20.7-43.2)	22.7 (14.4-33.8)	-	
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days	-	47.3 (31.6-63.6)	37.0 (25.4-50.2)	-	
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days	-	11.6 (2.8-37.3)	2.9 (0.4-19.7)	-	
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days	-	58.8 (41.7-73.9)	71.1 (56.7-82.2)	-	
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days	-	37.1 (22.4-54.7)	35.2 (23.7-48.6)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Black* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days	-	20.8 (11.7-34.1)	15.3 (9.0-24.7)	-	
QNVEG0: Percentage of students who ate vegetables 0 times per day during the past seven days	-	11.9 (5.6-23.9)	14.3 (6.2-29.8)	-	
QNVEG1: Percentage of students who ate vegetables one or more times per day during the past seven days	-	55.1 (40.9-68.6)	52.4 (34.4-69.8)	-	
QNVEG2: Percentage of students who ate vegetables two or more times per day during the past seven days	-	31.1 (19.5-45.6)	20.4 (11.1-34.4)	-	
QNFRVG2: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days	-	14.8 (6.9-28.9)	11.5 (3.5-32.0)	-	
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	-	26.5 (15.8-40.9)	16.9 (9.3-28.7)	-	
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days	-	20.7 (12.4-32.5)	24.1 (13.8-38.6)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Black* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days	-	18.7 (10.4-31.3)	9.9 (3.7-23.8)	-	
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days	-	14.0 (6.7-27.1)	8.5 (2.9-22.6)	-	
QN79: Percentage of students who ate breakfast on all of the past seven days	-	20.1 (10.6-34.9)	17.7 (11.1-26.9)	-	
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days	-	20.1 (10.9-34.1)	22.8 (12.9-37.2)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Black* Physical Activity Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days	-	40.6 (24.9-58.4)	42.3 (25.8-60.7)	-	
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days	-	25.3 (11.6-46.6)	22.2 (11.6-38.1)	-	
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days	-	26.4 (14.7-42.8)	29.2 (17.8-44.0)	-	
QN81: Percentage of students who watched three or more hours per day of TV on an average school day	-	34.8 (23.3-48.4)	36.5 (21.8-54.3)	-	
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	-	33.3 (16.4-55.8)	53.3 (39.7-66.4)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Black* Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN88: Percentage of students who described their health as excellent or very good	-	59.1 (47.8-69.4)	65.7 (50.5-78.2)	-	
QN89: Among students who drove a car or other vehicle during the past 30 days, the percentage who talked on a cell phone while driving on one or more of the past 30 days	-	15.5 (8.5-26.5)	-	-	
QN90: Percentage of students who suffered a blow or jolt to their head while playing with a sports team (either during a game or during practice) which caused them to get "knocked out", have memory problems, double or blurry vision, headaches or "pressure" in the head, or nausea or vomiting during the past 12 months	-	19.8 (9.5-36.9)	11.5 (5.5-22.5)	-	
QN91: Percentage of students whose property, such as their car, clothing, or books, had been stolen or deliberately damaged on school property one or more times during the past 12 months	-	15.5 (7.4-29.6)	24.0 (13.4-39.3)	-	
QN92: Percentage of students whose boyfriend or girlfriend verbally or emotionally abused them (for example, called them names, made fun of them in front of others, made fun of their body or looks, or told them that they are no good or worthless) one or more times during the past 12 months	-	13.8 (7.4-24.2)	21.0 (10.2-38.5)	-	
QN93: Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because of their weight, size, or physical appearance	-	22.5 (13.1-35.9)	20.2 (12.6-30.7)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Black* Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN94: Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because someone thought they were gay, lesbian, or bisexual	-	9.8 (3.7-23.3)	13.0 (6.1-25.6)	-	
QN95: Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months	-	15.1 (5.1-37.1)	12.2 (4.9-27.1)	-	
QN96: Percentage of students who would most likely talk about it with a school counselor or teacher or other adult when they feel sad, empty, hopeless, angry, or anxious	-	6.4 (1.8-20.3)	13.4 (5.2-30.1)	-	
QN97: Percentage of students who most of the time or always get the kind of help they need when they feel sad, empty, hopeless, angry, or anxious	-	21.5 (12.8-33.7)	21.8 (12.7-34.8)	-	
QN98: Percentage of students who strongly disapprove or somewhat disapprove of someone their age having one or two drinks of alcohol nearly every day	-	62.6 (48.5-74.8)	62.4 (46.4-76.0)	-	
QN99: Percentage of students who think people greatly risk harming themselves (physically or in other ways), if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice each weekend	-	35.2 (24.2-48.1)	39.1 (23.8-56.9)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Black* Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN100: Percentage of students who have taken over-the-counter drugs to get high one or more times during their life	-	11.9 (4.8-26.4)	11.1 (3.9-27.9)	-	
QN101: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, codeine, Ritalin, or Xanax) without a doctor's prescription to get high one or more times during their life	-	7.7 (4.7-12.4)	13.6 (5.3-30.9)	-	
QN102: Percentage of students who attended school under the influence of alcohol or other illegal drugs, such as marijuana or cocaine, one or more times during the past 12 months	-	10.6 (3.7-27.2)	17.0 (9.3-28.9)	-	
QN103: Percentage of students who have been pregnant or gotten someone pregnant one or more times	-	3.4 (0.6-16.6)	6.1 (0.8-35.1)	-	
QN104: Percentage of students who have had sexual contact with males and females during their life	-	1.3 (0.1-11.8)	7.8 (2.1-25.6)	-	
QN105: Percentage of students who describe themselves as gay or lesbian or bisexual	-	8.8 (3.1-22.8)	12.8 (4.6-30.9)	-	
QN106: Percentage of students who exercised, ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days	-	45.5 (35.6-55.7)	44.4 (28.0-62.2)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Black*
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who went without eating for 24 hours or more (also called fasting), vomited, took laxatives or diet pills, powders, or liquids (without a doctor's advice) to lose weight or to keep from gaining weight during the past 30 days	-	12.2 (5.7-24.2)	4.8 (1.1-18.7)	-	
QN108: Percentage of students who drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt, one or more times per day during the past seven days	-	2.6 (0.4-16.6)	5.9 (1.2-25.2)	-	
QN109: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage (such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight) or sports drink (such as Gatorade or PowerAde) one or more times per day during the past 7 days	-	22.6 (13.4-35.5)	15.1 (7.4-28.2)	-	
QN110: Percentage of students who ate at least one meal with their family on three or more of the past seven days	-	34.0 (14.9-60.3)	45.5 (32.8-58.7)	-	
QN111: Percentage of students who have had sexuality education in school during the past 12 months	-	34.7 (20.2-52.6)	45.4 (27.9-64.2)	-	
QN112: Percentage of students who have ever been taught about how Hepatitis A, B, and C viruses are spread	-	69.3 (52.1-82.5)	55.9 (37.7-72.6)	-	
QN113: Percentage of students who had ever been tested for HIV, the virus that causes AIDS	-	14.4 (6.4-29.0)	11.2 (4.9-23.5)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Black*
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN114: Percentage of students who have ever been told by a doctor or nurse that they had a sexually transmitted disease (STD)	-	4.1 (0.7-19.5)	9.2 (4.6-17.4)	-	
QN115: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past year	-	66.3 (42.8-83.8)	62.6 (39.8-80.9)	-	
QN116: Percentage of students who get eight or more hours of sleep on average school night	-	15.1 (7.6-27.9)	20.8 (10.5-37.0)	-	
QN117: Percentage of students who live with at least one parent most of the time	-	86.6 (70.1-94.7)	98.6 (89.4-99.8)	-	
QN118: Percentage of students who usually spend four or more hours after school without an adult present on a school day	-	23.6 (14.1-36.7)	21.1 (10.2-38.6)	-	
QN119: Percentage of students whose parents or other adults in their family never or rarely know where they are when they are away from home	-	17.8 (8.3-34.0)	10.3 (4.8-20.6)	-	
QN120: Percentage of students who agree or strongly agree that their family loves them and gives them help and support when they need it	-	82.7 (66.8-91.9)	91.4 (74.6-97.5)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Black* Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN121: Percentage of students who responded that there is at least one teacher or other adult in this school that they can talk to if they have a problem	-	47.2 (36.4-58.3)	66.1 (51.4-78.2)	-	
QN122: Percentage of students who are receiving special education services as part of an individual education plan or IEP	-	12.3 (5.2-26.3)	16.5 (8.1-30.9)	-	
QN123: Percentage of students who probably or definitely will complete a post high school program such as a vocational training program, military service, community college, or 4-year college	-	74.4 (60.9-84.4)	63.7 (48.6-76.5)	-	
QN124: Percentage of students who took part in organized after school, evening, or weekend activities (such as school clubs; sports; community center groups; music, art, or dance lessons; drama; church; or other supervised activities) on one or more of the past seven days	-	63.3 (47.6-76.6)	53.9 (36.2-70.6)	-	
QN125: Percentage of students who work at a paying job outside their home five or more hours during an average week when they are in school	-	7.4 (2.7-18.8)	12.9 (5.6-27.0)	-	
QN126: Percentage of students who spent one or more hours helping other people without getting paid (such as helping out a hospital, daycare center, food pantry, youth program, community service agency, or doing other things) to make their community a better place for people to live during the past 30 days	-	40.8 (33.7-48.2)	40.9 (27.0-56.3)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Black*
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN127: Percentage of students who gambled for money or possessions one or more times during the past 12 months	-	11.8 (6.2-21.1)	14.5 (6.0-31.0)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino

Unintentional Injuries/Violence

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	14.6 (7.7-26.0)	7.0 (4.2-11.2)	9.1 (4.6-17.0)	37.9 (26.7-50.6)	Yes
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	13.1 (7.3-22.4)	24.8 (17.9-33.4)	26.6 (18.9-35.9)	37.4 (29.1-46.6)	Yes
QN11: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days	11.0 (2.3-38.9)	13.7 (6.8-25.9)	8.4 (2.9-22.0)	-	
QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days	29.0 (14.5-49.6)	19.8 (13.0-29.0)	35.7 (21.2-53.3)	-	
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	7.0 (2.2-19.7)	3.3 (1.0-10.5)	3.9 (1.2-12.0)	16.4 (7.5-32.3)	Yes
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	3.9 (1.1-12.9)	11.7 (5.8-22.0)	14.9 (8.7-24.4)	13.3 (3.7-37.9)	No
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	8.6 (3.5-19.9)	6.2 (2.5-14.3)	8.0 (4.1-14.9)	22.2 (8.4-47.1)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino

Unintentional Injuries/Violence

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months	16.9 (10.3-26.5)	23.2 (15.1-34.0)	26.1 (17.2-37.5)	55.0 (42.2-67.2)	Yes
QN21: Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to	12.2 (6.8-21.0)	11.6 (7.0-18.8)	11.0 (5.8-19.8)	21.1 (7.7-45.9)	No
QN22: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months	10.2 (3.9-24.2)	7.5 (3.8-14.4)	7.9 (4.0-15.0)	18.1 (8.6-34.3)	No
QN23: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months	26.8 (14.0-45.2)	7.8 (3.5-16.5)	10.4 (4.8-20.9)	16.3 (4.2-46.7)	No
QN24: Percentage of students who had ever been bullied on school property during the past 12 months	18.7 (11.6-28.6)	25.3 (19.2-32.7)	20.5 (12.5-31.7)	22.2 (11.7-38.2)	No
QN25: Percentage of students who had ever been electronically bullied during the past 12 months	11.6 (5.8-21.8)	17.0 (11.7-24.1)	18.3 (11.7-27.3)	15.0 (7.7-27.3)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Unintentional Injuries/Violence

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	34.0 (24.3-45.2)	39.3 (32.6-46.3)	43.4 (33.2-54.3)	48.3 (32.4-64.5)	No
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months	16.6 (9.1-28.5)	14.3 (8.5-23.1)	15.5 (10.3-22.4)	22.8 (12.7-37.5)	No
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months	6.8 (2.1-19.9)	11.8 (6.3-21.2)	11.0 (5.9-19.7)	25.1 (10.3-49.5)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Tobacco Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days	9.4 (4.5-18.8)	7.8 (3.6-16.1)	8.4 (4.2-16.2)	32.7 (16.1-55.2)	Yes
QNFRCIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days	3.6 (1.1-11.4)	3.7 (1.1-12.4)	0.8 (0.1-6.1)	6.7 (1.7-23.3)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Alcohol/Other Drug Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	17.9 (10.6-28.8)	18.0 (10.9-28.3)	9.8 (6.3-15.0)	39.5 (30.0-49.8)	Yes
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	20.0 (11.9-31.7)	30.9 (21.6-42.1)	30.3 (23.9-37.4)	57.0 (42.9-70.0)	Yes
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	11.6 (6.3-20.5)	17.0 (10.5-26.3)	15.4 (10.9-21.2)	24.0 (13.8-38.4)	No
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days	-	23.5 (11.4-42.2)	41.3 (19.9-66.4)	-	
QN47: Percentage of students who used marijuana one or more times during their life	23.6 (14.7-35.8)	44.8 (35.5-54.5)	48.7 (38.5-59.0)	69.2 (59.2-77.7)	Yes
QN48: Percentage of students who tried marijuana for the first time before age 13 years	7.1 (2.6-17.9)	5.1 (2.2-11.4)	3.5 (1.4-8.8)	29.7 (19.7-42.1)	Yes
QN49: Percentage of students who used marijuana one or more times during the past 30 days	11.1 (5.9-19.8)	26.0 (18.6-35.1)	32.3 (22.1-44.6)	56.6 (44.7-67.7)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Alcohol/Other Drug Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	6.4 (2.3-16.3)	6.9 (3.1-14.5)	1.9 (0.4-8.2)	8.7 (2.2-29.1)	No
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	11.0 (4.8-23.1)	8.8 (4.3-17.1)	6.6 (3.0-14.0)	22.3 (10.2-42.1)	No
QN52: Percentage of students who used heroin one or more times during their life	7.4 (2.8-18.3)	3.2 (1.2-8.0)	0.9 (0.1-6.7)	10.9 (3.0-32.9)	No
QN53: Percentage of students who used methamphetamines one or more times during their life	8.2 (3.5-18.0)	4.2 (1.5-10.8)	0.8 (0.1-6.3)	12.8 (3.9-35.1)	No
QN54: Percentage of students who used ecstasy one or more times during their life	4.3 (1.4-12.0)	6.7 (2.8-15.3)	1.0 (0.1-7.9)	14.8 (4.7-38.1)	No
QN57: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life	4.9 (1.8-12.9)	3.6 (1.1-11.0)	0.8 (0.1-6.3)	1.7 (0.2-14.3)	No
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	30.8 (21.1-42.6)	29.6 (19.2-42.7)	31.5 (20.0-45.9)	35.6 (22.7-50.9)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino Sexual Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN59: Percentage of students who ever had sexual intercourse	28.2 (19.0-39.8)	48.9 (37.5-60.3)	53.9 (45.5-62.0)	64.2 (50.3-76.0)	Yes
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	4.6 (1.4-14.5)	8.1 (3.4-18.3)	5.3 (2.2-12.3)	14.5 (7.6-25.9)	No
QN61: Percentage of students who had sexual intercourse with four or more people during their life	7.3 (2.5-19.1)	15.5 (8.1-27.8)	10.2 (5.9-17.1)	26.4 (18.1-36.9)	Yes
QN62: Percentage of students who had sexual intercourse with one or more people during the past three months	17.8 (10.0-29.8)	30.6 (21.1-42.1)	43.6 (33.6-54.2)	50.1 (35.7-64.4)	Yes
QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	-	28.4 (13.8-49.4)	11.0 (4.8-23.4)	-	
QN64: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	-	47.5 (34.6-60.7)	56.1 (39.7-71.3)	-	
QN65: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	-	23.4 (11.1-42.7)	17.1 (5.4-42.6)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Sexual Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOTHHH: Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	-	5.2 (0.9-25.2)	14.4 (3.1-47.0)	-	
QNOTHHPL: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	-	28.6 (13.3-51.0)	31.5 (19.7-46.3)	-	
QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	-	2.7 (0.4-16.1)	6.1 (1.1-26.7)	-	
QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse	-	1.8 (0.2-13.6)	19.2 (8.0-39.4)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)§	15.2 (9.2-24.1)	16.3 (10.1-25.2)	23.4 (15.9-33.1)	6.3 (1.8-19.7)	No
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)§	14.6 (8.9-23.2)	22.2 (16.0-30.0)	19.3 (12.9-27.9)	21.0 (9.8-39.6)	No
QN66: Percentage of students who described themselves as slightly or very overweight	38.8 (28.3-50.3)	42.5 (33.3-52.2)	39.6 (34.3-45.1)	31.0 (20.6-43.8)	No
QN67: Percentage of students who were trying to lose weight	53.6 (42.4-64.5)	53.6 (46.0-61.0)	60.5 (53.1-67.4)	36.5 (27.3-46.8)	Yes
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days	78.1 (67.0-86.3)	80.2 (71.4-86.7)	78.3 (68.8-85.5)	82.8 (68.3-91.5)	No
QN72: Percentage of students who ate fruit one or more times during the past seven days	89.2 (79.6-94.6)	80.4 (71.9-86.8)	82.6 (73.3-89.1)	89.2 (67.4-97.1)	No
QN73: Percentage of students who ate green salad one or more times during the past seven days	64.7 (54.1-74.0)	67.6 (59.9-74.4)	49.2 (40.7-57.7)	40.7 (30.2-52.2)	Yes
QN74: Percentage of students who ate potatoes one or more times during the past seven days	56.5 (47.0-65.5)	69.1 (58.2-78.2)	61.9 (51.9-71.0)	60.5 (36.8-80.1)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

§ Based on reference data from the 2000 CDC Growth Charts.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN75: Percentage of students who ate carrots one or more times during the past seven days	41.4 (27.8-56.4)	47.0 (37.3-56.9)	35.1 (25.0-46.7)	37.2 (25.5-50.6)	No
QN76: Percentage of students who ate other vegetables one or more times during the past seven days	82.2 (74.7-87.8)	79.0 (70.4-85.6)	72.0 (62.9-79.6)	64.3 (44.9-79.9)	No
QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days	15.7 (10.2-23.5)	17.7 (11.7-25.9)	12.2 (5.5-24.9)	20.9 (12.3-33.3)	No
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days	28.8 (18.3-42.2)	32.9 (25.6-41.1)	20.9 (13.3-31.1)	40.4 (25.8-56.9)	No
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days	5.9 (2.1-15.6)	6.7 (3.3-13.3)	3.8 (1.3-10.9)	3.7 (0.4-25.2)	No
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days	65.5 (51.7-77.1)	63.3 (53.6-72.1)	53.0 (41.9-63.8)	65.0 (52.1-76.0)	No
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days	21.8 (12.9-34.5)	16.5 (10.4-25.1)	13.8 (8.5-21.7)	30.5 (16.4-49.5)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days	9.7 (4.8-18.4)	14.2 (8.7-22.3)	7.6 (3.0-18.0)	7.4 (2.0-24.3)	No
QNVEG0: Percentage of students who ate vegetables 0 times per day during the past seven days	4.1 (1.5-10.7)	8.5 (4.6-15.3)	14.5 (9.2-22.1)	16.6 (6.5-36.1)	No
QNVEG1: Percentage of students who ate vegetables one or more times per day during the past seven days	58.8 (47.4-69.4)	57.0 (50.1-63.7)	47.5 (37.8-57.5)	58.0 (39.2-74.8)	No
QNVEG2: Percentage of students who ate vegetables two or more times per day during the past seven days	20.2 (13.4-29.4)	20.7 (14.8-28.2)	17.9 (12.2-25.5)	19.3 (12.5-28.6)	No
QNFRVG2: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days	3.6 (1.0-12.1)	8.2 (4.0-15.9)	5.2 (1.6-15.7)	5.6 (1.3-21.6)	No
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	8.8 (4.5-16.8)	13.9 (8.1-22.8)	16.8 (9.3-28.5)	24.3 (10.7-46.2)	No
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days	27.9 (19.1-38.7)	28.3 (20.3-37.9)	18.2 (11.6-27.3)	16.8 (8.2-31.5)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days	6.1 (2.8-13.0)	9.1 (4.4-18.0)	16.0 (9.0-26.9)	22.6 (9.8-43.9)	No
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days	4.2 (1.3-12.7)	3.6 (1.3-9.4)	9.3 (4.4-18.4)	13.5 (5.9-27.9)	Yes
QN79: Percentage of students who ate breakfast on all of the past seven days	36.7 (27.2-47.4)	38.0 (30.1-46.7)	25.2 (16.5-36.6)	15.1 (8.4-25.7)	Yes
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days	12.2 (6.8-21.0)	7.7 (3.9-14.3)	17.2 (11.4-25.3)	24.2 (14.4-37.7)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Hispanic/Latino
Physical Activity**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days	34.5 (25.2-45.2)	36.5 (27.6-46.4)	31.7 (24.9-39.4)	35.9 (24.2-49.6)	No
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days	16.9 (9.5-28.4)	16.9 (11.3-24.5)	19.5 (12.4-29.2)	17.9 (10.3-29.3)	No
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days	22.0 (13.6-33.6)	16.4 (11.3-23.2)	15.2 (10.5-21.5)	21.9 (14.2-32.4)	No
QN81: Percentage of students who watched three or more hours per day of TV on an average school day	25.0 (16.3-36.4)	29.0 (23.9-34.6)	32.3 (24.2-41.6)	41.0 (25.5-58.6)	No
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	42.2 (33.8-51.1)	44.9 (38.3-51.7)	40.2 (32.1-48.9)	32.9 (20.4-48.5)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Hispanic/Latino
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who described their health as excellent or very good	63.3 (49.7-75.0)	56.4 (46.8-65.5)	38.7 (28.6-50.0)	54.2 (39.6-68.1)	Yes
QN89: Among students who drove a car or other vehicle during the past 30 days, the percentage who talked on a cell phone while driving on one or more of the past 30 days	27.8 (15.7-44.4)	30.8 (21.6-41.8)	37.3 (19.7-59.2)	-	
QN90: Percentage of students who suffered a blow or jolt to their head while playing with a sports team (either during a game or during practice) which caused them to get "knocked out", have memory problems, double or blurry vision, headaches or "pressure" in the head, or nausea or vomiting during the past 12 months	10.8 (4.1-25.5)	14.3 (8.1-24.0)	10.9 (6.0-18.9)	16.5 (7.6-32.1)	No
QN91: Percentage of students whose property, such as their car, clothing, or books, had been stolen or deliberately damaged on school property one or more times during the past 12 months	29.1 (21.3-38.3)	23.8 (17.2-31.8)	30.4 (22.9-39.0)	41.1 (30.5-52.6)	No
QN92: Percentage of students whose boyfriend or girlfriend verbally or emotionally abused them (for example, called them names, made fun of them in front of others, made fun of their body or looks, or told them that they are no good or worthless) one or more times during the past 12 months	14.7 (8.6-24.0)	12.9 (8.6-19.0)	15.3 (8.6-25.9)	42.3 (30.6-55.0)	Yes
QN93: Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because of their weight, size, or physical appearance	27.0 (17.8-38.8)	27.3 (22.3-32.9)	33.6 (25.3-42.9)	30.3 (20.9-41.7)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Hispanic/Latino
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because someone thought they were gay, lesbian, or bisexual	14.5 (7.3-26.8)	14.0 (9.1-21.0)	15.9 (8.7-27.2)	23.2 (12.6-38.9)	No
QN95: Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months	19.9 (12.0-31.1)	15.8 (9.2-25.7)	29.9 (24.9-35.5)	31.8 (20.9-45.0)	Yes
QN96: Percentage of students who would most likely talk about it with a school counselor or teacher or other adult when they feel sad, empty, hopeless, angry, or anxious	6.2 (2.9-12.7)	5.0 (2.1-11.3)	4.8 (2.9-7.8)	4.1 (0.8-18.8)	No
QN97: Percentage of students who most of the time or always get the kind of help they need when they feel sad, empty, hopeless, angry, or anxious	31.0 (21.7-42.2)	23.7 (17.9-30.6)	28.6 (21.7-36.8)	21.2 (12.5-33.8)	No
QN98: Percentage of students who strongly disapprove or somewhat disapprove of someone their age having one or two drinks of alcohol nearly every day	73.8 (55.1-86.5)	75.0 (67.0-81.7)	66.4 (54.6-76.5)	56.8 (29.2-80.8)	No
QN99: Percentage of students who think people greatly risk harming themselves (physically or in other ways), if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice each weekend	50.3 (41.4-59.2)	33.5 (26.1-41.9)	23.8 (15.9-34.2)	19.0 (10.7-31.5)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Hispanic/Latino
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN100: Percentage of students who have taken over-the-counter drugs to get high one or more times during their life	4.8 (1.5-14.3)	11.2 (6.6-18.4)	4.3 (1.6-11.2)	20.2 (7.9-42.8)	No
QN101: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, codeine, Ritalin, or Xanax) without a doctor's prescription to get high one or more times during their life	6.7 (2.5-16.9)	8.4 (4.7-14.4)	3.3 (1.2-8.5)	18.5 (7.0-40.8)	No
QN102: Percentage of students who attended school under the influence of alcohol or other illegal drugs, such as marijuana or cocaine, one or more times during the past 12 months	12.4 (6.0-24.1)	19.6 (13.5-27.5)	20.2 (13.2-29.7)	44.5 (29.1-61.0)	Yes
QN103: Percentage of students who have been pregnant or gotten someone pregnant one or more times	4.4 (1.3-13.8)	6.2 (2.8-13.1)	6.5 (3.3-12.7)	14.6 (3.4-45.4)	Yes
QN104: Percentage of students who have had sexual contact with males and females during their life	8.0 (3.3-17.9)	7.0 (3.7-12.6)	6.5 (2.9-14.1)	18.6 (9.9-32.1)	Yes
QN105: Percentage of students who describe themselves as gay or lesbian or bisexual	13.0 (8.3-19.8)	10.2 (6.0-16.9)	10.2 (5.4-18.4)	22.9 (10.9-41.9)	No
QN106: Percentage of students who exercised, ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days	63.0 (51.2-73.5)	66.1 (55.8-75.0)	59.8 (52.8-66.5)	53.8 (43.1-64.2)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Hispanic/Latino
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who went without eating for 24 hours or more (also called fasting), vomited, took laxatives or diet pills, powders, or liquids (without a doctor's advice) to lose weight or to keep from gaining weight during the past 30 days	13.4 (6.9-24.5)	12.0 (7.0-19.7)	12.0 (6.3-21.7)	14.8 (4.2-40.5)	No
QN108: Percentage of students who drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt, one or more times per day during the past seven days	1.9 (0.2-14.2)	3.2 (1.0-10.0)	5.1 (2.1-11.8)	7.2 (1.7-25.1)	No
QN109: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage (such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight) or sports drink (such as Gatorade or PowerAde) one or more times per day during the past 7 days	12.4 (6.2-23.3)	9.6 (4.9-17.7)	14.1 (8.8-21.9)	16.1 (6.2-35.7)	No
QN110: Percentage of students who ate at least one meal with their family on three or more of the past seven days	63.3 (51.4-73.8)	56.4 (48.3-64.1)	46.9 (37.1-56.9)	55.9 (39.4-71.2)	No
QN111: Percentage of students who have had sexuality education in school during the past 12 months	54.0 (40.5-67.0)	40.0 (28.2-53.1)	41.9 (34.0-50.3)	57.9 (37.9-75.7)	No
QN112: Percentage of students who have ever been taught about how Hepatitis A, B, and C viruses are spread	67.3 (54.5-77.9)	54.8 (45.4-63.8)	65.7 (53.9-75.8)	68.3 (53.0-80.5)	No
QN113: Percentage of students who had ever been tested for HIV, the virus that causes AIDS	21.2 (12.3-34.1)	22.4 (14.9-32.4)	14.9 (10.7-20.2)	31.4 (22.8-41.4)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Hispanic/Latino
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN114: Percentage of students who have ever been told by a doctor or nurse that they had a sexually transmitted disease (STD)	9.5 (4.5-18.9)	11.4 (6.3-19.8)	4.8 (1.5-14.3)	8.2 (1.9-28.6)	No
QN115: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past year	81.3 (71.6-88.3)	81.3 (72.8-87.6)	77.4 (66.8-85.4)	76.2 (61.3-86.6)	No
QN116: Percentage of students who get eight or more hours of sleep on average school night	22.6 (15.8-31.3)	24.9 (17.8-33.7)	21.5 (15.4-29.2)	28.3 (17.5-42.4)	No
QN117: Percentage of students who live with at least one parent most of the time	96.4 (84.1-99.2)	94.4 (85.9-97.9)	91.5 (84.6-95.5)	80.2 (61.8-91.1)	No
QN118: Percentage of students who usually spend four or more hours after school without an adult present on a school day	18.2 (10.6-29.5)	20.5 (13.9-29.1)	22.2 (15.4-30.8)	42.0 (27.9-57.7)	Yes
QN119: Percentage of students whose parents or other adults in their family never or rarely know where they are when they are away from home	9.7 (3.6-23.3)	15.9 (9.7-25.1)	5.1 (2.3-11.2)	25.2 (13.3-42.4)	Yes
QN120: Percentage of students who agree or strongly agree that their family loves them and gives them help and support when they need it	89.2 (77.0-95.3)	86.8 (75.3-93.4)	84.8 (76.7-90.4)	84.8 (70.8-92.8)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey Risk Behaviors and Academic Achievement Report

**Hispanic/Latino
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN121: Percentage of students who responded that there is at least one teacher or other adult in this school that they can talk to if they have a problem	67.3 (53.7-78.6)	55.8 (47.1-64.2)	54.6 (43.3-65.5)	56.4 (39.0-72.3)	No
QN122: Percentage of students who are receiving special education services as part of an individual education plan or IEP	4.5 (1.4-13.8)	11.8 (6.8-19.8)	10.3 (5.2-19.2)	13.7 (9.8-18.8)	No
QN123: Percentage of students who probably or definitely will complete a post high school program such as a vocational training program, military service, community college, or 4-year college	83.5 (71.9-91.0)	70.7 (62.0-78.1)	60.9 (49.5-71.2)	69.6 (50.3-83.8)	No
QN124: Percentage of students who took part in organized after school, evening, or weekend activities (such as school clubs; sports; community center groups; music, art, or dance lessons; drama; church; or other supervised activities) on one or more of the past seven days	69.6 (57.5-79.4)	53.8 (45.4-62.0)	46.7 (35.3-58.4)	24.0 (16.2-33.9)	Yes
QN125: Percentage of students who work at a paying job outside their home five or more hours during an average week when they are in school	21.2 (13.5-31.7)	20.8 (15.4-27.6)	23.1 (15.8-32.6)	15.7 (7.6-29.6)	No
QN126: Percentage of students who spent one or more hours helping other people without getting paid (such as helping out a hospital, daycare center, food pantry, youth program, community service agency, or doing other things) to make their community a better place for people to live during the past 30 days	44.0 (35.0-53.4)	52.0 (43.8-60.0)	45.7 (31.5-60.6)	60.1 (41.4-76.3)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN127: Percentage of students who gambled for money or possessions one or more times during the past 12 months	12.8 (6.4-24.0)	28.8 (18.0-42.7)	15.1 (9.1-23.9)	41.6 (32.0-51.8)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.