Preterm Infant Formulas			
Product Name	Company	Description	Indications for
	Package size		Use
Enfamil Neuro Pro	Mead Johnson	Milk based	Discharge Formula for
Enfacare with Iron	Powder 12.8 Oz	22 calories per fluid ounce	Preterm from 1800
	RTF^	Contains Milk Fat Globule Membrane	grams in weight.
	32 fl. oz. bottle **	(MFGM)	For infants during 0 to
	6 / 2 fl. oz. pack **	DHA/ARA	12 months of age.
		20% MCT oil	
		Non GMO formulation	
		Contains milk and soy	
		Kosher, Halal	
Enfamil Premature	Mead Johnson	Cow's Milk Based*	Usually given in
with Iron Nursette	RTF 6 / 2 fl. oz. carton^	Forms: 20 or 24 Calories per fluid	hospital, sometimes
		ounce	continued post-hospital
		Blend of DHA and ARA	discharge***.
		Contains milk and soy	For preterm or Low-
			Birth-Weight Infants
Similac NeoSure with	Abbott	Cow's Milk Based*	For preterm post-
Iron	Powder 13.1 oz	22 Calories per fluid ounce	hospital discharge
	RTF 32 fl oz. bottle^	Blend of DHA, Lutein, and Vitamin E	formula***.
		Gluten free, Kosher, Halal	For infants 0 until 14
			months corrected age.
Similac Special Care	Abbott	Cow's Milk Based*	For preterm infants and
with Iron	RTF 2 fl oz. bottle^	Forms: 20 or 24 Calories per fluid	low-birth weight infants
		ounce	to reach 3600 g
		Blend of DHA, Lutein, and Vitamin E	(approximately 8 lb) or
		Gluten free, Kosher, Halal	as directed by physician.
		Contains milk and soy ingredients	Usually given in
			hospital, sometimes
			continued post-hospital
			discharge.***

^{*}Not indicated for infants with known or suspected cow's milk allergy.

Revised on February 2020

^{**32} fl. oz. bottle will be discontinued; it will be replaced by a 2 fl. oz. 6 pack at retail during mid-May 2020.

^{***}For premature infants who are not exclusively receiving breast milk.

[^] Ready to Feed Formulas (RTF) may be authorized when the CPA determines and documents that one of the following conditions are met: 1) The participant's household has an unsanitary or restricted water supply or poor refrigeration, 2) The person caring for the participant may have difficulty in correctly diluting concentrated liquid or powder forms; or 3) The WIC infant formula is only available in ready-to-feed. In addition to those conditions, RTF may be issue in Food Package III if 1) a RTF form better accommodates the participant's condition; or 2) if it improve the participant's compliance in consuming the prescribed WIC formula.