

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex
All Residents, 1991

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables
by Cause of Death and Sex, All Residents, 1991

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables
by Cause of Death and Sex, All Residents, 1991

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Resident DEATHS, 1991
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1991*****				*****1991*****				*****1991*****						
	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR
*****Causes of Death*****															
All causes	27,962	850.3	444.8	0	445.2	13,931	873.9	580.6	0	576.8	14,031	828.2	338.0	0	342.7
Infectious diseases and parasitic disease (1-139)	848	25.8	17.4	0	16.5	511	32.1	25.3	0	23.5	337	19.9	10.2	0	10.0
..Septicemia (038)	385	11.7	5.3	0	6.2	172	10.8	6.6	0	7.3	213	12.6	4.4	0	5.4
....Septicemia-related (038)	1,446	44.0	22.1	0	21.9	676	42.4	27.5	0	26.8	770	45.4	17.9	0	18.4
..HIV infection (042-044)	358	10.9	9.9	1	7.9	277	17.4	15.6	0	13.0	81	4.8	4.5	0	3.0
All cancer (140-208)	7,005	213.0	126.7	0	123.0	3,577	224.4	152.3	0	149.2	3,428	202.3	109.2	0	105.9
..Oral cavity or pharynx (140.0-149.9)	146	4.4	3.1	0	2.3	98	6.1	4.8	0	3.7	48	2.8	1.6	0	1.2
..Colorectal cancer (153.0-154.3,154.8,159.0)	824	25.1	13.3	0	13.7	398	25.0	16.1	0	17.1	426	25.1	11.3	0	11.2
....Colon cancer (153)	691	21.0	11.2	0	11.1	332	20.8	13.5	0	13.6	359	21.2	9.5	0	9.4
....Rectal cancer (154)	122	3.7	2.0	0	2.2	59	3.7	2.4	0	2.8	63	3.7	1.8	0	1.7
..Pancreatic cancer (157)	348	10.6	5.7	0	6.2	154	9.7	6.4	0	8.2	194	11.5	5.3	0	4.6
..Lung and other respiratory cancer (160-165)	1,912	58.1	36.5	0	34.9	1,159	72.7	50.5	0	48.4	753	44.4	26.1	0	25.0
....Lung cancer (162.2-.9)	1,839	55.9	35.0	0	33.8	1,107	69.4	48.1	0	46.7	732	43.2	25.5	0	24.3
..Malignant melanoma of skin (172)	87	2.6	1.9	0	1.9	56	3.5	2.7	0	2.3	31	1.8	1.3	0	1.6
..Female breast cancer (174)	612	612	36.1	22.5	0	21.4
..Cervical cancer (180)	55	55	3.2	2.4	0	1.7
..Endometrial cancer (182)	46	46	2.7	1.4	0	1.3
..Ovarian cancer (183)	183	183	10.8	6.3	0	6.0
..Prostate cancer (185)	432	432	27.1	15.1	0	15.5
..Bladder cancer (188)	167	5.1	2.5	0	2.2	103	6.5	3.9	0	3.7	64	3.8	1.6	0	1.4
..Brain & other CNS cancer (191-192)	151	4.6	3.5	0	3.2	87	5.5	4.5	0	3.9	64	3.8	2.6	0	2.5
..Leukemia (204-208)	242	7.4	4.7	0	4.6	128	8.0	5.8	0	5.7	114	6.7	3.8	0	3.8
Diabetes mellitus (250)	496	15.1	8.0	0	7.9	226	14.2	9.5	0	8.3	270	15.9	6.6	0	7.5
..Diabetes-related (250)	2,292	69.7	34.5	0	35.3	1,027	64.4	40.7	0	39.7	1,265	74.7	29.6	0	32.0
..Diabetic ketoacidosis (DKA) (250.1)	10	0.3	.	.	.	7	0.4	.	.	.	3	0.2	.	.	.
Alzheimer's diseases (331.0)	196	6.0	2.0	0	2.2	68	4.3	2.1	0	2.6	128	7.6	2.0	0	1.9
Cardiovascular disease (390-459)	11,995	364.8	160.4	0	162.6	5,639	353.7	215.9	0	216.9	6,356	375.2	117.4	0	120.9
..Diseases of the heart (390-398,402,404-429)	9,553	290.5	130.3	0	132.6	4,633	290.6	179.5	0	183.1	4,920	290.4	92.1	0	93.8
....Heart disease-related (390-398,402,404-429)	15,885	483.1	222.7	0	221.3	7,701	483.1	299.1	0	292.5	8,184	483.1	164.6	0	168.2
....Coronary heart disease (CHD) (402,410-414,429.2)	7,043	214.2	95.3	0	97.7	3,461	217.1	134.2	0	138.2	3,582	211.4	64.9	0	66.5
....Congestive heart failure (CHF) (428.0)	417	12.7	4.2	0	4.0	151	9.5	4.7	0	4.8	266	15.7	3.9	0	3.4
..Hypertension with or without renal disease (401,403)	126	3.8	1.7	0	1.6	58	3.6	2.2	0	1.6	68	4.0	1.3	0	1.6
....Hypertension-related (401,403)	1,562	47.5	21.8	0	23.8	612	38.4	24.7	0	25.3	950	56.1	18.8	1	22.3
..Cerebrovascular disease (430-438)	1,693	51.5	20.4	0	21.0	658	41.3	23.4	0	22.6	1,035	61.1	18.1	0	19.9
..Atherosclerosis (440)	223	6.8	2.3	0	1.8	75	4.7	2.5	0	2.2	148	8.7	2.0	0	1.5
....Atherosclerosis-related (440)	1,019	31.0	10.6	0	10.8	397	24.9	13.1	0	13.0	622	36.7	8.8	0	9.1
..Aortic aneurysm (441)	218	6.6	3.2	0	2.6	127	8.0	4.9	0	4.1	91	5.4	1.8	0	1.5
Pneumonia & influenza (480-487)	1,088	33.1	11.4	0	12.8	473	29.7	15.3	0	16.0	615	36.3	8.9	0	10.7

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT Resident DEATHS, 1991
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1991*****				*****1991*****				*****1991*****						
	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	984	29.9	13.7	0	15.2	507	31.8	18.1	0	20.2	477	28.2	11.1	0	12.2
..COPD-related (490-496)	2,347	71.4	32.6	0	35.2	1,257	78.9	44.8	0	49.4	1,090	64.3	25.1	0	26.7
..Asthma (493)	36	1.1	0.7	0	0.9	12	0.8	.	.	0.9	24	1.4	0.6	0	1.0
Chronic liver disease and cirrhosis (571)	302	9.2	6.8	0	6.9	189	11.9	9.6	0	9.8	113	6.7	4.3	0	4.4
Nephritis, nephrotic syndrome/nephrosis (580-589)	322	9.8	4.7	0	4.3	164	10.3	6.2	0	5.6	158	9.3	3.6	0	3.6
..Nephritis-related (580-589)	1,591	48.4	24.0	0	25.8	831	52.1	32.0	0	33.8	760	44.9	18.6	0	20.7
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	360	10.9	5.2	0	4.7	184	11.5	7.0	0	6.1	176	10.4	4.0	0	3.8
Unintentional injuries (E800-E949)	847	25.8	20.8	0	22.5	543	34.1	30.2	0	33.7	304	17.9	12.1	0	11.6
..Motor vehicle accidents (E810-E825)	327	9.9	10.0	0	12.2	216	13.5	13.9	1	18.1	111	6.6	6.3	0	6.4
..Falls and fall related injuries (E880-E888)	178	5.4	2.2	0	2.4	89	5.6	3.3	0	3.0	89	5.3	1.4	0	1.8
..Drowning (E830,E832,E910)	44	1.3	1.2	0	1.4	39	2.4	2.4	0	2.6	5	0.3	.	.	.
..Residential fires (E890-E899)	45	1.4	1.3	0	1.0	21	1.3	1.2	0	1.2	24	1.4	1.3	0	0.7
Suicide (E950-E959)	339	10.3	9.6	0	7.9	276	17.3	16.1	0	13.0	63	3.7	3.4	0	3.2
Homicide and legal intervention (E960-E978)	189	5.7	6.1	0	5.5	151	9.5	9.9	0	8.8	38	2.2	2.3	0	2.2
..Homicide (E960-E969)	189	5.7	6.1	0	5.5	151	9.5	9.9	0	8.8	38	2.2	2.3	0	2.2
All injury (E800-E999)	1,438	43.7	38.3	0	36.7	1,015	63.7	58.8	0	56.7	423	25.0	18.7	0	17.3
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	319	9.7	9.8	0	12.0	209	13.1	13.4	1	17.7	110	6.5	6.2	0	6.3
..All falls (E880-E886,E888,E957,E968.1,E987)	154	4.7	2.2	0	2.1	81	5.1	3.2	0	2.8	73	4.3	1.4	0	1.5
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	287	8.7	8.9	0	8.0	256	16.1	16.1	0	14.0	31	1.8	1.8	0	2.1
....Suicide (E955.0-.4)	152	4.6	4.3	0	3.4	139	8.7	8.1	0	6.1	13	0.8	.	.	0.9
....Homicide (E965.0-.4)	128	3.9	4.4	0	3.9	112	7.0	7.7	0	6.6	16	0.9	1.0	0	1.1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	190	5.8	5.4	1	3.1	132	8.3	7.8	1	4.8	58	3.4	3.1	1	1.4
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	159	4.8	4.0	0	4.6	114	7.2	6.0	0	6.4	45	2.7	2.1	0	3.0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	137	4.2	3.9	1	1.4	95	6.0	5.5	1	2.1	42	2.5	2.3	1	0.9

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT Resident DEATHS, 1991
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1991*****				*****1991*****				*****1991*****						
	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR
*****Causes of Death*****															
All causes	27,962	850.3	618.3	0	619.8	13,931	873.9	802.5	0	797.7	14,031	828.2	486.3	0	491.9
Infectious diseases and parasitic disease (1-139)	848	25.8	19.0	0	18.7	511	32.1	26.7	0	25.4	337	19.9	12.3	0	12.7
..Septicemia (038)	385	11.7	8.0	0	9.3	172	10.8	9.9	0	10.8	213	12.6	6.8	0	8.2
....Septicemia-related (038)	1,446	44.0	31.3	0	31.4	676	42.4	38.5	0	38.6	770	45.4	26.1	0	26.7
..HIV infection (042-044)	358	10.9	8.5	1	6.6	277	17.4	13.3	0	11.0	81	4.8	3.9	0	2.5
All cancer (140-208)	7,005	213.0	166.4	0	162.7	3,577	224.4	207.1	0	205.1	3,428	202.3	140.6	0	136.2
..Oral cavity or pharynx (140.0-149.9)	146	4.4	3.8	0	3.0	98	6.1	5.9	0	4.7	48	2.8	2.1	0	1.6
..Colorectal cancer (153.0-154.3,154.8,159.0)	824	25.1	18.6	0	19.4	398	25.0	22.8	0	24.6	426	25.1	15.8	0	15.9
....Colon cancer (153)	691	21.0	15.6	0	15.8	332	20.8	19.1	0	19.8	359	21.2	13.2	0	13.3
....Rectal cancer (154)	122	3.7	2.8	0	3.1	59	3.7	3.4	0	3.7	63	3.7	2.4	0	2.5
..Pancreatic cancer (157)	348	10.6	8.0	0	8.4	154	9.7	9.0	0	11.1	194	11.5	7.4	0	6.4
..Lung and other respiratory cancer (160-165)	1,912	58.1	46.9	0	44.9	1,159	72.7	67.4	0	64.7	753	44.4	32.8	0	31.3
....Lung cancer (162.2-.9)	1,839	55.9	45.1	0	43.4	1,107	69.4	64.3	0	62.2	732	43.2	31.9	0	30.5
..Malignant melanoma of skin (172)	87	2.6	2.2	0	2.2	56	3.5	3.2	0	2.8	31	1.8	1.4	0	1.8
..Female breast cancer (174)	612	612	36.1	27.1	0	26.0
..Cervical cancer (180)	55	55	3.2	2.6	0	1.9
..Endometrial cancer (182)	46	46	2.7	1.9	0	1.7
..Ovarian cancer (183)	183	183	10.8	7.9	0	7.4
..Prostate cancer (185)	432	432	27.1	24.5	0	25.0
..Bladder cancer (188)	167	5.1	3.7	0	3.5	103	6.5	5.8	0	6.0	64	3.8	2.3	0	2.1
..Brain & other CNS cancer (191-192)	151	4.6	4.0	0	3.7	87	5.5	5.1	0	4.6	64	3.8	3.1	0	2.9
..Leukemia (204-208)	242	7.4	5.9	0	5.8	128	8.0	7.5	0	7.4	114	6.7	4.8	0	4.7
Diabetes mellitus (250)	496	15.1	11.1	0	11.2	226	14.2	12.9	0	11.4	270	15.9	9.5	0	10.8
..Diabetes-related (250)	2,292	69.7	50.1	0	51.4	1,027	64.4	58.6	0	58.0	1,265	74.7	43.9	0	46.9
..Diabetic ketoacidosis (DKA) (250.1)	10	0.3	.	.	.	7	0.4	.	.	.	3	0.2	.	.	.
Alzheimer's diseases (331.0)	196	6.0	3.7	0	4.0	68	4.3	3.9	0	4.8	128	7.6	3.6	0	3.6
Cardiovascular disease (390-459)	11,995	364.8	248.8	0	252.1	5,639	353.7	324.7	0	326.6	6,356	375.2	193.8	0	198.1
..Diseases of the heart (390-398,402,404-429)	9,553	290.5	199.9	0	203.4	4,633	290.6	267.2	0	272.5	4,920	290.4	151.1	0	153.3
....Heart disease-related (390-398,402,404-429)	15,885	483.1	335.4	0	335.0	7,701	483.1	442.9	0	436.2	8,184	483.1	259.9	0	264.4
....Coronary heart disease (CHD) (402,410-414,429.2)	7,043	214.2	147.2	0	150.8	3,461	217.1	199.9	0	205.9	3,582	211.4	108.5	0	110.5
....Congestive heart failure (CHF) (428.0)	417	12.7	7.8	0	7.6	151	9.5	8.7	0	9.0	266	15.7	7.3	0	6.7
..Hypertension with or without renal disease (401,403)	126	3.8	2.6	0	2.5	58	3.6	3.3	0	2.4	68	4.0	2.1	0	2.6
....Hypertension-related (401,403)	1,562	47.5	33.0	0	35.9	612	38.4	35.2	0	37.2	950	56.1	30.2	0	34.4
..Cerebrovascular disease (430-438)	1,693	51.5	33.6	0	34.8	658	41.3	37.6	0	37.0	1,035	61.1	30.6	0	33.2
..Atherosclerosis (440)	223	6.8	4.2	0	3.4	75	4.7	4.4	0	3.9	148	8.7	3.9	0	3.0
....Atherosclerosis-related (440)	1,019	31.0	19.3	0	19.8	397	24.9	22.7	0	22.8	622	36.7	16.7	0	17.4
..Aortic aneurysm (441)	218	6.6	4.7	0	3.8	127	8.0	7.2	0	6.2	91	5.4	2.9	0	2.3
Pneumonia & influenza (480-487)	1,088	33.1	20.5	0	22.5	473	29.7	27.3	0	28.0	615	36.3	16.7	0	19.4

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT Resident DEATHS, 1991
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1991*****				*****1991*****				*****1991*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	984	29.9	20.9	0	22.5	507	31.8	28.9	0	31.2	477	28.2	16.6	0	17.5
..COPD-related (490-496)	2,347	71.4	49.9	0	52.9	1,257	78.9	71.8	0	78.1	1,090	64.3	37.7	0	38.9
..Asthma (493)	36	1.1	0.8	0	1.1	12	0.8	.	.	1.0	24	1.4	0.8	0	1.2
Chronic liver disease and cirrhosis (571)	302	9.2	7.7	0	7.9	189	11.9	10.9	0	11.2	113	6.7	5.0	0	5.1
Nephritis, nephrotic syndrome/nephrosis (580-589)	322	9.8	6.9	0	6.4	164	10.3	9.4	0	8.8	158	9.3	5.4	0	5.2
..Nephritis-related (580-589)	1,591	48.4	34.6	0	37.5	831	52.1	47.3	0	51.1	760	44.9	26.9	0	29.8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	360	10.9	7.7	0	7.0	184	11.5	10.5	0	9.5	176	10.4	6.0	0	5.6
Unintentional injuries (E800-E949)	847	25.8	22.3	0	24.0	543	34.1	32.5	0	34.8	304	17.9	13.5	0	13.8
..Motor vehicle accidents (E810-E825)	327	9.9	9.8	0	11.7	216	13.5	13.6	0	17.1	111	6.6	6.1	0	6.5
..Falls and fall related injuries (E880-E888)	178	5.4	3.5	0	3.8	89	5.6	5.1	0	4.4	89	5.3	2.5	0	3.2
..Drowning (E830,E832,E910)	44	1.3	1.3	0	1.4	39	2.4	2.4	0	2.6	5	0.3	.	.	.
..Residential fires (E890-E899)	45	1.4	1.4	0	1.1	21	1.3	1.4	0	1.3	24	1.4	1.4	0	0.8
Suicide (E950-E959)	339	10.3	9.1	0	7.6	276	17.3	15.7	0	12.8	63	3.7	3.2	0	3.1
Homicide and legal intervention (E960-E978)	189	5.7	5.6	0	5.1	151	9.5	9.2	0	8.2	38	2.2	2.1	0	2.0
..Homicide (E960-E969)	189	5.7	5.6	0	5.1	151	9.5	9.2	0	8.2	38	2.2	2.1	0	2.0
All injury (E800-E999)	1,438	43.7	38.6	0	37.4	1,015	63.7	59.6	0	56.9	423	25.0	19.6	0	19.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	319	9.7	9.5	0	11.4	209	13.1	13.1	0	16.6	110	6.5	6.0	0	6.4
..All falls (E880-E886,E888,E957,E968.1,E987)	154	4.7	3.2	0	3.1	81	5.1	4.6	0	3.8	73	4.3	2.2	0	2.5
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	287	8.7	8.3	0	7.4	256	16.1	15.3	0	13.3	31	1.8	1.6	0	1.9
....Suicide (E955.0-.4)	152	4.6	4.1	0	3.3	139	8.7	7.9	0	6.0	13	0.8	.	.	0.8
....Homicide (E965.0-.4)	128	3.9	4.0	0	3.6	112	7.0	7.1	0	6.1	16	0.9	0.9	0	1.0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	190	5.8	4.9	1	2.9	132	8.3	6.9	1	4.5	58	3.4	2.9	1	1.4
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	159	4.8	4.1	0	4.8	114	7.2	6.3	0	6.9	45	2.7	2.2	0	3.1
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	137	4.2	3.4	1	1.3	95	6.0	4.7	1	1.9	42	2.5	2.1	1	0.8

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT Resident DEATHS, 1991
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1991*****				*****1991*****				*****1991*****						
	No. of deaths	Crude rate	Signif- AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	Signif- AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	Signif- AAMR	Signif- icance	1990 AAMR
*****Causes of Death*****															
All causes	27,962	850.3	840.9	0	841.7	13,931	873.9	1088.0	0	1075.6	14,031	828.2	677.5	0	684.8
Infectious diseases and parasitic disease (1-139)	848	25.8	25.3	0	25.0	511	32.1	35.6	0	33.4	337	19.9	16.7	0	17.6
..Septicemia (038)	385	11.7	11.7	0	13.4	172	10.8	14.6	0	15.4	213	12.6	10.1	0	12.0
....Septicemia-related (038)	1,446	44.0	43.6	0	44.3	676	42.4	53.6	0	54.5	770	45.4	37.1	0	38.0
..HIV infection (042-044)	358	10.9	10.5	1	8.2	277	17.4	16.7	0	13.6	81	4.8	4.5	0	2.9
All cancer (140-208)	7,005	213.0	207.8	0	204.0	3,577	224.4	265.3	0	263.7	3,428	202.3	174.3	0	169.5
..Oral cavity or pharynx (140.0-149.9)	146	4.4	4.4	0	3.5	98	6.1	6.9	0	5.6	48	2.8	2.5	0	2.0
..Colorectal cancer (153.0-154.3,154.8,159.0)	824	25.1	24.4	0	25.9	398	25.0	30.2	0	33.1	426	25.1	20.8	0	21.5
....Colon cancer (153)	691	21.0	20.5	0	21.1	332	20.8	25.1	0	26.8	359	21.2	17.5	0	17.8
....Rectal cancer (154)	122	3.7	3.6	0	4.0	59	3.7	4.5	0	4.7	63	3.7	3.1	0	3.4
..Pancreatic cancer (157)	348	10.6	10.3	0	10.7	154	9.7	11.7	0	13.9	194	11.5	9.5	0	8.4
..Lung and other respiratory cancer (160-165)	1,912	58.1	56.3	0	53.4	1,159	72.7	83.2	0	79.6	753	44.4	38.9	0	36.5
....Lung cancer (162.2-.9)	1,839	55.9	54.1	0	51.4	1,107	69.4	79.6	0	76.3	732	43.2	37.8	0	35.4
..Malignant melanoma of skin (172)	87	2.6	2.6	0	2.7	56	3.5	3.9	0	3.3	31	1.8	1.7	0	2.2
..Female breast cancer (174)	612	612	36.1	32.6	0	31.8	
..Cervical cancer (180)	55	55	3.2	3.2	0	2.4	
..Endometrial cancer (182)	46	46	2.7	2.2	0	2.1	
..Ovarian cancer (183)	183	183	10.8	9.4	0	8.7	
..Prostate cancer (185)	432	432	27.1	35.7	0	36.0
..Bladder cancer (188)	167	5.1	5.0	0	4.9	103	6.5	7.9	0	8.7	64	3.8	3.2	0	2.9
..Brain & other CNS cancer (191-192)	151	4.6	4.5	0	4.4	87	5.5	5.9	0	5.5	64	3.8	3.4	0	3.5
..Leukemia (204-208)	242	7.4	7.2	0	7.3	128	8.0	9.2	0	9.3	114	6.7	5.9	0	5.9
Diabetes mellitus (250)	496	15.1	14.8	0	14.9	226	14.2	16.7	0	14.7	270	15.9	13.1	0	14.7
..Diabetes-related (250)	2,292	69.7	68.0	0	69.7	1,027	64.4	79.0	0	78.3	1,265	74.7	60.4	0	64.2
..Diabetic ketoacidosis (DKA) (250.1)	10	0.3	.	.	.	7	0.4	.	.	3	0.2
Alzheimer's diseases (331.0)	196	6.0	6.0	0	6.4	68	4.3	6.4	0	7.9	128	7.6	5.8	0	5.8
Cardiovascular disease (390-459)	11,995	364.8	363.4	0	367.5	5,639	353.7	461.7	0	461.9	6,356	375.2	296.3	0	302.1
..Diseases of the heart (390-398,402,404-429)	9,553	290.5	288.9	0	293.0	4,633	290.6	376.4	0	381.4	4,920	290.4	229.5	0	232.3
....Heart disease-related (390-398,402,404-429)	15,885	483.1	479.6	0	479.8	7,701	483.1	623.5	0	613.9	8,184	483.1	385.4	0	391.7
....Coronary heart disease (CHD) (402,410-414,429.2)	7,043	214.2	213.2	0	217.7	3,461	217.1	280.6	0	287.6	3,582	211.4	166.6	0	169.3
....Congestive heart failure (CHF) (428.0)	417	12.7	12.8	0	12.9	151	9.5	14.1	0	14.9	266	15.7	12.1	0	11.7
..Hypertension with or without renal disease (401,403)	126	3.8	3.8	0	3.7	58	3.6	4.7	0	3.5	68	4.0	3.2	0	3.8
....Hypertension-related (401,403)	1,562	47.5	47.0	0	50.5	612	38.4	47.5	0	50.7	950	56.1	44.7	0	49.3
..Cerebrovascular disease (430-438)	1,693	51.5	51.8	0	54.1	658	41.3	56.9	0	56.5	1,035	61.1	48.1	0	52.2
..Atherosclerosis (440)	223	6.8	6.9	0	5.8	75	4.7	6.9	0	6.3	148	8.7	6.7	0	5.3
....Atherosclerosis-related (440)	1,019	31.0	31.4	0	32.3	397	24.9	35.3	0	35.6	622	36.7	28.3	0	29.6
..Aortic aneurysm (441)	218	6.6	6.4	0	5.2	127	8.0	9.6	0	8.4	91	5.4	4.3	0	3.2
Pneumonia & influenza (480-487)	1,088	33.1	33.8	0	36.6	473	29.7	45.0	0	45.0	615	36.3	28.1	0	32.1

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT Resident DEATHS, 1991
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1991*****				*****1991*****				*****1991*****						
	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	984	29.9	29.0	0	30.4	507	31.8	42.2	0	43.6	477	28.2	22.6	0	23.3
..COPD-related (490-496)	2,347	71.4	69.7	0	72.3	1,257	78.9	104.5	0	111.7	1,090	64.3	51.9	0	51.8
..Asthma (493)	36	1.1	1.0	0	1.4	12	0.8	.	0	1.3	24	1.4	1.1	0	1.4
Chronic liver disease and cirrhosis (571)	302	9.2	9.1	0	9.3	189	11.9	12.9	0	13.3	113	6.7	5.9	0	6.1
Nephritis, nephrotic syndrome/nephrosis (580-589)	322	9.8	9.7	0	9.1	164	10.3	13.4	0	13.2	158	9.3	7.6	0	7.2
..Nephritis-related (580-589)	1,591	48.4	47.6	0	52.3	831	52.1	67.0	0	73.9	760	44.9	36.9	0	40.9
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	360	10.9	10.8	0	9.9	184	11.5	15.1	0	14.3	176	10.4	8.4	0	7.8
Unintentional injuries (E800-E949)	847	25.8	25.4	0	27.5	543	34.1	37.3	0	39.4	304	17.9	15.9	0	16.9
..Motor vehicle accidents (E810-E825)	327	9.9	9.6	0	11.9	216	13.5	13.3	1	17.3	111	6.6	6.2	0	6.6
..Falls and fall related injuries (E880-E888)	178	5.4	5.4	0	5.8	89	5.6	7.7	0	6.3	89	5.3	4.1	0	5.2
..Drowning (E830,E832,E910)	44	1.3	1.3	0	1.4	39	2.4	2.5	0	2.7	5	0.3	.	0	.
..Residential fires (E890-E899)	45	1.4	1.4	0	1.1	21	1.3	1.4	0	1.3	24	1.4	1.4	0	0.9
Suicide (E950-E959)	339	10.3	10.0	0	8.5	276	17.3	17.2	0	14.5	63	3.7	3.6	0	3.4
Homicide and legal intervention (E960-E978)	189	5.7	5.5	0	4.9	151	9.5	8.9	0	7.7	38	2.2	2.1	0	2.2
..Homicide (E960-E969)	189	5.7	5.5	0	4.9	151	9.5	8.9	0	7.7	38	2.2	2.1	0	2.1
All injury (E800-E999)	1,438	43.7	42.6	0	41.7	1,015	63.7	66.1	0	62.9	423	25.0	22.6	0	22.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	319	9.7	9.4	0	11.5	209	13.1	12.9	1	16.8	110	6.5	6.2	0	6.5
..All falls (E880-E886,E888,E957,E968.1,E987)	154	4.7	4.6	0	4.5	81	5.1	6.8	0	5.3	73	4.3	3.4	0	3.9
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	287	8.7	8.4	0	7.5	256	16.1	15.5	0	13.6	31	1.8	1.7	0	2.0
....Suicide (E955.0-.4)	152	4.6	4.4	0	3.6	139	8.7	8.6	0	6.9	13	0.8	.	0	0.9
....Homicide (E965.0-.4)	128	3.9	3.8	0	3.3	112	7.0	6.7	0	5.6	16	0.9	0.9	0	1.0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	190	5.8	5.6	1	3.3	132	8.3	8.0	1	5.3	58	3.4	3.3	1	1.6
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	159	4.8	4.9	0	5.5	114	7.2	7.5	0	8.0	45	2.7	2.5	0	3.5
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	137	4.2	4.0	1	1.7	95	6.0	5.6	1	2.5	42	2.5	2.4	1	1.0

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	27,962	6,751	12,869	127,075	222,950	4333.5	4360.2	0	6723.7	6742.4	0
Infectious diseases and parasitic disease (1-139)	848	459	563	11,403	16,468	349.4	324.0	0	475.1	437.8	0
..Septicemia (038)	385	63	136	1,141	2,093	37.7	44.6	0	61.3	72.7	0
...Septicemia-related (038)	1,446	320	641	5,512	10,180	177.9	160.3	0	293.0	268.9	0
..HIV infection (042-044)	358	347	355	9,268	12,778	280.1	226.0	0	366.8	295.4	0
All cancer (140-208)	7,005	2,016	4,208	22,303	52,983	732.5	678.6	0	1504.3	1419.8	0
..Oral cavity or pharynx (140.0-149.9)	146	68	105	590	1,473	19.4	12.4	0	42.7	28.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	824	163	428	1,608	4,400	51.4	52.2	0	119.5	123.5	0
...Colon cancer (153)	691	134	357	1,355	3,663	43.6	41.6	0	100.2	99.5	0
...Rectal cancer (154)	122	28	68	250	715	7.7	9.8	0	18.8	22.0	0
..Pancreatic cancer (157)	348	72	184	560	1,790	18.2	23.6	0	48.4	59.6	0
..Lung and other respiratory cancer (160-165)	1,912	592	1,275	5,085	14,393	165.5	149.6	0	400.0	372.7	0
...Lung cancer (162.2-.9)	1,839	567	1,224	4,868	13,790	158.3	143.2	0	382.9	360.8	0
..Malignant melanoma of skin (172)	87	41	70	608	1,185	18.6	19.8	0	33.1	34.0	0
..Female breast cancer (174)	612	249	406	2,958	6,270	.	.	0	.	.	0
..Cervical cancer (180)	55	35	40	593	970	.	.	0	.	.	0
..Endometrial cancer (182)	46	8	29	50	238	.	.	0	.	.	0
..Ovarian cancer (183)	183	61	114	683	1,565	.	.	0	.	.	0
..Prostate cancer (185)	432	34	176	185	1,155	.	.	0	.	.	0
..Bladder cancer (188)	167	28	75	200	683	6.6	3.1	0	18.3	12.1	0
..Brain & other CNS cancer (191-192)	151	82	124	1,441	2,466	49.2	40.9	0	76.0	63.5	0
..Leukemia (204-208)	242	84	156	1,714	2,859	61.1	68.1	0	90.2	97.2	0
Diabetes mellitus (250)	496	113	240	1,343	3,045	42.4	31.0	0	84.4	71.9	0
..Diabetes-related (250)	2,292	371	1,036	3,643	10,480	115.1	105.1	0	278.7	270.5	0
..Diabetic ketoacidosis (DKA) (250.1)	10	5	5	118	168	.	.	0	.	.	0
Alzheimer's diseases (331.0)	196	6	40	30	230	1.0	0.6	0	5.3	5.1	0
Cardiovascular disease (390-459)	11,995	1,692	4,171	18,614	46,842	600.3	598.7	0	1289.0	1299.8	0
..Diseases of the heart (390-398,402,404-429)	9,553	1,433	3,472	15,169	38,921	489.9	494.6	0	1070.9	1085.0	0
...Heart disease-related (390-398,402,404-429)	15,885	2,590	6,062	32,223	73,938	1049.4	990.3	0	2070.0	1991.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,043	1,018	2,541	9,337	26,520	298.6	294.3	0	719.1	723.1	0
....Congestive heart failure (CHF) (428.0)	417	17	76	175	577	5.6	2.9	0	14.5	9.9	0
..Hypertension with or without renal disease (401,403)	126	15	41	223	503	6.9	4.4	0	13.7	11.4	0
...Hypertension-related (401,403)	1,562	227	590	2,308	6,260	73.9	70.4	0	169.6	177.2	0
..Cerebrovascular disease (430-438)	1,693	180	457	2,491	5,444	79.4	74.1	0	150.9	147.4	0
..Atherosclerosis (440)	223	13	43	93	358	3.1	1.9	0	9.5	5.6	0
...Atherosclerosis-related (440)	1,019	48	197	360	1,468	11.7	8.5	0	37.4	32.9	0
..Aortic aneurysm (441)	218	23	94	275	827	8.8	5.6	0	21.4	17.0	0
Pneumonia & influenza (480-487)	1,088	91	190	1,416	2,713	46.9	51.7	0	78.9	88.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	984	93	404	845	3,197	27.9	36.3	0	81.4	100.5	0
..COPD-related (490-496)	2,347	256	908	2,012	7,472	66.1	71.4	0	193.4	213.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	36	10	23	245	423	8.5	13.5	0	12.8	20.4	0
Chronic liver disease and cirrhosis (571)	302	160	247	2,265	4,263	69.9	68.1	0	121.5	120.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	322	61	129	705	1,585	22.2	27.0	0	43.7	49.3	0
..Nephritis-related (580-589)	1,591	304	688	4,324	9,039	139.6	139.1	0	254.5	261.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	360	67	144	790	1,777	24.7	28.1	0	48.8	51.5	0
Unintentional injuries (E800-E949)	847	520	616	17,027	22,702	635.8	682.8	0	788.4	846.7	0
..Motor vehicle accidents (E810-E825)	327	271	293	9,738	12,573	375.5	436.5	0	454.3	532.5	0
..Falls and fall related injuries (E880-E888)	178	26	54	495	900	15.7	26.2	0	25.4	36.0	0
..Drowning (E830,E832,E910)	44	34	38	1,149	1,509	42.4	48.7	0	52.0	59.9	0
..Residential fires (E890-E899)	45	32	42	1,278	1,633	48.4	31.5	0	57.7	38.3	0
Suicide (E950-E959)	339	286	306	7,955	10,920	278.1	219.0	0	357.1	283.2	0
Homicide and legal intervention (E960-E978)	189	178	183	6,316	8,119	238.4	222.8	0	288.2	267.0	0
..Homicide (E960-E969)	189	178	183	6,316	8,119	238.4	222.0	0	288.2	266.0	0
All injury (E800-E999)	1,438	1,043	1,165	33,097	44,137	1208.7	1146.5	0	1504.7	1425.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	319	265	285	9,603	12,363	369.9	433.1	0	446.5	527.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	154	33	59	713	1,178	22.7	26.8	0	34.1	37.1	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	287	255	270	8,493	11,125	316.9	289.5	0	389.1	353.7	0
....Suicide (E955.0-.4)	152	126	139	3,705	5,038	129.2	99.6	0	164.5	127.2	0
....Homicide (E965.0-.4)	128	124	126	4,595	5,845	179.7	164.6	0	215.1	195.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	190	178	181	4,842	6,635	158.9	80.3	1	205.4	105.4	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	159	110	144	1,920	3,170	58.5	62.8	0	90.9	101.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	137	131	133	3,710	5,030	119.4	37.0	1	153.0	48.5	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	13,931	4,321	7,796	82,989	142,581	5668.4	5552.8	0	8800.6	8627.5	0
Infectious diseases and parasitic disease (1-139)	511	347	402	8,284	12,026	503.8	483.7	0	695.1	652.8	0
..Septicemia (038)	172	39	78	707	1,269	45.6	51.1	0	75.3	82.8	0
...Septicemia-related (038)	676	194	374	3,378	6,168	216.8	191.8	0	361.9	321.9	0
..HIV infection (042-044)	277	270	276	6,832	9,567	410.6	361.0	0	548.2	475.7	0
All cancer (140-208)	3,577	1,043	2,253	11,217	27,417	756.6	641.8	0	1619.0	1459.7	0
..Oral cavity or pharynx (140.0-149.9)	98	53	75	478	1,143	31.9	20.7	0	69.1	46.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	398	87	231	868	2,353	58.1	55.8	0	136.3	141.6	0
...Colon cancer (153)	332	74	194	735	1,980	49.4	38.7	0	115.1	105.4	0
...Rectal cancer (154)	59	12	35	130	353	8.6	15.5	0	20.2	32.2	0
..Pancreatic cancer (157)	154	38	94	300	935	20.4	29.1	0	54.2	77.5	0
..Lung and other respiratory cancer (160-165)	1,159	355	780	2,888	8,535	193.2	179.2	0	494.7	462.3	0
...Lung cancer (162.2-.9)	1,107	336	741	2,730	8,088	182.5	171.8	0	468.3	447.2	0
..Malignant melanoma of skin (172)	56	29	46	413	790	25.6	20.2	0	45.6	36.1	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Endometrial cancer (182)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	432	34	176	185	1,155	12.3	10.7	0	59.7	58.6	0
..Bladder cancer (188)	103	15	54	83	400	5.4	2.8	0	21.2	15.2	0
..Brain & other CNS cancer (191-192)	87	51	73	899	1,529	60.2	52.5	0	94.7	80.7	0
..Leukemia (204-208)	128	47	92	950	1,612	68.3	66.9	0	103.3	101.6	0
Diabetes mellitus (250)	226	69	137	838	1,858	54.3	33.1	0	107.8	78.6	0
..Diabetes-related (250)	1,027	218	553	2,275	6,078	147.7	112.3	0	344.6	296.5	0
..Diabetic ketoacidosis (DKA) (250.1)	7	2	2	80	100	.	.	0	.	.	0
Alzheimer's diseases (331.0)	68	4	15	15	108	0.9	1.1	0	5.5	6.4	0
Cardiovascular disease (390-459)	5,639	1,183	2,668	13,096	31,968	859.9	817.1	0	1852.1	1806.5	0
..Diseases of the heart (390-398,402,404-429)	4,633	1,029	2,274	10,960	27,207	720.0	717.1	0	1576.7	1579.6	0
...Heart disease-related (390-398,402,404-429)	7,701	1,742	3,799	21,612	48,685	1423.6	1264.4	0	2842.9	2610.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,461	762	1,711	7,170	19,343	469.7	458.0	0	1113.0	1108.8	0
....Congestive heart failure (CHF) (428.0)	151	9	35	93	303	5.8	3.5	0	16.1	12.8	0
..Hypertension with or without renal disease (401,403)	58	10	24	135	315	8.5	4.2	0	17.8	12.6	0
...Hypertension-related (401,403)	612	150	334	1,590	4,025	104.8	82.0	0	232.9	205.2	0
..Cerebrovascular disease (430-438)	658	101	245	1,492	3,122	96.7	68.6	0	181.1	147.3	0
..Atherosclerosis (440)	75	7	23	43	188	3.0	1.3	0	10.5	6.1	0
...Atherosclerosis-related (440)	397	29	123	208	903	13.8	9.4	0	48.4	43.9	0
..Aortic aneurysm (441)	127	19	67	230	650	15.0	5.8	0	36.0	23.2	0
Pneumonia & influenza (480-487)	473	62	122	999	1,844	64.9	43.7	0	108.7	90.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	507	52	213	522	1,770	35.9	34.7	0	98.1	108.0	0
..COPD-related (490-496)	1,257	145	504	1,160	4,212	79.7	80.5	0	234.1	248.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	12	7	11	198	293	.	15.3		.	21.6	.
Chronic liver disease and cirrhosis (571)	189	113	159	1,588	2,928	101.1	97.2	0	174.6	173.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	164	40	75	455	1,003	28.5	35.5	0	57.0	61.6	0
..Nephritis-related (580-589)	831	188	400	2,705	5,490	174.0	169.9	0	317.7	314.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	184	43	85	498	1,118	31.2	37.6	0	63.4	65.5	0
Unintentional injuries (E800-E949)	543	376	438	12,324	16,409	913.1	1055.0	0	1135.6	1308.1	0
..Motor vehicle accidents (E810-E825)	216	185	200	6,752	8,689	519.0	658.0	0	627.6	801.8	0
..Falls and fall related injuries (E880-E888)	89	22	40	425	740	26.9	45.6	0	43.0	60.0	0
..Drowning (E830,E832,E910)	39	33	35	1,085	1,430	79.3	80.7	0	98.1	101.4	0
..Residential fires (E890-E899)	21	14	19	622	785	46.2	38.4	0	54.7	46.8	0
Suicide (E950-E959)	276	232	250	6,585	8,995	462.3	352.1	0	592.3	455.5	0
Homicide and legal intervention (E960-E978)	151	143	148	5,030	6,482	380.1	363.0	0	460.7	432.9	0
..Homicide (E960-E969)	151	143	148	5,030	6,482	380.1	363.0	0	460.7	432.9	0
All injury (E800-E999)	1,015	794	879	25,277	33,655	1840.5	1805.3	0	2294.7	2242.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	209	180	193	6,629	8,502	508.9	651.1	0	613.6	792.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	81	25	41	548	883	35.2	46.8	0	52.2	62.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	256	226	241	7,575	9,918	566.4	499.2	0	696.0	610.7	0
....Suicide (E955.0-.4)	139	114	127	3,365	4,578	236.5	168.6	0	301.7	216.8	0
....Homicide (E965.0-.4)	112	108	110	4,050	5,140	316.1	284.0	0	378.0	337.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	132	129	129	3,570	4,860	233.0	131.2	1	300.0	169.8	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	114	81	102	1,443	2,350	89.1	81.7	0	137.7	135.2	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	95	94	94	2,727	3,667	174.1	55.9	1	221.6	72.3	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	14,031	2,430	5,073	44,086	80,369	3005.7	3174.8	0	4716.2	4925.9	0
Infectious diseases and parasitic disease (1-139)	337	112	161	3,119	4,442	200.4	167.0	0	263.5	227.7	0
..Septicemia (038)	213	24	58	434	824	30.4	38.1	0	48.5	63.1	0
...Septicemia-related (038)	770	126	267	2,134	4,012	140.5	129.6	0	228.8	218.7	0
..HIV infection (042-044)	81	77	79	2,436	3,211	153.9	93.8	0	191.7	119.4	0
All cancer (140-208)	3,428	973	1,955	11,087	25,567	708.6	715.6	0	1404.0	1395.0	0
..Oral cavity or pharynx (140.0-149.9)	48	15	30	113	330	7.5	4.5	0	18.3	11.9	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	426	76	197	740	2,048	45.0	48.8	0	104.4	107.8	0
...Colon cancer (153)	359	60	163	620	1,683	38.2	44.5	0	86.7	95.3	0
...Rectal cancer (154)	63	16	33	120	363	6.8	4.3	0	17.7	12.4	0
..Pancreatic cancer (157)	194	34	90	260	855	16.1	18.3	0	43.1	43.8	0
..Lung and other respiratory cancer (160-165)	753	237	495	2,198	5,858	139.6	121.7	0	316.0	292.7	0
...Lung cancer (162.2-.9)	732	231	483	2,138	5,703	135.7	116.4	0	307.4	283.7	0
..Malignant melanoma of skin (172)	31	12	24	195	395	11.9	19.4	0	21.4	32.3	0
..Female breast cancer (174)	612	249	406	2,958	6,270	183.1	178.2	0	347.4	330.6	0
..Cervical cancer (180)	55	35	40	593	970	36.8	27.4	0	56.9	40.6	0
..Endometrial cancer (182)	46	8	29	50	238	3.2	4.2	0	11.6	11.9	0
..Ovarian cancer (183)	183	61	114	683	1,565	43.3	35.4	0	86.2	75.9	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	64	13	21	118	283	7.8	3.5	0	16.2	9.6	0
..Brain & other CNS cancer (191-192)	64	31	51	543	938	38.6	29.4	0	58.2	46.7	0
..Leukemia (204-208)	114	37	64	765	1,247	53.9	69.8	0	78.0	94.3	0
Diabetes mellitus (250)	270	44	103	505	1,188	30.8	29.1	0	62.5	65.8	0
..Diabetes-related (250)	1,265	153	483	1,368	4,403	83.6	98.2	0	217.6	247.7	0
..Diabetic ketoacidosis (DKA) (250.1)	3	3	3	38	68	.	.	0	.	.	0
Alzheimer's diseases (331.0)	128	2	25	15	123	1.0	0.2	0	5.1	3.8	0
Cardiovascular disease (390-459)	6,356	509	1,503	5,519	14,874	352.1	391.4	0	771.0	836.7	0
..Diseases of the heart (390-398,402,404-429)	4,920	404	1,198	4,209	11,714	270.6	283.0	0	606.3	630.9	0
...Heart disease-related (390-398,402,404-429)	8,184	848	2,263	10,611	25,254	689.7	729.6	0	1355.0	1424.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,582	256	830	2,167	7,177	136.5	139.7	0	358.9	371.2	0
....Congestive heart failure (CHF) (428.0)	266	8	41	82	275	5.7	2.4	0	13.2	7.4	0
..Hypertension with or without renal disease (401,403)	68	5	17	88	188	5.5	4.6	0	10.0	10.4	0
...Hypertension-related (401,403)	950	77	256	718	2,235	44.2	59.3	0	110.9	151.3	0
..Cerebrovascular disease (430-438)	1,035	79	212	1,000	2,322	62.5	79.4	0	122.6	148.5	0
..Atherosclerosis (440)	148	6	20	50	170	3.3	2.4	0	8.7	5.4	0
...Atherosclerosis-related (440)	622	19	74	153	565	9.8	7.7	0	28.0	23.7	0
..Aortic aneurysm (441)	91	4	27	45	178	2.7	5.4	0	8.0	12.0	0
Pneumonia & influenza (480-487)	615	29	68	417	869	29.5	60.7	0	50.7	88.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	477	41	191	323	1,428	19.6	37.8	0	65.8	94.8	0
..COPD-related (490-496)	1,090	111	404	853	3,260	52.5	62.4	0	156.7	182.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	24	3	12	48	130	2.6	11.5	0	6.0	19.0	0
Chronic liver disease and cirrhosis (571)	113	47	88	678	1,335	40.3	40.3	0	71.4	71.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	158	21	54	250	582	16.3	18.5	0	31.5	37.2	0
..Nephritis-related (580-589)	760	116	288	1,619	3,549	106.5	109.5	0	195.5	212.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	176	24	59	292	660	18.7	18.6	0	35.6	37.7	0
Unintentional injuries (E800-E949)	304	144	178	4,703	6,293	352.9	305.2	0	437.0	380.8	0
..Motor vehicle accidents (E810-E825)	111	86	93	2,986	3,884	227.6	211.0	0	276.6	258.8	0
..Falls and fall related injuries (E880-E888)	89	4	14	70	160	4.6	6.4	0	8.6	11.7	0
..Drowning (E830,E832,E910)	5	1	3	65	80
..Residential fires (E890-E899)	24	18	23	656	849	50.4	24.2	0	60.5	29.6	0
Suicide (E950-E959)	63	54	56	1,370	1,925	92.0	85.2	0	121.0	111.6	0
Homicide and legal intervention (E960-E978)	38	35	35	1,287	1,637	93.0	78.0	0	111.8	95.9	0
..Homicide (E960-E969)	38	35	35	1,287	1,637	93.0	76.4	0	111.8	93.9	0
All injury (E800-E999)	423	249	286	7,820	10,482	565.5	476.9	0	705.4	599.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	110	85	92	2,974	3,861	226.7	211.0	0	275.1	258.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	73	8	18	165	295	10.3	6.4	0	16.4	11.6	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	31	29	29	918	1,208	61.4	74.9	0	76.4	92.1	0
....Suicide (E955.0-.4)	13	12	12	340	460	.	30.2	.	.	37.8	.
....Homicide (E965.0-.4)	16	16	16	545	705	38.8	41.3	0	47.4	50.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	49	52	1,273	1,775	85.4	29.2	1	111.7	41.1	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	45	29	42	478	820	29.0	44.8	0	46.2	70.7	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	42	37	39	983	1,363	65.3	18.2	1	85.0	24.9	1

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	27,962	6,751	12,869	127,075	222,950	4255.7	4297.8	0	6793.3	6830.4	0
Infectious diseases and parasitic disease (1-139)	848	459	563	11,403	16,468	303.0	283.5	0	414.7	385.5	0
..Septicemia (038)	385	63	136	1,141	2,093	36.7	42.7	0	61.9	72.7	0
...Septicemia-related (038)	1,446	320	641	5,512	10,180	170.8	150.8	0	293.3	266.0	0
..HIV infection (042-044)	358	347	355	9,268	12,778	237.7	189.3	0	309.1	246.0	0
All cancer (140-208)	7,005	2,016	4,208	22,303	52,983	733.3	676.8	0	1591.5	1502.9	0
..Oral cavity or pharynx (140.0-149.9)	146	68	105	590	1,473	19.9	12.7	0	45.7	30.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	824	163	428	1,608	4,400	51.0	52.2	0	128.5	132.9	0
...Colon cancer (153)	691	134	357	1,355	3,663	43.4	41.8	0	107.5	107.5	0
...Rectal cancer (154)	122	28	68	250	715	7.5	9.5	0	20.3	23.1	0
..Pancreatic cancer (157)	348	72	184	560	1,790	18.9	24.2	0	53.7	65.3	0
..Lung and other respiratory cancer (160-165)	1,912	592	1,275	5,085	14,393	169.9	156.9	0	435.2	410.9	0
...Lung cancer (162.2-.9)	1,839	567	1,224	4,868	13,790	162.4	150.4	0	416.6	398.2	0
..Malignant melanoma of skin (172)	87	41	70	608	1,185	17.3	18.2	0	32.4	33.0	0
..Female breast cancer (174)	612	249	406	2,958	6,270	.	.	0	.	.	0
..Cervical cancer (180)	55	35	40	593	970	.	.	0	.	.	0
..Endometrial cancer (182)	46	8	29	50	238	.	.	0	.	.	0
..Ovarian cancer (183)	183	61	114	683	1,565	.	.	0	.	.	0
..Prostate cancer (185)	432	34	176	185	1,155	.	.	0	.	.	0
..Bladder cancer (188)	167	28	75	200	683	6.9	3.5	0	20.5	14.2	0
..Brain & other CNS cancer (191-192)	151	82	124	1,441	2,466	48.7	38.7	0	76.7	61.6	0
..Leukemia (204-208)	242	84	156	1,714	2,859	63.0	68.0	0	93.8	98.1	0
Diabetes mellitus (250)	496	113	240	1,343	3,045	40.6	30.8	0	86.7	77.0	0
..Diabetes-related (250)	2,292	371	1,036	3,643	10,480	113.1	106.0	0	300.2	296.4	0
..Diabetic ketoacidosis (DKA) (250.1)	10	5	5	118	168	.	.	0	.	.	0
Alzheimer's diseases (331.0)	196	6	40	30	230	1.1	0.8	0	6.5	6.2	0
Cardiovascular disease (390-459)	11,995	1,692	4,171	18,614	46,842	593.5	602.0	0	1369.5	1393.9	0
..Diseases of the heart (390-398,402,404-429)	9,553	1,433	3,472	15,169	38,921	487.7	501.3	0	1143.9	1169.9	0
...Heart disease-related (390-398,402,404-429)	15,885	2,590	6,062	32,223	73,938	1033.9	988.8	0	2171.4	2108.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,043	1,018	2,541	9,337	26,520	301.4	299.9	0	780.4	790.0	0
....Congestive heart failure (CHF) (428.0)	417	17	76	175	577	5.7	2.8	0	16.3	11.2	0
..Hypertension with or without renal disease (401,403)	126	15	41	223	503	6.4	4.8	0	13.8	12.8	0
...Hypertension-related (401,403)	1,562	227	590	2,308	6,260	73.1	72.0	0	181.5	194.7	0
..Cerebrovascular disease (430-438)	1,693	180	457	2,491	5,444	75.5	71.2	0	154.2	152.3	0
..Atherosclerosis (440)	223	13	43	93	358	3.4	2.0	0	10.8	6.5	0
...Atherosclerosis-related (440)	1,019	48	197	360	1,468	12.3	9.1	0	42.7	38.6	0
..Aortic aneurysm (441)	218	23	94	275	827	8.9	5.8	0	23.7	19.3	0
Pneumonia & influenza (480-487)	1,088	91	190	1,416	2,713	46.1	51.5	0	80.8	91.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	984	93	404	845	3,197	28.3	36.7	0	91.8	111.9	0
..COPD-related (490-496)	2,347	256	908	2,012	7,472	68.3	74.0	0	218.4	241.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	36	10	23	245	423	7.8	12.8	0	12.3	19.6	0
Chronic liver disease and cirrhosis (571)	302	160	247	2,265	4,263	65.6	64.1	0	119.1	118.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	322	61	129	705	1,585	21.5	26.6	0	45.3	51.4	0
..Nephritis-related (580-589)	1,591	304	688	4,324	9,039	136.4	134.2	0	262.7	269.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	360	67	144	790	1,777	23.7	27.6	0	50.3	53.5	0
Unintentional injuries (E800-E949)	847	520	616	17,027	22,702	614.9	650.0	0	753.6	796.9	0
..Motor vehicle accidents (E810-E825)	327	271	293	9,738	12,573	361.7	412.0	0	431.1	495.5	0
..Falls and fall related injuries (E880-E888)	178	26	54	495	900	13.9	27.1	0	24.0	37.4	0
..Drowning (E830,E832,E910)	44	34	38	1,149	1,509	42.6	49.0	0	51.4	59.3	0
..Residential fires (E890-E899)	45	32	42	1,278	1,633	51.2	33.7	0	60.0	40.5	0
Suicide (E950-E959)	339	286	306	7,955	10,920	252.9	198.9	0	322.9	256.3	0
Homicide and legal intervention (E960-E978)	189	178	183	6,316	8,119	223.9	211.5	0	266.3	249.2	0
..Homicide (E960-E969)	189	178	183	6,316	8,119	223.9	210.9	0	266.3	248.4	0
All injury (E800-E999)	1,438	1,043	1,165	33,097	44,137	1141.5	1079.7	0	1404.3	1326.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	319	265	285	9,603	12,363	356.0	408.9	0	423.2	490.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	154	33	59	713	1,178	20.6	27.3	0	32.0	38.1	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	287	255	270	8,493	11,125	295.3	271.9	0	357.7	327.4	0
....Suicide (E955.0-.4)	152	126	139	3,705	5,038	116.5	91.8	0	147.4	116.3	0
....Homicide (E965.0-.4)	128	124	126	4,595	5,845	171.0	156.2	0	201.2	182.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	190	178	181	4,842	6,635	140.5	70.4	1	180.1	92.5	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	159	110	144	1,920	3,170	52.9	58.4	0	84.6	97.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	137	131	133	3,710	5,030	103.6	30.3	1	131.4	39.8	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	13,931	4,321	7,796	82,989	142,581	5513.7	5419.8	0	8827.4	8683.3	0
Infectious diseases and parasitic disease (1-139)	511	347	402	8,284	12,026	430.9	418.6	0	600.2	568.2	0
..Septicemia (038)	172	39	78	707	1,269	43.8	48.3	0	75.1	82.3	0
...Septicemia-related (038)	676	194	374	3,378	6,168	206.3	178.8	0	360.5	316.5	0
..HIV infection (042-044)	277	270	276	6,832	9,567	344.7	302.1	0	459.3	396.4	0
All cancer (140-208)	3,577	1,043	2,253	11,217	27,417	761.0	647.5	0	1731.3	1574.3	0
..Oral cavity or pharynx (140.0-149.9)	98	53	75	478	1,143	32.5	21.0	0	73.5	49.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	398	87	231	868	2,353	58.5	56.6	0	147.8	154.6	0
...Colon cancer (153)	332	74	194	735	1,980	49.9	39.9	0	125.0	116.8	0
...Rectal cancer (154)	59	12	35	130	353	8.4	15.1	0	21.6	33.3	0
..Pancreatic cancer (157)	154	38	94	300	935	21.3	29.7	0	60.3	85.3	0
..Lung and other respiratory cancer (160-165)	1,159	355	780	2,888	8,535	199.7	189.0	0	544.4	513.5	0
...Lung cancer (162.2-.9)	1,107	336	741	2,730	8,088	188.4	181.3	0	515.3	496.9	0
..Malignant melanoma of skin (172)	56	29	46	413	790	23.6	18.9	0	44.4	35.7	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Endometrial cancer (182)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	432	34	176	185	1,155	13.4	12.1	0	71.3	70.8	0
..Bladder cancer (188)	103	15	54	83	400	5.8	3.3	0	24.9	18.4	0
..Brain & other CNS cancer (191-192)	87	51	73	899	1,529	58.6	50.7	0	94.5	79.4	0
..Leukemia (204-208)	128	47	92	950	1,612	69.0	66.4	0	106.3	103.0	0
Diabetes mellitus (250)	226	69	137	838	1,858	52.6	33.0	0	111.6	84.6	0
..Diabetes-related (250)	1,027	218	553	2,275	6,078	144.9	112.8	0	369.0	325.6	0
..Diabetic ketoacidosis (DKA) (250.1)	7	2	2	80	100	.	.	0	.	.	0
Alzheimer's diseases (331.0)	68	4	15	15	108	1.1	1.3	0	6.7	7.8	0
Cardiovascular disease (390-459)	5,639	1,183	2,668	13,096	31,968	848.5	823.4	0	1963.4	1941.2	0
..Diseases of the heart (390-398,402,404-429)	4,633	1,029	2,274	10,960	27,207	713.4	726.4	0	1677.5	1700.9	0
...Heart disease-related (390-398,402,404-429)	7,701	1,742	3,799	21,612	48,685	1396.4	1264.8	0	2977.3	2774.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,461	762	1,711	7,170	19,343	470.9	466.4	0	1200.2	1207.3	0
....Congestive heart failure (CHF) (428.0)	151	9	35	93	303	5.4	3.7	0	17.5	14.8	0
..Hypertension with or without renal disease (401,403)	58	10	24	135	315	7.8	4.8	0	18.1	14.5	0
...Hypertension-related (401,403)	612	150	334	1,590	4,025	103.6	83.9	0	247.6	225.5	0
..Cerebrovascular disease (430-438)	658	101	245	1,492	3,122	92.1	64.9	0	184.6	153.0	0
..Atherosclerosis (440)	75	7	23	43	188	3.3	1.5	0	12.3	7.4	0
...Atherosclerosis-related (440)	397	29	123	208	903	14.2	10.4	0	55.7	52.3	0
..Aortic aneurysm (441)	127	19	67	230	650	15.4	6.3	0	40.0	27.1	0
Pneumonia & influenza (480-487)	473	62	122	999	1,844	62.2	41.2	0	109.2	93.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	507	52	213	522	1,770	36.6	36.3	0	110.5	123.6	0
..COPD-related (490-496)	1,257	145	504	1,160	4,212	82.8	84.4	0	266.0	284.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	12	7	11	198	293	.	14.9	.	.	21.0	.
Chronic liver disease and cirrhosis (571)	189	113	159	1,588	2,928	95.8	91.9	0	171.9	171.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	164	40	75	455	1,003	27.0	34.9	0	58.3	63.5	0
..Nephritis-related (580-589)	831	188	400	2,705	5,490	167.0	162.3	0	324.5	320.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	184	43	85	498	1,118	29.4	36.8	0	64.8	67.2	0
Unintentional injuries (E800-E949)	543	376	438	12,324	16,409	879.4	995.4	0	1081.5	1219.4	0
..Motor vehicle accidents (E810-E825)	216	185	200	6,752	8,689	501.8	614.3	0	597.9	737.8	0
..Falls and fall related injuries (E880-E888)	89	22	40	425	740	23.7	46.6	0	40.3	61.2	0
..Drowning (E830,E832,E910)	39	33	35	1,085	1,430	79.3	80.4	0	96.4	99.6	0
..Residential fires (E890-E899)	21	14	19	622	785	49.0	42.4	0	57.1	50.9	0
Suicide (E950-E959)	276	232	250	6,585	8,995	421.0	320.3	0	536.6	412.7	0
Homicide and legal intervention (E960-E978)	151	143	148	5,030	6,482	357.8	348.3	0	427.2	408.5	0
..Homicide (E960-E969)	151	143	148	5,030	6,482	357.8	348.3	0	427.2	408.5	0
All injury (E800-E999)	1,015	794	879	25,277	33,655	1735.0	1695.5	0	2139.1	2081.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	209	180	193	6,629	8,502	491.5	608.2	0	583.6	728.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	81	25	41	548	883	32.2	47.1	0	49.3	62.8	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	256	226	241	7,575	9,918	530.1	471.4	0	643.1	568.5	0
....Suicide (E955.0-.4)	139	114	127	3,365	4,578	214.3	155.5	0	272.3	198.6	0
....Homicide (E965.0-.4)	112	108	110	4,050	5,140	301.8	271.4	0	354.7	316.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	132	129	129	3,570	4,860	205.7	115.1	1	262.1	148.5	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	114	81	102	1,443	2,350	80.6	76.5	0	128.1	130.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	95	94	94	2,727	3,667	150.2	45.3	1	188.8	58.5	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	14,031	2,430	5,073	44,086	80,369	3003.9	3182.5	0	4840.8	5059.0	0
Infectious diseases and parasitic disease (1-139)	337	112	161	3,119	4,442	180.1	150.8	0	237.4	207.6	0
..Septicemia (038)	213	24	58	434	824	30.3	37.2	0	49.9	63.9	0
...Septicemia-related (038)	770	126	267	2,134	4,012	136.9	123.6	0	231.3	218.7	0
..HIV infection (042-044)	81	77	79	2,436	3,211	134.7	79.1	0	164.8	99.5	0
All cancer (140-208)	3,428	973	1,955	11,087	25,567	706.1	706.8	0	1470.3	1451.1	0
..Oral cavity or pharynx (140.0-149.9)	48	15	30	113	330	8.0	4.8	0	20.2	13.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	426	76	197	740	2,048	43.9	48.1	0	111.1	114.0	0
...Colon cancer (153)	359	60	163	620	1,683	37.2	43.8	0	91.8	100.2	0
...Rectal cancer (154)	63	16	33	120	363	6.7	4.3	0	19.2	13.7	0
..Pancreatic cancer (157)	194	34	90	260	855	16.7	18.9	0	47.9	47.8	0
..Lung and other respiratory cancer (160-165)	753	237	495	2,198	5,858	142.1	126.8	0	339.0	319.8	0
...Lung cancer (162.2-.9)	732	231	483	2,138	5,703	138.1	121.5	0	329.9	310.7	0
..Malignant melanoma of skin (172)	31	12	24	195	395	11.2	17.7	0	21.2	30.7	0
..Female breast cancer (174)	612	249	406	2,958	6,270	178.3	170.3	0	353.9	332.9	0
..Cervical cancer (180)	55	35	40	593	970	34.1	24.1	0	53.5	36.5	0
..Endometrial cancer (182)	46	8	29	50	238	3.6	4.4	0	13.5	13.2	0
..Ovarian cancer (183)	183	61	114	683	1,565	42.6	34.5	0	89.5	79.4	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	64	13	21	118	283	8.0	3.8	0	17.3	10.9	0
..Brain & other CNS cancer (191-192)	64	31	51	543	938	39.2	26.7	0	59.9	44.4	0
..Leukemia (204-208)	114	37	64	765	1,247	57.1	70.2	0	82.3	94.8	0
Diabetes mellitus (250)	270	44	103	505	1,188	28.9	28.8	0	63.6	70.2	0
..Diabetes-related (250)	1,265	153	483	1,368	4,403	82.5	99.7	0	236.9	271.2	0
..Diabetic ketoacidosis (DKA) (250.1)	3	3	3	38	68	.	.	0	.	.	0
Alzheimer's diseases (331.0)	128	2	25	15	123	1.1	0.3	0	6.2	4.8	0
Cardiovascular disease (390-459)	6,356	509	1,503	5,519	14,874	350.5	392.2	0	827.8	897.2	0
..Diseases of the heart (390-398,402,404-429)	4,920	404	1,198	4,209	11,714	273.3	287.7	0	657.9	685.9	0
...Heart disease-related (390-398,402,404-429)	8,184	848	2,263	10,611	25,254	686.1	726.8	0	1432.8	1505.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,582	256	830	2,167	7,177	141.4	143.2	0	399.7	412.1	0
....Congestive heart failure (CHF) (428.0)	266	8	41	82	275	6.3	2.0	0	15.6	8.0	0
..Hypertension with or without renal disease (401,403)	68	5	17	88	188	5.1	4.8	0	10.0	11.3	0
...Hypertension-related (401,403)	950	77	256	718	2,235	43.8	60.6	0	120.5	166.5	0
..Cerebrovascular disease (430-438)	1,035	79	212	1,000	2,322	59.3	77.3	0	126.0	152.9	0
..Atherosclerosis (440)	148	6	20	50	170	3.4	2.4	0	9.6	5.8	0
...Atherosclerosis-related (440)	622	19	74	153	565	10.4	7.9	0	31.7	27.0	0
..Aortic aneurysm (441)	91	4	27	45	178	2.5	5.3	0	8.8	12.8	0
Pneumonia & influenza (480-487)	615	29	68	417	869	30.6	63.1	0	54.2	92.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	477	41	191	323	1,428	19.8	36.9	0	74.6	102.6	0
..COPD-related (490-496)	1,090	111	404	853	3,260	53.7	63.7	0	176.0	205.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	24	3	12	48	130	2.4	10.4	0	6.2	17.9	0
Chronic liver disease and cirrhosis (571)	113	47	88	678	1,335	36.9	37.6	0	69.6	70.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	158	21	54	250	582	16.5	18.4	0	33.6	39.4	0
..Nephritis-related (580-589)	760	116	288	1,619	3,549	107.1	107.2	0	205.8	221.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	176	24	59	292	660	18.5	18.5	0	37.4	40.1	0
Unintentional injuries (E800-E949)	304	144	178	4,703	6,293	344.5	298.6	0	421.4	369.4	0
..Motor vehicle accidents (E810-E825)	111	86	93	2,986	3,884	217.1	205.3	0	259.9	248.8	0
..Falls and fall related injuries (E880-E888)	89	4	14	70	160	4.2	7.2	0	8.6	13.3	0
..Drowning (E830,E832,E910)	5	1	3	65	80
..Residential fires (E890-E899)	24	18	23	656	849	53.3	24.6	0	62.8	29.7	0
Suicide (E950-E959)	63	54	56	1,370	1,925	82.7	76.8	0	108.4	100.5	0
Homicide and legal intervention (E960-E978)	38	35	35	1,287	1,637	86.1	69.9	0	101.5	84.7	0
..Homicide (E960-E969)	38	35	35	1,287	1,637	86.1	68.7	0	101.5	83.1	0
All injury (E800-E999)	423	249	286	7,820	10,482	535.8	452.2	0	660.3	563.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	110	85	92	2,974	3,861	216.2	205.3	0	258.3	248.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	73	8	18	165	295	9.0	7.2	0	15.1	13.2	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	31	29	29	918	1,208	54.3	67.4	0	66.6	81.6	0
...Suicide (E955.0-.4)	13	12	12	340	460	.	27.7	.	.	34.2	.
...Homicide (E965.0-.4)	16	16	16	545	705	35.6	37.1	0	42.7	44.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	49	52	1,273	1,775	75.7	25.3	1	98.9	36.4	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	45	29	42	478	820	26.2	41.2	0	43.3	66.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	42	37	39	983	1,363	57.4	15.3	1	74.5	21.2	1

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	27,962	6,751	12,869	127,075	222,950	4432.3	4435.4	0	7111.4	7100.9	0
Infectious diseases and parasitic disease (1-139)	848	459	563	11,403	16,468	372.2	338.5	0	504.5	457.3	0
..Septicemia (038)	385	63	136	1,141	2,093	40.7	46.8	0	68.1	79.1	0
...Septicemia-related (038)	1,446	320	641	5,512	10,180	193.2	174.7	0	325.9	299.8	0
..HIV infection (042-044)	358	347	355	9,268	12,778	298.9	238.4	0	387.2	308.1	1
All cancer (140-208)	7,005	2,016	4,208	22,303	52,983	836.7	776.0	0	1745.3	1649.0	0
..Oral cavity or pharynx (140.0-149.9)	146	68	105	590	1,473	23.3	14.7	0	50.5	33.6	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	824	163	428	1,608	4,400	60.5	62.3	0	142.9	147.9	0
...Colon cancer (153)	691	134	357	1,355	3,663	51.1	49.6	0	119.5	119.0	0
...Rectal cancer (154)	122	28	68	250	715	9.3	11.8	0	22.8	26.5	0
..Pancreatic cancer (157)	348	72	184	560	1,790	21.6	28.2	0	58.0	71.2	0
..Lung and other respiratory cancer (160-165)	1,912	592	1,275	5,085	14,393	198.6	178.3	0	477.5	443.8	0
...Lung cancer (162.2-.9)	1,839	567	1,224	4,868	13,790	189.8	171.4	0	457.1	430.2	0
..Malignant melanoma of skin (172)	87	41	70	608	1,185	22.3	23.0	0	39.2	39.5	0
..Female breast cancer (174)	612	249	406	2,958	6,270
..Cervical cancer (180)	55	35	40	593	970
..Endometrial cancer (182)	46	8	29	50	238
..Ovarian cancer (183)	183	61	114	683	1,565
..Prostate cancer (185)	432	34	176	185	1,155
..Bladder cancer (188)	167	28	75	200	683	7.9	3.7	0	22.1	14.8	0
..Brain & other CNS cancer (191-192)	151	82	124	1,441	2,466	50.6	44.4	0	80.0	69.5	0
..Leukemia (204-208)	242	84	156	1,714	2,859	61.7	67.6	0	93.9	99.0	0
Diabetes mellitus (250)	496	113	240	1,343	3,045	48.8	36.5	0	98.3	85.3	0
..Diabetes-related (250)	2,292	371	1,036	3,643	10,480	134.2	125.2	0	332.1	325.9	0
..Diabetic ketoacidosis (DKA) (250.1)	10	5	5	118	168
Alzheimer's diseases (331.0)	196	6	40	30	230	1.2	0.7	0	6.8	6.4	0
Cardiovascular disease (390-459)	11,995	1,692	4,171	18,614	46,842	684.1	682.8	0	1506.7	1520.2	0
..Diseases of the heart (390-398,402,404-429)	9,553	1,433	3,472	15,169	38,921	559.8	564.2	0	1253.1	1269.3	0
...Heart disease-related (390-398,402,404-429)	15,885	2,590	6,062	32,223	73,938	1166.9	1107.5	0	2373.9	2293.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,043	1,018	2,541	9,337	26,520	355.0	350.2	0	861.2	867.1	0
....Congestive heart failure (CHF) (428.0)	417	17	76	175	577	5.9	3.3	0	17.1	12.2	0
..Hypertension with or without renal disease (401,403)	126	15	41	223	503	7.8	5.3	0	15.8	13.7	0
...Hypertension-related (401,403)	1,562	227	590	2,308	6,260	87.0	83.4	0	202.4	212.7	0
..Cerebrovascular disease (430-438)	1,693	180	457	2,491	5,444	89.3	84.4	0	174.7	171.7	0
..Atherosclerosis (440)	223	13	43	93	358	3.8	2.2	0	11.6	7.1	0
...Atherosclerosis-related (440)	1,019	48	197	360	1,468	14.1	10.1	0	46.4	41.3	0
..Aortic aneurysm (441)	218	23	94	275	827	9.7	6.2	0	25.3	20.2	0
Pneumonia & influenza (480-487)	1,088	91	190	1,416	2,713	50.6	54.8	0	87.8	97.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	984	93	404	845	3,197	30.8	41.1	0	97.5	120.0	0
..COPD-related (490-496)	2,347	256	908	2,012	7,472	75.5	81.7	0	232.5	256.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	36	10	23	245	423	8.3	14.7	0	13.0	22.2	0
Chronic liver disease and cirrhosis (571)	302	160	247	2,265	4,263	83.5	81.4	0	143.3	142.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	322	61	129	705	1,585	25.5	28.7	0	51.1	54.3	0
..Nephritis-related (580-589)	1,591	304	688	4,324	9,039	154.0	156.4	0	289.2	301.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	360	67	144	790	1,777	28.4	30.0	0	56.9	56.9	0
Unintentional injuries (E800-E949)	847	520	616	17,027	22,702	580.6	622.3	0	718.8	769.9	0
..Motor vehicle accidents (E810-E825)	327	271	293	9,738	12,573	329.9	386.6	0	395.5	468.0	0
..Falls and fall related injuries (E880-E888)	178	26	54	495	900	15.9	25.2	0	26.7	35.6	0
..Drowning (E830,E832,E910)	44	34	38	1,149	1,509	39.7	45.6	0	48.5	55.9	0
..Residential fires (E890-E899)	45	32	42	1,278	1,633	45.3	29.3	0	53.8	35.7	0
Suicide (E950-E959)	339	286	306	7,955	10,920	261.8	208.2	0	336.1	269.7	0
Homicide and legal intervention (E960-E978)	189	178	183	6,316	8,119	209.7	195.2	0	250.5	230.9	0
..Homicide (E960-E969)	189	178	183	6,316	8,119	209.7	194.2	0	250.5	229.7	0
All injury (E800-E999)	1,438	1,043	1,165	33,097	44,137	1109.7	1047.3	0	1377.2	1298.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	319	265	285	9,603	12,363	324.8	383.3	0	388.1	462.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	154	33	59	713	1,178	22.9	25.8	0	35.2	36.7	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	287	255	270	8,493	11,125	282.7	259.0	0	344.7	314.0	0
....Suicide (E955.0-.4)	152	126	139	3,705	5,038	119.7	94.8	0	152.2	121.0	0
....Homicide (E965.0-.4)	128	124	126	4,595	5,845	156.1	141.8	0	184.4	165.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	190	178	181	4,842	6,635	159.0	77.9	1	204.3	102.3	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	159	110	144	1,920	3,170	67.9	73.1	0	104.5	117.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	137	131	133	3,710	5,030	119.8	37.8	1	152.3	49.2	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	13,931	4,321	7,796	82,989	142,581	5797.7	5635.9	0	9304.8	9074.6	0
Infectious diseases and parasitic disease (1-139)	511	347	402	8,284	12,026	551.5	510.2	0	755.5	687.0	0
..Septicemia (038)	172	39	78	707	1,269	51.5	52.9	0	86.4	89.4	0
...Septicemia-related (038)	676	194	374	3,378	6,168	238.9	209.0	0	407.1	358.7	0
..HIV infection (042-044)	277	270	276	6,832	9,567	450.6	385.6	0	594.1	502.3	0
All cancer (140-208)	3,577	1,043	2,253	11,217	27,417	855.5	733.4	0	1877.3	1706.8	0
..Oral cavity or pharynx (140.0-149.9)	98	53	75	478	1,143	38.5	24.7	0	81.5	54.9	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	398	87	231	868	2,353	68.0	67.4	0	163.2	170.8	0
...Colon cancer (153)	332	74	194	735	1,980	57.4	46.6	0	137.4	127.2	0
...Rectal cancer (154)	59	12	35	130	353	10.4	18.8	0	24.7	38.8	0
..Pancreatic cancer (157)	154	38	94	300	935	23.9	34.7	0	64.7	92.9	0
..Lung and other respiratory cancer (160-165)	1,159	355	780	2,888	8,535	231.8	212.9	0	592.6	551.7	0
...Lung cancer (162.2-.9)	1,107	336	741	2,730	8,088	218.8	205.6	0	560.8	535.2	0
..Malignant melanoma of skin (172)	56	29	46	413	790	30.6	23.9	0	53.8	42.8	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	432	34	176	185	1,155	14.5	12.5	0	75.2	73.2	0
..Bladder cancer (188)	103	15	54	83	400	6.4	3.2	0	26.2	18.7	0
..Brain & other CNS cancer (191-192)	87	51	73	899	1,529	63.7	56.6	0	101.9	87.9	0
..Leukemia (204-208)	128	47	92	950	1,612	68.3	68.1	0	107.4	106.5	0
Diabetes mellitus (250)	226	69	137	838	1,858	62.2	39.3	0	125.1	93.8	0
..Diabetes-related (250)	1,027	218	553	2,275	6,078	170.7	133.7	0	407.8	357.7	0
..Diabetic ketoacidosis (DKA) (250.1)	7	2	2	80	100
Alzheimer's diseases (331.0)	68	4	15	15	108	1.1	1.2	0	6.8	8.0	0
Cardiovascular disease (390-459)	5,639	1,183	2,668	13,096	31,968	988.9	942.5	0	2172.0	2122.3	0
..Diseases of the heart (390-398,402,404-429)	4,633	1,029	2,274	10,960	27,207	831.0	827.6	0	1851.2	1854.8	0
...Heart disease-related (390-398,402,404-429)	7,701	1,742	3,799	21,612	48,685	1596.8	1435.4	0	3276.1	3034.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,461	762	1,711	7,170	19,343	559.5	547.7	0	1330.7	1328.4	0
....Congestive heart failure (CHF) (428.0)	151	9	35	93	303	6.6	4.2	0	19.5	16.0	0
..Hypertension with or without renal disease (401,403)	58	10	24	135	315	9.3	4.9	0	20.3	14.9	0
...Hypertension-related (401,403)	612	150	334	1,590	4,025	122.4	96.6	0	275.1	244.5	0
..Cerebrovascular disease (430-438)	658	101	245	1,492	3,122	109.8	77.5	0	211.0	171.3	0
..Atherosclerosis (440)	75	7	23	43	188	3.5	1.5	0	12.8	7.8	0
...Atherosclerosis-related (440)	397	29	123	208	903	16.5	11.0	0	60.4	54.4	0
..Aortic aneurysm (441)	127	19	67	230	650	16.4	6.9	0	42.2	28.6	0
Pneumonia & influenza (480-487)	473	62	122	999	1,844	70.9	48.5	0	122.0	104.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	507	52	213	522	1,770	37.8	38.7	0	115.0	130.4	0
..COPD-related (490-496)	1,257	145	504	1,160	4,212	87.7	90.9	0	278.4	299.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	12	7	11	198	293	.	16.0	.	.	22.7	.
Chronic liver disease and cirrhosis (571)	189	113	159	1,588	2,928	121.3	116.4	0	206.4	204.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	164	40	75	455	1,003	33.9	37.5	0	67.7	66.9	0
..Nephritis-related (580-589)	831	188	400	2,705	5,490	193.3	191.7	0	362.8	362.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	184	43	85	498	1,118	37.1	40.0	0	75.3	71.6	0
Unintentional injuries (E800-E949)	543	376	438	12,324	16,409	833.7	964.7	0	1035.7	1192.0	0
..Motor vehicle accidents (E810-E825)	216	185	200	6,752	8,689	453.8	582.6	0	543.7	703.5	0
..Falls and fall related injuries (E880-E888)	89	22	40	425	740	27.3	43.7	0	45.0	58.8	0
..Drowning (E830,E832,E910)	39	33	35	1,085	1,430	74.6	75.9	0	91.9	95.4	0
..Residential fires (E890-E899)	21	14	19	622	785	43.1	35.7	0	50.9	43.6	0
Suicide (E950-E959)	276	232	250	6,585	8,995	432.7	335.1	0	554.5	434.4	0
Homicide and legal intervention (E960-E978)	151	143	148	5,030	6,482	334.0	314.8	0	400.7	370.5	0
..Homicide (E960-E969)	151	143	148	5,030	6,482	334.0	314.8	0	400.7	370.5	0
All injury (E800-E999)	1,015	794	879	25,277	33,655	1688.1	1649.5	0	2099.2	2041.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	209	180	193	6,629	8,502	444.7	575.9	0	530.7	693.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	81	25	41	548	883	35.2	45.2	0	53.5	61.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	256	226	241	7,575	9,918	503.6	445.3	0	614.8	540.9	0
....Suicide (E955.0-.4)	139	114	127	3,365	4,578	217.9	161.6	0	278.3	208.0	0
....Homicide (E965.0-.4)	112	108	110	4,050	5,140	273.7	243.0	0	322.7	283.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	132	129	129	3,570	4,860	235.8	126.4	1	301.4	163.4	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	114	81	102	1,443	2,350	104.0	96.2	0	159.0	157.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	95	94	94	2,727	3,667	176.7	56.9	1	222.8	73.0	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	14,031	2,430	5,073	44,086	80,369	3083.5	3250.1	0	5015.9	5222.7	0
Infectious diseases and parasitic disease (1-139)	337	112	161	3,119	4,442	199.3	170.5	0	263.3	233.9	0
..Septicemia (038)	213	24	58	434	824	30.7	40.8	0	51.3	69.4	0
...Septicemia-related (038)	770	126	267	2,134	4,012	149.3	141.3	0	250.5	244.5	0
..HIV infection (042-044)	81	77	79	2,436	3,211	152.3	94.6	0	187.7	119.2	0
All cancer (140-208)	3,428	973	1,955	11,087	25,567	818.3	818.6	0	1632.9	1611.1	0
..Oral cavity or pharynx (140.0-149.9)	48	15	30	113	330	8.9	5.3	0	21.7	14.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	426	76	197	740	2,048	53.5	57.6	0	124.9	128.0	0
...Colon cancer (153)	359	60	163	620	1,683	45.2	52.6	0	103.6	112.9	0
...Rectal cancer (154)	63	16	33	120	363	8.2	5.1	0	21.1	15.0	0
..Pancreatic cancer (157)	194	34	90	260	855	19.4	22.0	0	51.9	52.3	0
..Lung and other respiratory cancer (160-165)	753	237	495	2,198	5,858	167.5	145.8	0	376.1	348.3	0
...Lung cancer (162.2-.9)	732	231	483	2,138	5,703	162.8	139.3	0	365.9	337.3	0
..Malignant melanoma of skin (172)	31	12	24	195	395	14.3	22.2	0	25.5	36.7	0
..Female breast cancer (174)	612	249	406	2,958	6,270	220.5	213.2	0	411.5	390.4	0
..Cervical cancer (180)	55	35	40	593	970	43.0	31.5	0	65.5	46.3	0
..Endometrial cancer (182)	46	8	29	50	238	3.8	5.2	0	14.0	14.2	0
..Ovarian cancer (183)	183	61	114	683	1,565	49.4	41.3	0	99.1	89.2	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	64	13	21	118	283	9.4	4.2	0	19.2	11.6	0
..Brain & other CNS cancer (191-192)	64	31	51	543	938	38.0	32.3	0	59.2	51.9	0
..Leukemia (204-208)	114	37	64	765	1,247	55.3	67.7	0	81.6	93.0	0
Diabetes mellitus (250)	270	44	103	505	1,188	35.9	33.9	0	73.6	77.8	0
..Diabetes-related (250)	1,265	153	483	1,368	4,403	99.1	117.2	0	262.4	298.4	0
..Diabetic ketoacidosis (DKA) (250.1)	3	3	3	38	68	.	.	0	.	.	0
Alzheimer's diseases (331.0)	128	2	25	15	123	1.2	0.3	0	6.8	4.9	0
Cardiovascular disease (390-459)	6,356	509	1,503	5,519	14,874	393.4	436.5	0	898.1	972.4	0
..Diseases of the heart (390-398,402,404-429)	4,920	404	1,198	4,209	11,714	301.8	314.1	0	706.3	734.3	0
...Heart disease-related (390-398,402,404-429)	8,184	848	2,263	10,611	25,254	754.6	795.8	0	1545.0	1619.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,582	256	830	2,167	7,177	161.3	163.7	0	433.8	448.0	0
....Congestive heart failure (CHF) (428.0)	266	8	41	82	275	5.5	2.5	0	15.0	8.8	0
..Hypertension with or without renal disease (401,403)	68	5	17	88	188	6.2	5.6	0	11.7	12.8	0
...Hypertension-related (401,403)	950	77	256	718	2,235	53.1	70.7	0	135.1	183.3	0
..Cerebrovascular disease (430-438)	1,035	79	212	1,000	2,322	69.3	91.1	0	140.9	173.3	0
..Atherosclerosis (440)	148	6	20	50	170	4.0	3.0	0	10.7	6.7	0
...Atherosclerosis-related (440)	622	19	74	153	565	11.9	9.4	0	34.6	30.3	0
..Aortic aneurysm (441)	91	4	27	45	178	3.1	5.5	0	10.0	13.3	0
Pneumonia & influenza (480-487)	615	29	68	417	869	31.1	62.2	0	55.8	94.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	477	41	191	323	1,428	23.7	43.3	0	81.6	112.3	0
..COPD-related (490-496)	1,090	111	404	853	3,260	63.3	72.6	0	192.2	220.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	24	3	12	48	130	3.4	13.2	0	7.6	21.5	0
Chronic liver disease and cirrhosis (571)	113	47	88	678	1,335	47.5	48.1	0	83.9	84.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	158	21	54	250	582	17.7	20.0	0	35.9	41.8	0
..Nephritis-related (580-589)	760	116	288	1,619	3,549	116.2	122.5	0	221.2	244.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	176	24	59	292	660	20.2	20.2	0	40.2	42.5	0
Unintentional injuries (E800-E949)	304	144	178	4,703	6,293	323.7	276.6	0	400.3	346.1	0
..Motor vehicle accidents (E810-E825)	111	86	93	2,986	3,884	202.7	187.8	0	244.1	229.6	0
..Falls and fall related injuries (E880-E888)	89	4	14	70	160	4.7	6.3	0	9.4	12.3	0
..Drowning (E830,E832,E910)	5	1	3	65	80
..Residential fires (E890-E899)	24	18	23	656	849	47.4	22.7	0	56.6	27.8	0
Suicide (E950-E959)	63	54	56	1,370	1,925	90.2	81.4	0	118.4	106.8	0
Homicide and legal intervention (E960-E978)	38	35	35	1,287	1,637	82.5	71.8	0	97.7	87.5	0
..Homicide (E960-E969)	38	35	35	1,287	1,637	82.5	69.9	0	97.7	85.1	0
All injury (E800-E999)	423	249	286	7,820	10,482	524.0	438.3	0	651.8	551.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	110	85	92	2,974	3,861	201.6	187.8	0	242.3	228.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	73	8	18	165	295	10.7	6.3	0	17.5	12.2	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	31	29	29	918	1,208	57.6	69.3	0	71.1	84.3	0
....Suicide (E955.0-.4)	13	12	12	340	460	.	28.1	.	.	34.9	.
....Homicide (E965.0-.4)	16	16	16	545	705	35.1	37.5	0	42.4	44.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	49	52	1,273	1,775	83.2	29.4	1	108.7	41.7	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	45	29	42	478	820	33.1	51.0	0	52.6	80.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	42	37	39	983	1,363	63.7	18.9	1	82.7	25.8	1

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).