

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Black Residents, 1992

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Black Residents, 1992

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Black Residents, 1992

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Black Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR
*****Causes of Death*****															
All causes	2,002	693.3	720.5	0	670.7	1,141	829.7	992.4	0	924.5	861	569.3	510.8	0	480.2
Infectious diseases and parasitic disease (1-139)	223	77.2	78.7	0	64.5	154	112.0	121.1	0	102.4	69	45.6	43.2	0	34.4
..Septicemia (038)	50	17.3	18.4	0	11.3	27	19.6	23.5	0	19.7	23	15.2	14.1	0	.
....Septicemia-related (038)	143	49.5	52.1	0	51.9	76	55.3	66.5	0	73.6	67	44.3	40.2	0	35.8
..HIV infection (042-044)	156	54.0	54.0	0	46.9	116	84.4	88.2	0	73.7	40	26.4	25.2	0	24.5
All cancer (140-208)	441	152.7	171.8	0	155.2	228	165.8	218.7	0	217.2	213	140.8	140.0	0	113.2
..Oral cavity or pharynx (140.0-149.9)	14	4.8	.	.	.	13	9.5	.	.	.	1	0.7	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	41	14.2	15.5	0	9.8	17	12.4	16.5	0	.	24	15.9	14.7	0	9.7
....Colon cancer (153)	35	12.1	13.2	0	8.0	14	10.2	.	.	.	21	13.9	12.5	0	.
....Rectal cancer (154)	6	2.1	.	.	.	3	2.2	.	.	.	3	2.0	.	.	.
..Pancreatic cancer (157)	19	6.6	6.9	0	5.8	8	5.8	.	.	.	11	7.3	.	.	.
..Lung and other respiratory cancer (160-165)	118	40.9	47.7	0	50.6	73	53.1	71.6	0	84.3	45	29.8	31.1	0	26.0
....Lung cancer (162.2-.9)	112	38.8	45.1	0	46.6	71	51.6	69.5	0	77.4	41	27.1	28.1	0	24.4
..Female breast cancer (174)	45	45	29.8	31.5	0	19.4
..Cervical cancer (180)	4	4	2.6	.	.	.
..Endometrial cancer (182)	3	3	2.0	.	.	.
..Ovarian cancer (183)	5	5	3.3	.	.	.
..Prostate cancer (185)	38	38	27.6	36.8	0	28.2
..Bladder cancer (188)	6	2.1	.	.	.	2	1.5	.	.	.	4	2.6	.	.	.
..Brain & other CNS cancer (191-192)	6	2.1	.	.	.	3	2.2	.	.	.	3	2.0	.	.	.
..Leukemia (204-208)	15	5.2	6.1	0	.	6	4.4	.	.	.	9	6.0	.	.	.
Diabetes mellitus (250)	63	21.8	24.4	0	21.0	27	19.6	26.3	0	20.4	36	23.8	22.8	0	20.6
..Diabetes-related (250)	200	69.3	74.2	0	72.8	80	58.2	78.1	0	74.8	120	79.3	70.4	0	70.6
..Diabetic ketoacidosis (DKA) (250.1)	1	0.3	1	0.7	.	.	.
Alzheimer's diseases (331.0)	5	1.7	.	.	.	1	0.7	.	.	.	4	2.6	.	.	.
Cardiovascular disease (390-459)	650	225.1	232.5	0	231.8	335	243.6	316.5	0	308.3	315	208.3	172.2	0	178.5
..Diseases of the heart (390-398,402,404-429)	530	183.6	190.3	0	183.0	280	203.6	264.5	0	241.2	250	165.3	137.7	0	141.8
....Heart disease-related (390-398,402,404-429)	969	335.6	353.9	0	342.7	533	387.6	496.1	0	461.4	436	288.3	250.6	0	258.8
....Coronary heart disease (CHD) (402,410-414,429.2)	335	116.0	120.8	0	115.3	183	133.1	175.0	0	150.4	152	100.5	82.9	0	89.9
....Congestive heart failure (CHF) (428.0)	18	6.2	6.7	0	5.1	6	4.4	.	.	.	12	7.9	.	.	.
..Hypertension with or without renal disease (401,403)	14	4.8	.	.	5.5	4	2.9	.	.	.	10	6.6	.	.	.
....Hypertension-related (401,403)	137	47.4	51.1	0	51.1	57	41.5	54.4	0	64.0	80	52.9	48.6	0	43.1
..Cerebrovascular disease (430-438)	81	28.1	28.2	0	31.5	39	28.4	37.1	0	44.3	42	27.8	21.3	0	23.2
..Atherosclerosis (440)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.7	.	.	.
....Atherosclerosis-related (440)	47	16.3	14.4	0	11.7	21	15.3	19.1	0	.	26	17.2	11.7	0	15.1
..Aortic aneurysm (441)	11	3.8	.	.	.	5	3.6	.	.	.	6	4.0	.	.	.
Pneumonia & influenza (480-487)	45	15.6	14.9	0	12.2	24	17.5	20.3	0	17.7	21	13.9	11.2	0	8.7
Chronic obstructive pulmonary disease (COPD) (490-496)	29	10.0	11.4	0	10.6	15	10.9	14.9	0	19.6	14	9.3	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Black Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female				1991 AAMR		
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	No. of deaths	Crude rate	AAMR	Signif- icance	No. of deaths	Crude rate	AAMR	Signif- icance			
*****Causes of Death*****															
..COPD-related (490-496)	97	33.6	35.9	0	24.8	50	36.4	48.5	0	44.9	47	31.1	27.7	1	12.1
..Asthma (493)	6	2.1	.	.	.	2	1.5	.	.	.	4	2.6	.	.	.
Chronic liver disease and cirrhosis (571)	22	7.6	8.3	0	8.2	14	10.2	.	.	.	8	5.3	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	45	15.6	15.4	0	11.3	27	19.6	24.0	0	.	18	11.9	9.0	0	10.3
..Nephritis-related (580-589)	191	66.1	68.8	0	62.6	104	75.6	94.1	0	69.3	87	57.5	50.9	0	57.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	50	17.3	17.2	0	13.6	31	22.5	27.8	0	15.4	19	12.6	9.8	0	11.9
Unintentional injuries (E800-E949)	100	34.6	34.7	0	28.4	77	56.0	59.6	0	42.3	23	15.2	13.8	0	15.6
..Motor vehicle accidents (E810-E825)	33	11.4	11.5	0	11.0	27	19.6	19.8	0	17.6	6	4.0	.	.	.
..Falls and fall related injuries (E880-E888)	8	2.8	.	.	.	6	4.4	.	.	.	2	1.3	.	.	.
..Drowning (E830,E832,E910)	7	2.4	.	.	.	7	5.1
..Residential fires (E890-E899)	5	1.7	.	.	.	3	2.2	.	.	.	2	1.3	.	.	.
Suicide (E950-E959)	16	5.5	5.4	0	5.2	15	10.9	11.2	0	.	1	0.7	.	.	.
Homicide and legal intervention (E960-E978)	79	27.4	27.7	0	25.7	67	48.7	48.8	0	44.9	12	7.9	.	.	.
..Homicide (E960-E969)	78	27.0	27.3	0	25.7	66	48.0	47.9	0	44.9	12	7.9	.	.	.
All injury (E800-E999)	205	71.0	71.4	0	64.5	167	121.4	126.0	0	105.0	38	25.1	23.1	0	27.3
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	33	11.4	11.5	0	10.2	27	19.6	19.8	0	15.8	6	4.0	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	8	2.8	.	.	.	6	4.4	.	.	.	2	1.3	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	68	23.6	23.9	0	20.2	63	45.8	45.5	0	39.5	5	3.3	.	.	.
....Suicide (E955.0-.4)	8	2.8	.	.	.	8	5.8
....Homicide (E965.0-.4)	59	20.4	20.8	0	16.4	54	39.3	38.5	0	31.4	5	3.3	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	46	15.9	16.1	0	9.7	37	26.9	28.8	0	14.9	9	6.0	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	19	6.6	7.6	0	8.7	14	10.2	.	.	15.0	5	3.3	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	44	15.2	15.5	0	10.0	35	25.5	27.5	0	16.6	9	6.0	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Black Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR
*****Causes of Death*****															
All causes	2,002	693.3	901.7	0	841.9	1,141	829.7	1213.5	0	1155.8	861	569.3	672.0	0	624.5
Infectious diseases and parasitic disease (1-139)	223	77.2	77.1	0	64.1	154	112.0	115.7	0	103.6	69	45.6	44.8	0	34.6
..Septicemia (038)	50	17.3	22.9	0	16.9	27	19.6	28.1	0	28.4	23	15.2	18.6	0	.
....Septicemia-related (038)	143	49.5	64.9	0	66.8	76	55.3	79.2	0	92.6	67	44.3	53.4	0	48.4
..HIV infection (042-044)	156	54.0	48.0	0	40.4	116	84.4	78.1	0	64.8	40	26.4	22.7	0	20.1
All cancer (140-208)	441	152.7	219.8	0	197.1	228	165.8	282.4	0	286.8	213	140.8	179.5	0	140.7
..Oral cavity or pharynx (140.0-149.9)	14	4.8	.	.	.	13	9.5	.	.	.	1	0.7	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	41	14.2	21.2	0	14.2	17	12.4	22.3	0	.	24	15.9	20.2	0	13.2
....Colon cancer (153)	35	12.1	18.4	0	12.1	14	10.2	.	.	.	21	13.9	17.7	0	.
....Rectal cancer (154)	6	2.1	.	.	.	3	2.2	.	.	.	3	2.0	.	.	.
..Pancreatic cancer (157)	19	6.6	10.2	0	8.0	8	5.8	.	.	.	11	7.3	.	.	.
..Lung and other respiratory cancer (160-165)	118	40.9	59.2	0	62.3	73	53.1	90.0	0	106.5	45	29.8	38.7	0	31.5
....Lung cancer (162.2-.9)	112	38.8	56.1	0	57.9	71	51.6	87.4	0	98.7	41	27.1	35.2	0	29.8
..Female breast cancer (174)	45	45	29.8	36.7	0	21.6
..Cervical cancer (180)	4	4	2.6	.	.	.
..Endometrial cancer (182)	3	3	2.0	.	.	.
..Ovarian cancer (183)	5	5	3.3	.	.	.
..Prostate cancer (185)	38	38	27.6	59.4	0	46.2
..Bladder cancer (188)	6	2.1	.	.	.	2	1.5	.	.	.	4	2.6	.	.	.
..Brain & other CNS cancer (191-192)	6	2.1	.	.	.	3	2.2	.	.	.	3	2.0	.	.	.
..Leukemia (204-208)	15	5.2	7.2	0	.	6	4.4	.	.	.	9	6.0	.	.	.
Diabetes mellitus (250)	63	21.8	32.2	0	27.0	27	19.6	33.8	0	24.9	36	23.8	30.7	0	27.5
..Diabetes-related (250)	200	69.3	103.9	0	97.2	80	58.2	104.6	0	98.1	120	79.3	100.7	0	95.5
..Diabetic ketoacidosis (DKA) (250.1)	1	0.3	1	0.7	.	.	.
Alzheimer's diseases (331.0)	5	1.7	.	.	.	1	0.7	.	.	.	4	2.6	.	.	.
Cardiovascular disease (390-459)	650	225.1	325.7	0	321.5	335	243.6	428.8	0	425.6	315	208.3	253.6	0	255.0
..Diseases of the heart (390-398,402,404-429)	530	183.6	264.8	0	250.0	280	203.6	358.6	0	327.1	250	165.3	200.5	0	199.2
....Heart disease-related (390-398,402,404-429)	969	335.6	471.6	0	463.7	533	387.6	644.2	0	622.9	436	288.3	350.4	0	359.8
....Coronary heart disease (CHD) (402,410-414,429.2)	335	116.0	172.4	0	160.4	183	133.1	243.3	0	204.4	152	100.5	125.3	0	130.1
....Congestive heart failure (CHF) (428.0)	18	6.2	9.2	0	9.3	6	4.4	.	.	.	12	7.9	.	.	.
..Hypertension with or without renal disease (401,403)	14	4.8	.	.	7.8	4	2.9	.	.	.	10	6.6	.	.	.
....Hypertension-related (401,403)	137	47.4	70.3	0	68.6	57	41.5	73.9	0	88.7	80	52.9	67.7	0	57.5
..Cerebrovascular disease (430-438)	81	28.1	41.3	0	45.4	39	28.4	50.7	0	63.8	42	27.8	33.9	0	34.6
..Atherosclerosis (440)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.7	.	.	.
....Atherosclerosis-related (440)	47	16.3	25.0	0	20.0	21	15.3	32.7	0	.	26	17.2	20.9	0	24.6
..Aortic aneurysm (441)	11	3.8	.	.	.	5	3.6	.	.	.	6	4.0	.	.	.
Pneumonia & influenza (480-487)	45	15.6	21.5	0	17.8	24	17.5	30.6	0	26.2	21	13.9	16.1	0	13.0
Chronic obstructive pulmonary disease (COPD) (490-496)	29	10.0	14.6	0	14.7	15	10.9	19.3	0	30.9	14	9.3	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Black Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	97	33.6	50.0	0	34.9	50	36.4	67.5	0	66.4	47	31.1	39.0	1	16.5
..Asthma (493)	6	2.1	.	.	.	2	1.5	.	.	.	4	2.6	.	.	.
Chronic liver disease and cirrhosis (571)	22	7.6	8.7	0	9.2	14	10.2	.	.	.	8	5.3	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	45	15.6	21.4	0	14.4	27	19.6	31.3	0	.	18	11.9	14.2	0	13.7
..Nephritis-related (580-589)	191	66.1	92.7	0	81.3	104	75.6	125.0	0	88.2	87	57.5	71.6	0	76.1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	50	17.3	24.1	0	17.4	31	22.5	37.8	0	18.4	19	12.6	15.1	0	16.0
Unintentional injuries (E800-E949)	100	34.6	35.3	0	28.9	77	56.0	60.9	0	41.9	23	15.2	14.8	0	16.9
..Motor vehicle accidents (E810-E825)	33	11.4	10.8	0	11.0	27	19.6	18.7	0	18.7	6	4.0	.	.	.
..Falls and fall related injuries (E880-E888)	8	2.8	.	.	.	6	4.4	.	.	.	2	1.3	.	.	.
..Drowning (E830,E832,E910)	7	2.4	.	.	.	7	5.1
..Residential fires (E890-E899)	5	1.7	.	.	.	3	2.2	.	.	.	2	1.3	.	.	.
Suicide (E950-E959)	16	5.5	5.4	0	4.8	15	10.9	10.8	0	.	1	0.7	.	.	.
Homicide and legal intervention (E960-E978)	79	27.4	25.4	0	24.1	67	48.7	45.6	0	41.5	12	7.9	.	.	.
..Homicide (E960-E969)	78	27.0	25.0	0	24.1	66	48.0	44.7	0	41.5	12	7.9	.	.	.
All injury (E800-E999)	205	71.0	69.4	0	62.8	167	121.4	123.1	0	100.3	38	25.1	23.2	0	28.4
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	33	11.4	10.8	0	10.1	27	19.6	18.7	0	16.7	6	4.0	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	8	2.8	.	.	.	6	4.4	.	.	.	2	1.3	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	68	23.6	22.3	0	18.3	63	45.8	42.8	0	35.9	5	3.3	.	.	.
....Suicide (E955.0-.4)	8	2.8	.	.	.	8	5.8
....Homicide (E965.0-.4)	59	20.4	19.1	0	14.8	54	39.3	35.5	0	28.3	5	3.3	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	46	15.9	14.4	0	8.1	37	26.9	25.6	0	12.4	9	6.0	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	19	6.6	8.0	0	9.5	14	10.2	.	.	17.4	5	3.3	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	44	15.2	14.0	0	8.4	35	25.5	24.6	0	14.1	9	6.0	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Black Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR
*****Causes of Death*****															
All causes	2,002	693.3	1148.0	0	1083.1	1,141	829.7	1520.7	0	1490.6	861	569.3	882.2	0	819.9
Infectious diseases and parasitic disease (1-139)	223	77.2	93.9	0	83.9	154	112.0	140.4	0	136.9	69	45.6	54.8	0	46.1
..Septicemia (038)	50	17.3	28.3	0	25.9	27	19.6	33.3	0	43.2	23	15.2	23.9	0	.
....Septicemia-related (038)	143	49.5	83.6	0	90.2	76	55.3	100.8	0	122.5	67	44.3	70.1	0	68.0
..HIV infection (042-044)	156	54.0	58.6	0	50.0	116	84.4	96.3	0	80.3	40	26.4	26.8	0	24.7
All cancer (140-208)	441	152.7	270.4	0	243.6	228	165.8	351.9	0	364.6	213	140.8	219.8	0	173.6
..Oral cavity or pharynx (140.0-149.9)	14	4.8	.	.	.	13	9.5	.	.	.	1	0.7	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	41	14.2	27.6	0	20.2	17	12.4	28.2	0	.	24	15.9	26.7	0	17.9
....Colon cancer (153)	35	12.1	23.9	0	18.0	14	10.2	.	.	.	21	13.9	23.8	0	.
....Rectal cancer (154)	6	2.1	.	.	.	3	2.2	.	.	.	3	2.0	.	.	.
..Pancreatic cancer (157)	19	6.6	14.2	0	10.4	8	5.8	.	.	.	11	7.3	.	.	.
..Lung and other respiratory cancer (160-165)	118	40.9	69.3	0	71.7	73	53.1	107.7	0	124.3	45	29.8	44.4	0	37.1
....Lung cancer (162.2-.9)	112	38.8	65.9	0	67.1	71	51.6	104.8	0	116.0	41	27.1	40.6	0	35.4
..Female breast cancer (174)	45	45	29.8	43.0	0	25.1
..Cervical cancer (180)	4	4	2.6	.	.	.
..Endometrial cancer (182)	3	3	2.0	.	.	.
..Ovarian cancer (183)	5	5	3.3	.	.	.
..Prostate cancer (185)	38	38	27.6	85.5	0	68.7
..Bladder cancer (188)	6	2.1	.	.	.	2	1.5	.	.	.	4	2.6	.	.	.
..Brain & other CNS cancer (191-192)	6	2.1	.	.	.	3	2.2	.	.	.	3	2.0	.	.	.
..Leukemia (204-208)	15	5.2	8.0	0	.	6	4.4	.	.	.	9	6.0	.	.	.
Diabetes mellitus (250)	63	21.8	40.3	0	34.7	27	19.6	41.6	0	30.8	36	23.8	38.7	0	36.4
..Diabetes-related (250)	200	69.3	137.0	0	124.5	80	58.2	131.3	0	122.7	120	79.3	135.5	0	123.7
..Diabetic ketoacidosis (DKA) (250.1)	1	0.3	1	0.7	.	.	.
Alzheimer's diseases (331.0)	5	1.7	.	.	.	1	0.7	.	.	.	4	2.6	.	.	.
Cardiovascular disease (390-459)	650	225.1	445.0	0	436.2	335	243.6	565.4	0	577.5	315	208.3	361.7	0	352.5
..Diseases of the heart (390-398,402,404-429)	530	183.6	359.2	0	332.5	280	203.6	471.9	0	432.5	250	165.3	284.0	0	271.1
....Heart disease-related (390-398,402,404-429)	969	335.6	622.6	0	621.5	533	387.6	829.5	0	833.4	436	288.3	480.2	0	493.3
....Coronary heart disease (CHD) (402,410-414,429.2)	335	116.0	236.1	0	215.4	183	133.1	324.9	0	269.1	152	100.5	179.9	0	180.0
....Congestive heart failure (CHF) (428.0)	18	6.2	11.9	0	15.2	6	4.4	.	.	.	12	7.9	.	.	.
..Hypertension with or without renal disease (401,403)	14	4.8	.	.	10.6	4	2.9	.	.	.	10	6.6	.	.	.
....Hypertension-related (401,403)	137	47.4	92.1	0	90.6	57	41.5	95.7	0	122.9	80	52.9	89.4	0	74.1
..Cerebrovascular disease (430-438)	81	28.1	59.0	0	65.2	39	28.4	67.7	0	92.9	42	27.8	51.5	0	49.9
..Atherosclerosis (440)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.7	.	.	.
....Atherosclerosis-related (440)	47	16.3	39.9	0	30.8	21	15.3	51.6	0	.	26	17.2	33.9	0	36.3
..Aortic aneurysm (441)	11	3.8	.	.	.	5	3.6	.	.	.	6	4.0	.	.	.
Pneumonia & influenza (480-487)	45	15.6	30.7	0	25.5	24	17.5	44.2	0	38.1	21	13.9	23.9	0	18.7
Chronic obstructive pulmonary disease (COPD) (490-496)	29	10.0	17.5	0	19.5	15	10.9	22.6	0	45.2	14	9.3	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Black Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	97	33.6	64.7	0	46.4	50	36.4	87.4	0	90.6	47	31.1	50.8	1	22.6
..Asthma (493)	6	2.1	.	.	.	2	1.5	.	.	.	4	2.6	.	.	.
Chronic liver disease and cirrhosis (571)	22	7.6	10.7	0	10.8	14	10.2	.	.	.	8	5.3	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	45	15.6	30.3	0	18.2	27	19.6	41.6	0	.	18	11.9	21.7	0	17.7
..Nephritis-related (580-589)	191	66.1	124.5	0	105.0	104	75.6	168.1	0	114.2	87	57.5	96.9	0	97.9
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	50	17.3	34.0	0	22.1	31	22.5	51.6	0	21.9	19	12.6	22.5	0	21.0
Unintentional injuries (E800-E949)	100	34.6	41.2	0	32.4	77	56.0	71.7	0	45.5	23	15.2	18.2	0	20.3
..Motor vehicle accidents (E810-E825)	33	11.4	10.5	0	10.8	27	19.6	18.4	0	20.0	6	4.0	.	.	.
..Falls and fall related injuries (E880-E888)	8	2.8	.	.	.	6	4.4	.	.	.	2	1.3	.	.	.
..Drowning (E830,E832,E910)	7	2.4	.	.	.	7	5.1
..Residential fires (E890-E899)	5	1.7	.	.	.	3	2.2	.	.	.	2	1.3	.	.	.
Suicide (E950-E959)	16	5.5	6.7	0	5.0	15	10.9	13.1	0	.	1	0.7	.	.	.
Homicide and legal intervention (E960-E978)	79	27.4	23.8	0	24.3	67	48.7	42.0	0	40.7	12	7.9	.	.	.
..Homicide (E960-E969)	78	27.0	23.4	0	24.3	66	48.0	40.9	0	40.7	12	7.9	.	.	.
All injury (E800-E999)	205	71.0	75.7	0	67.6	167	121.4	133.5	0	105.9	38	25.1	28.1	0	33.2
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	33	11.4	10.5	0	9.9	27	19.6	18.4	0	18.2	6	4.0	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	8	2.8	.	.	.	6	4.4	.	.	.	2	1.3	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	68	23.6	20.5	0	17.4	63	45.8	39.4	0	34.4	5	3.3	.	.	.
....Suicide (E955.0-.4)	8	2.8	.	.	.	8	5.8
....Homicide (E965.0-.4)	59	20.4	16.8	0	13.7	54	39.3	30.6	0	26.2	5	3.3	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	46	15.9	18.1	0	9.8	37	26.9	31.8	0	15.3	9	6.0	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	19	6.6	9.4	0	11.8	14	10.2	.	.	22.2	5	3.3	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	44	15.2	17.7	0	10.2	35	25.5	30.5	0	17.1	9	6.0	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	2,002	1,114	1,513	27,504	40,612	9785.2	9085.7	0	14402.3	13410.7	0
Infectious diseases and parasitic disease (1-139)	223	196	210	4,785	6,810	1670.7	1460.0	0	2319.6	1977.0	0
..Septicemia (038)	50	28	38	561	891	192.0	95.2	0	311.8	149.4	0
...Septicemia-related (038)	143	77	110	1,539	2,451	559.4	555.6	0	889.2	869.6	0
..HIV infection (042-044)	156	152	155	3,852	5,385	1347.0	1250.3	0	1821.4	1665.5	0
All cancer (140-208)	441	199	337	2,553	5,228	1053.2	1059.0	0	2142.0	2115.7	0
..Oral cavity or pharynx (140.0-149.9)	14	9	14	113	230	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	41	16	27	160	383	71.5	51.9	0	165.4	101.5	0
...Colon cancer (153)	35	13	22	113	295	51.3	42.1	0	129.4	78.4	0
...Rectal cancer (154)	6	3	5	48	88	.	.	0	.	.	0
..Pancreatic cancer (157)	19	4	10	40	105	18.6	21.3	0	46.2	49.5	0
..Lung and other respiratory cancer (160-165)	118	52	100	595	1,355	254.7	295.8	0	570.3	669.4	0
...Lung cancer (162.2-.9)	112	50	94	575	1,295	245.0	260.8	0	543.4	599.1	0
..Female breast cancer (174)	45	30	39	380	713	.	.	0	.	.	0
..Cervical cancer (180)	4	2	3	15	43	.	.	0	.	.	0
..Endometrial cancer (182)	3	.	.	0	0	.	.	0	.	.	0
..Ovarian cancer (183)	5	2	4	20	45	.	.	0	.	.	0
..Prostate cancer (185)	38	2	16	10	100	.	.	0	.	.	0
..Bladder cancer (188)	6	2	4	15	45	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	6	5	5	38	88	.	.	0	.	.	0
..Leukemia (204-208)	15	10	13	150	263	60.6	.	0	105.3	.	0
Diabetes mellitus (250)	63	24	47	270	613	114.1	152.1	0	256.3	289.1	0
..Diabetes-related (250)	200	60	129	675	1,613	281.9	383.9	0	670.2	801.7	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43	.	.	0	.	.	0
Alzheimer's diseases (331.0)	5	.	.	0	0	.	.	0	.	.	0
Cardiovascular disease (390-459)	650	243	404	3,847	7,084	1505.2	1422.7	0	2783.6	2707.6	0
..Diseases of the heart (390-398,402,404-429)	530	202	333	3,264	5,957	1270.2	1102.9	0	2330.6	2166.1	0
...Heart disease-related (390-398,402,404-429)	969	424	664	7,054	12,504	2700.6	2535.8	0	4811.9	4540.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	335	111	201	1,318	2,898	559.8	563.4	0	1211.0	1220.2	0
....Congestive heart failure (CHF) (428.0)	18	7	13	98	193	39.7	21.4	0	78.7	38.7	0
..Hypertension with or without renal disease (401,403)	14	5	10	73	150	.	28.8	0	.	56.9	0
...Hypertension-related (401,403)	137	46	91	555	1,238	227.6	329.6	0	507.1	640.3	0
..Cerebrovascular disease (430-438)	81	27	47	403	763	163.6	221.0	0	307.7	366.9	0
..Atherosclerosis (440)	2	1	1	13	23	.	.	0	.	.	0
...Atherosclerosis-related (440)	47	6	15	55	168	23.8	12.2	0	71.0	47.5	0
..Aortic aneurysm (441)	11	3	7	8	53	.	.	0	.	.	0
Pneumonia & influenza (480-487)	45	18	26	528	753	180.3	98.0	0	257.2	157.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	29	14	22	155	335	60.6	56.6	0	134.4	115.7	0
..COPD-related (490-496)	97	30	64	347	847	134.6	99.8	0	341.6	229.2	0
..Asthma (493)	6	6	6	95	155	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	22	18	20	330	525	127.3	81.7	0	198.3	145.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	45	17	27	365	580	128.6	83.4	0	205.1	151.6	0
..Nephritis-related (580-589)	191	77	124	1,357	2,349	506.0	494.8	0	883.2	857.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	50	19	30	375	612	133.5	99.8	0	220.0	179.2	0
Unintentional injuries (E800-E949)	100	87	92	2,696	3,593	969.2	927.1	0	1244.6	1142.0	0
..Motor vehicle accidents (E810-E825)	33	31	33	1,163	1,483	423.5	437.7	0	515.4	522.5	0
..Falls and fall related injuries (E880-E888)	8	5	6	53	105
..Drowning (E830,E832,E910)	7	7	7	313	383
..Residential fires (E890-E899)	5	3	3	194	224
Suicide (E950-E959)	16	13	14	403	535	139.9	156.9	0	178.0	198.6	0
Homicide and legal intervention (E960-E978)	79	76	79	2,952	3,730	1107.5	979.0	0	1330.2	1182.1	0
..Homicide (E960-E969)	78	75	78	2,935	3,702	1099.7	979.0	0	1318.6	1182.1	0
All injury (E800-E999)	205	186	195	6,275	8,183	2298.1	2222.5	0	2867.4	2723.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	33	31	33	1,163	1,483	423.5	417.1	0	515.4	495.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	8	5	5	88	138
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	68	65	67	2,660	3,320	1009.5	820.7	0	1195.9	983.0	0
...Suicide (E955.0-.4)	8	6	7	205	268
...Homicide (E965.0-.4)	59	58	59	2,437	3,025	931.3	707.5	0	1096.6	840.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	46	44	45	1,070	1,518	381.8	309.6	0	522.7	393.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	19	16	18	245	420	101.1	117.1	0	169.6	181.2	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	44	42	43	1,000	1,428	360.5	316.7	0	496.8	402.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	1,141	729	949	18,564	26,959	13978.6	12323.2	0	20466.1	18367.5	0
Infectious diseases and parasitic disease (1-139)	154	142	151	3,411	4,874	2572.1	2133.2	0	3604.0	2957.3	0
..Septicemia (038)	27	18	24	374	584	266.9	178.4	0	434.6	280.9	0
...Septicemia-related (038)	76	51	67	1,022	1,607	801.8	790.0	0	1270.8	1248.6	0
..HIV infection (042-044)	116	114	116	2,842	3,992	2150.0	1803.3	0	2933.8	2461.9	0
All cancer (140-208)	228	106	181	1,480	2,908	1334.1	1277.7	0	2647.0	2676.9	0
..Oral cavity or pharynx (140.0-149.9)	13	8	13	90	198
..Colorectal cancer (153.0-154.3,154.8,159.0)	17	7	12	68	170	67.5	.	0	167.0	.	0
...Colon cancer (153)	14	6	10	45	130
...Rectal cancer (154)	3	1	2	23	40
..Pancreatic cancer (157)	8	3	6	38	80
..Lung and other respiratory cancer (160-165)	73	34	63	410	878	390.6	433.8	0	833.5	1042.0	0
...Lung cancer (162.2-.9)	71	33	61	403	858	382.0	376.4	0	811.9	924.5	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	38	2	16	10	100	11.2	16.4	0	103.4	117.3	0
..Bladder cancer (188)	2	1	2	13	30
..Brain & other CNS cancer (191-192)	3	3	3	18	48
..Leukemia (204-208)	6	5	6	118	170
Diabetes mellitus (250)	27	12	21	145	318	141.6	170.4	0	305.5	332.6	0
..Diabetes-related (250)	80	29	61	338	783	321.4	433.7	0	744.1	878.1	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	1	.	.	0	0
Cardiovascular disease (390-459)	335	154	246	2,271	4,276	1999.8	1974.7	0	3825.3	3700.4	0
..Diseases of the heart (390-398,402,404-429)	280	128	205	1,911	3,589	1675.3	1473.4	0	3202.0	2893.6	0
...Heart disease-related (390-398,402,404-429)	533	277	413	4,562	8,017	3846.2	3261.0	0	6882.1	6020.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	183	75	130	833	1,875	797.4	798.2	0	1787.4	1676.8	0
...Congestive heart failure (CHF) (428.0)	6	3	6	38	80
..Hypertension with or without renal disease (401,403)	4	2	4	50	80
...Hypertension-related (401,403)	57	21	43	293	623	255.0	447.5	0	561.2	806.9	0
..Cerebrovascular disease (430-438)	39	19	29	233	473	217.8	357.1	0	442.7	556.7	0
..Atherosclerosis (440)	1	1	1	13	23
...Atherosclerosis-related (440)	21	2	8	35	95	31.7	.	0	88.6	.	0
..Aortic aneurysm (441)	5	1	3	3	18
Pneumonia & influenza (480-487)	24	12	15	398	536	269.1	94.3	0	370.0	181.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	15	8	12	60	155	59.4	60.2	0	152.0	142.2	0
..COPD-related (490-496)	50	17	35	163	433	155.5	122.1	0	417.5	330.7	0
..Asthma (493)	2	2	2	10	30

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	14	12	13	235	363
Nephritis, nephrotic syndrome/nephrosis (580-589)	27	13	19	305	465	226.5	.	0	350.3	.	0
..Nephritis-related (580-589)	104	48	76	967	1,577	765.8	611.2	0	1267.5	1017.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	31	14	21	312	485	235.0	120.7	0	371.9	226.9	0
Unintentional injuries (E800-E949)	77	69	73	2,077	2,792	1567.0	1428.4	0	2047.9	1757.7	0
..Motor vehicle accidents (E810-E825)	27	25	27	923	1,183	681.2	618.9	0	838.9	749.7	0
..Falls and fall related injuries (E880-E888)	6	5	5	53	103
..Drowning (E830,E832,E910)	7	7	7	313	383
..Residential fires (E890-E899)	3	1	1	65	75
Suicide (E950-E959)	15	13	14	403	535	293.8	.	0	375.4	.	0
Homicide and legal intervention (E960-E978)	67	64	67	2,525	3,183	1931.4	1693.4	0	2321.9	2055.9	0
..Homicide (E960-E969)	66	63	66	2,508	3,155	1914.1	1693.4	0	2296.0	2055.9	0
All injury (E800-E999)	167	154	162	5,189	6,774	3933.4	3680.3	0	4944.1	4507.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	27	25	27	923	1,183	681.2	579.1	0	838.9	696.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	5	5	88	138
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	63	60	62	2,465	3,075	1885.6	1581.8	0	2236.4	1898.6	0
...Suicide (E955.0-.4)	8	6	7	205	268
...Homicide (E965.0-.4)	54	53	54	2,243	2,780	1721.9	1346.8	0	2027.6	1601.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	37	36	37	845	1,213	657.7	485.3	0	916.8	613.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	12	14	210	345	.	174.2	.	.	276.2	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	35	34	35	785	1,133	616.1	508.8	0	864.0	652.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	861	385	564	8,941	13,653	5983.3	6197.8	0	9057.7	9103.6	0
Infectious diseases and parasitic disease (1-139)	69	54	59	1,374	1,937	892.8	882.8	0	1222.4	1145.2	0
..Septicemia (038)	23	10	14	187	307	124.7	.	0	205.7	.	0
...Septicemia-related (038)	67	26	43	517	845	354.4	356.4	0	571.2	553.4	0
..HIV infection (042-044)	40	38	39	1,010	1,393	654.6	776.0	0	869.4	987.8	0
All cancer (140-208)	213	93	156	1,073	2,320	818.0	882.5	0	1734.3	1670.2	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	23	33
..Colorectal cancer (153.0-154.3,154.8,159.0)	24	9	15	93	213	74.7	57.9	0	164.5	115.9	0
...Colon cancer (153)	21	7	12	68	165	53.5	.	0	126.4	.	0
...Rectal cancer (154)	3	2	3	25	48
..Pancreatic cancer (157)	11	1	4	3	25
..Lung and other respiratory cancer (160-165)	45	18	37	185	478	144.7	183.8	0	362.7	371.0	0
...Lung cancer (162.2-.9)	41	17	33	173	438	134.1	167.0	0	331.7	338.8	0
..Female breast cancer (174)	45	30	39	380	713	286.8	206.5	0	527.8	366.7	0
..Cervical cancer (180)	4	2	3	15	43
..Endometrial cancer (182)	3	.	.	0	0
..Ovarian cancer (183)	5	2	4	20	45
..Prostate cancer (185)
..Bladder cancer (188)	4	1	2	3	15
..Brain & other CNS cancer (191-192)	3	2	2	20	40
..Leukemia (204-208)	9	5	7	33	93
Diabetes mellitus (250)	36	12	26	125	295	92.9	135.3	0	217.8	251.1	0
..Diabetes-related (250)	120	31	68	338	830	250.8	337.6	0	612.5	732.2	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43
Alzheimer's diseases (331.0)	4	.	.	0	0
Cardiovascular disease (390-459)	315	89	158	1,576	2,808	1113.3	953.4	0	1967.6	1887.1	0
..Diseases of the heart (390-398,402,404-429)	250	74	128	1,353	2,368	948.0	791.0	0	1647.2	1572.6	0
...Heart disease-related (390-398,402,404-429)	436	147	251	2,493	4,488	1747.9	1936.3	0	3130.6	3342.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	152	36	71	485	1,023	378.7	366.5	0	768.8	849.7	0
...Congestive heart failure (CHF) (428.0)	12	4	7	60	113
..Hypertension with or without renal disease (401,403)	10	3	6	23	70
...Hypertension-related (401,403)	80	25	48	263	615	203.2	229.6	0	462.9	499.3	0
..Cerebrovascular disease (430-438)	42	8	18	170	290	124.2	102.6	0	205.7	203.5	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	26	4	7	20	73	17.0	22.0	0	57.7	78.5	0
..Aortic aneurysm (441)	6	2	4	5	35
Pneumonia & influenza (480-487)	21	6	11	130	218	89.6	109.2	0	145.5	148.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	14	6	10	95	180
..COPD-related (490-496)	47	13	29	185	415	123.6	80.9	0	289.6	149.9	0
..Asthma (493)	4	4	4	85	125

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	8	6	7	95	163
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	4	8	60	115	41.6	64.3	0	79.3	117.9	0
..Nephritis-related (580-589)	87	29	48	390	772	280.1	396.0	0	555.9	720.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	19	5	9	63	128	43.7	83.9	0	89.5	142.2	0
Unintentional injuries (E800-E949)	23	18	19	619	802	418.9	443.1	0	517.4	553.6	0
..Motor vehicle accidents (E810-E825)	6	6	6	240	300
..Falls and fall related injuries (E880-E888)	2	.	1	0	3
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	2	2	2	129	149
Suicide (E950-E959)	1	.	.	0	0
Homicide and legal intervention (E960-E978)	12	12	12	427	547
..Homicide (E960-E969)	12	12	12	427	547
All injury (E800-E999)	38	32	33	1,086	1,409	731.6	817.6	0	904.6	1017.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	6	6	6	240	300
..All falls (E880-E886,E888,E957,E968.1,E987)	2	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	195	245
...Suicide (E955.0-.4)
...Homicide (E965.0-.4)	5	5	5	195	245
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	9	8	8	225	305
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	5	4	4	35	75
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	9	8	8	215	295

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	2,002	1,114	1,513	27,504	40,612	9502.8	8716.7	0	14235.4	13124.0	0
Infectious diseases and parasitic disease (1-139)	223	196	210	4,785	6,810	1457.3	1257.4	0	2044.9	1706.6	0
..Septicemia (038)	50	28	38	561	891	181.7	85.1	0	308.6	138.7	0
...Septicemia-related (038)	143	77	110	1,539	2,451	517.9	508.6	0	857.9	823.3	0
..HIV infection (042-044)	156	152	155	3,852	5,385	1155.7	1066.7	0	1564.8	1415.8	0
All cancer (140-208)	441	199	337	2,553	5,228	1035.6	1037.8	0	2236.0	2192.7	0
..Oral cavity or pharynx (140.0-149.9)	14	9	14	113	230
..Colorectal cancer (153.0-154.3,154.8,159.0)	41	16	27	160	383	74.1	50.4	0	179.3	103.6	0
...Colon cancer (153)	35	13	22	113	295	54.3	39.9	0	143.1	78.1	0
...Rectal cancer (154)	6	3	5	48	88
..Pancreatic cancer (157)	19	4	10	40	105	19.4	21.3	0	51.2	53.2	0
..Lung and other respiratory cancer (160-165)	118	52	100	595	1,355	255.1	295.1	0	609.3	712.4	0
...Lung cancer (162.2-.9)	112	50	94	575	1,295	244.9	259.3	0	579.0	638.3	0
..Female breast cancer (174)	45	30	39	380	713
..Cervical cancer (180)	4	2	3	15	43
..Endometrial cancer (182)	3	.	.	0	0
..Ovarian cancer (183)	5	2	4	20	45
..Prostate cancer (185)	38	2	16	10	100
..Bladder cancer (188)	6	2	4	15	45
..Brain & other CNS cancer (191-192)	6	5	5	38	88
..Leukemia (204-208)	15	10	13	150	263	63.8	.	0	112.7	.	0
Diabetes mellitus (250)	63	24	47	270	613	113.8	147.5	0	274.0	294.2	0
..Diabetes-related (250)	200	60	129	675	1,613	278.8	375.3	0	720.8	837.8	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43
Alzheimer's diseases (331.0)	5	.	.	0	0
Cardiovascular disease (390-459)	650	243	404	3,847	7,084	1474.1	1341.4	0	2867.8	2738.2	0
..Diseases of the heart (390-398,402,404-429)	530	202	333	3,264	5,957	1242.1	1054.8	0	2397.2	2219.8	0
...Heart disease-related (390-398,402,404-429)	969	424	664	7,054	12,504	2587.9	2414.4	0	4854.6	4565.6	0
...Coronary heart disease (CHD) (402,410-414,429.2)	335	111	201	1,318	2,898	555.7	554.8	0	1282.6	1286.9	0
....Congestive heart failure (CHF) (428.0)	18	7	13	98	193	40.5	23.6	0	84.5	44.0	0
..Hypertension with or without renal disease (401,403)	14	5	10	73	150	.	26.4	.	.	57.3	.
...Hypertension-related (401,403)	137	46	91	555	1,238	220.1	317.2	0	533.8	653.9	0
..Cerebrovascular disease (430-438)	81	27	47	403	763	164.5	199.2	0	322.0	351.1	0
..Atherosclerosis (440)	2	1	1	13	23
...Atherosclerosis-related (440)	47	6	15	55	168	24.1	13.4	0	79.0	55.6	0
..Aortic aneurysm (441)	11	3	7	8	53
Pneumonia & influenza (480-487)	45	18	26	528	753	187.5	97.1	0	267.3	160.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	29	14	22	155	335	58.5	50.4	0	141.4	115.8	0
..COPD-related (490-496)	97	30	64	347	847	135.1	95.6	0	373.9	242.9	0
..Asthma (493)	6	6	6	95	155

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	22	18	20	330	525	115.9	79.0	0	185.1	145.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	45	17	27	365	580	115.5	77.3	0	194.0	149.7	0
..Nephritis-related (580-589)	191	77	124	1,357	2,349	466.6	469.4	0	866.8	853.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	50	19	30	375	612	121.1	91.3	0	211.5	175.2	0
Unintentional injuries (E800-E949)	100	87	92	2,696	3,593	919.3	896.4	0	1168.3	1087.7	0
..Motor vehicle accidents (E810-E825)	33	31	33	1,163	1,483	406.8	431.9	0	487.7	507.2	0
..Falls and fall related injuries (E880-E888)	8	5	6	53	105
..Drowning (E830,E832,E910)	7	7	7	313	383
..Residential fires (E890-E899)	5	3	3	194	224
Suicide (E950-E959)	16	13	14	403	535	121.7	140.3	0	153.3	176.9	0
Homicide and legal intervention (E960-E978)	79	76	79	2,952	3,730	1043.6	912.9	0	1234.3	1084.7	0
..Homicide (E960-E969)	78	75	78	2,935	3,702	1036.0	912.9	0	1223.1	1084.7	0
All injury (E800-E999)	205	186	195	6,275	8,183	2156.0	2091.2	0	2657.1	2524.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	33	31	33	1,163	1,483	406.8	410.7	0	487.7	479.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	8	5	5	88	138
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	68	65	67	2,660	3,320	963.6	771.3	0	1121.8	908.0	0
...Suicide (E955.0-.4)	8	6	7	205	268
...Homicide (E965.0-.4)	59	58	59	2,437	3,025	894.7	671.0	0	1035.1	782.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	46	44	45	1,070	1,518	327.5	267.8	0	448.8	335.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	19	16	18	245	420	97.2	110.2	0	166.1	172.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	44	42	43	1,000	1,428	312.6	272.5	0	431.2	342.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	1,141	729	949	18,564	26,959	13500.9	11711.1	0	20091.8	17858.6	0
Infectious diseases and parasitic disease (1-139)	154	142	151	3,411	4,874	2247.1	1839.1	0	3183.3	2569.1	0
..Septicemia (038)	27	18	24	374	584	250.5	160.6	0	428.5	262.3	0
...Septicemia-related (038)	76	51	67	1,022	1,607	743.5	726.1	0	1221.1	1188.4	0
..HIV infection (042-044)	116	114	116	2,842	3,992	1856.6	1549.6	0	2535.7	2118.1	0
All cancer (140-208)	228	106	181	1,480	2,908	1306.4	1270.0	0	2749.6	2820.9	0
..Oral cavity or pharynx (140.0-149.9)	13	8	13	90	198
..Colorectal cancer (153.0-154.3,154.8,159.0)	17	7	12	68	170	70.0	.	0	182.4	.	0
...Colon cancer (153)	14	6	10	45	130
...Rectal cancer (154)	3	1	2	23	40
..Pancreatic cancer (157)	8	3	6	38	80
..Lung and other respiratory cancer (160-165)	73	34	63	410	878	389.9	444.8	0	883.8	1133.2	0
...Lung cancer (162.2-.9)	71	33	61	403	858	380.1	385.8	0	858.8	1008.7	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	38	2	16	10	100	12.9	19.3	0	127.7	144.5	0
..Bladder cancer (188)	2	1	2	13	30
..Brain & other CNS cancer (191-192)	3	3	3	18	48
..Leukemia (204-208)	6	5	6	118	170
Diabetes mellitus (250)	27	12	21	145	318	143.7	162.6	0	325.8	338.3	0
..Diabetes-related (250)	80	29	61	338	783	320.6	417.7	0	800.5	907.8	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	1	.	.	0	0
Cardiovascular disease (390-459)	335	154	246	2,271	4,276	1972.6	1853.2	0	3966.9	3720.6	0
..Diseases of the heart (390-398,402,404-429)	280	128	205	1,911	3,589	1661.2	1401.6	0	3332.2	2958.2	0
...Heart disease-related (390-398,402,404-429)	533	277	413	4,562	8,017	3699.7	3092.8	0	6949.5	6070.6	0
...Coronary heart disease (CHD) (402,410-414,429.2)	183	75	130	833	1,875	796.2	776.9	0	1902.2	1752.8	0
....Congestive heart failure (CHF) (428.0)	6	3	6	38	80
..Hypertension with or without renal disease (401,403)	4	2	4	50	80
...Hypertension-related (401,403)	57	21	43	293	623	240.9	425.7	0	584.4	806.9	0
..Cerebrovascular disease (430-438)	39	19	29	233	473	215.2	323.8	0	461.7	524.2	0
...Atherosclerosis (440)	1	1	1	13	23
...Atherosclerosis-related (440)	21	2	8	35	95	30.5	.	0	96.0	.	0
..Aortic aneurysm (441)	5	1	3	3	18
Pneumonia & influenza (480-487)	24	12	15	398	536	292.8	87.7	0	399.9	181.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	15	8	12	60	155	62.8	52.5	0	169.1	146.3	0
..COPD-related (490-496)	50	17	35	163	433	158.2	119.6	0	459.7	363.2	0
..Asthma (493)	2	2	2	10	30

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	14	12	13	235	363
Nephritis, nephrotic syndrome/nephrosis (580-589)	27	13	19	305	465	202.4	.	0	327.4	.	0
..Nephritis-related (580-589)	104	48	76	967	1,577	685.1	557.4	0	1205.6	979.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	31	14	21	312	485	212.2	115.0	0	352.5	228.8	0
Unintentional injuries (E800-E949)	77	69	73	2,077	2,792	1468.8	1384.9	0	1907.5	1677.7	0
..Motor vehicle accidents (E810-E825)	27	25	27	923	1,183	638.9	613.9	0	778.2	733.2	0
..Falls and fall related injuries (E880-E888)	6	5	5	53	103
..Drowning (E830,E832,E910)	7	7	7	313	383
..Residential fires (E890-E899)	3	1	1	65	75
Suicide (E950-E959)	15	13	14	403	535	255.4	.	0	323.5	.	0
Homicide and legal intervention (E960-E978)	67	64	67	2,525	3,183	1831.1	1579.5	0	2170.9	1889.4	0
..Homicide (E960-E969)	66	63	66	2,508	3,155	1814.1	1579.5	0	2145.9	1889.4	0
All injury (E800-E999)	167	154	162	5,189	6,774	3676.9	3462.8	0	4575.8	4177.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	27	25	27	923	1,183	638.9	572.6	0	778.2	676.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	5	5	88	138
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	63	60	62	2,465	3,075	1795.4	1484.0	0	2094.6	1751.2	0
...Suicide (E955.0-.4)	8	6	7	205	268
...Homicide (E965.0-.4)	54	53	54	2,243	2,780	1651.4	1275.9	0	1912.1	1488.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	37	36	37	845	1,213	565.0	422.8	0	791.8	524.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	12	14	210	345	.	165.7	.	.	266.0	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	35	34	35	785	1,133	533.3	442.3	0	752.1	560.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	861	385	564	8,941	13,653	5866.4	6044.2	0	9087.5	9033.5	0
Infectious diseases and parasitic disease (1-139)	69	54	59	1,374	1,937	775.9	761.2	0	1075.8	979.9	0
..Septicemia (038)	23	10	14	187	307	119.5	.	0	205.7	.	0
...Septicemia-related (038)	67	26	43	517	845	326.9	324.6	0	555.9	521.1	0
..HIV infection (042-044)	40	38	39	1,010	1,393	551.3	653.6	0	735.4	820.8	0
All cancer (140-208)	213	93	156	1,073	2,320	808.8	851.5	0	1825.2	1697.3	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	23	33
..Colorectal cancer (153.0-154.3,154.8,159.0)	24	9	15	93	213	77.3	54.8	0	177.2	117.3	0
...Colon cancer (153)	21	7	12	68	165	55.5	.	0	138.0	.	0
...Rectal cancer (154)	3	2	3	25	48
..Pancreatic cancer (157)	11	1	4	3	25
..Lung and other respiratory cancer (160-165)	45	18	37	185	478	146.6	173.9	0	394.8	376.4	0
...Lung cancer (162.2-.9)	41	17	33	173	438	135.7	156.9	0	360.4	342.9	0
..Female breast cancer (174)	45	30	39	380	713	279.0	192.6	0	534.4	358.6	0
..Cervical cancer (180)	4	2	3	15	43
..Endometrial cancer (182)	3	.	.	0	0
..Ovarian cancer (183)	5	2	4	20	45
..Prostate cancer (185)
..Bladder cancer (188)	4	1	2	3	15
..Brain & other CNS cancer (191-192)	3	2	2	20	40
..Leukemia (204-208)	9	5	7	33	93
Diabetes mellitus (250)	36	12	26	125	295	90.2	133.7	0	233.0	256.1	0
..Diabetes-related (250)	120	31	68	338	830	245.1	336.0	0	658.1	774.8	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43
Alzheimer's diseases (331.0)	4	.	.	0	0
Cardiovascular disease (390-459)	315	89	158	1,576	2,808	1080.7	908.8	0	2011.9	1935.0	0
..Diseases of the heart (390-398,402,404-429)	250	74	128	1,353	2,368	908.4	765.0	0	1666.1	1624.6	0
...Heart disease-related (390-398,402,404-429)	436	147	251	2,493	4,488	1666.4	1858.7	0	3165.2	3360.8	0
...Coronary heart disease (CHD) (402,410-414,429.2)	152	36	71	485	1,023	373.1	369.7	0	809.4	913.4	0
...Congestive heart failure (CHF) (428.0)	12	4	7	60	113
..Hypertension with or without renal disease (401,403)	10	3	6	23	70
...Hypertension-related (401,403)	80	25	48	263	615	201.7	225.7	0	493.8	525.2	0
..Cerebrovascular disease (430-438)	42	8	18	170	290	129.5	90.8	0	218.2	202.6	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	26	4	7	20	73	18.7	24.2	0	66.5	91.2	0
..Aortic aneurysm (441)	6	2	4	5	35
Pneumonia & influenza (480-487)	21	6	11	130	218	80.7	113.6	0	137.1	154.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	14	6	10	95	180
..COPD-related (490-496)	47	13	29	185	415	122.5	75.6	0	314.8	149.9	0
..Asthma (493)	4	4	4	85	125

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	8	6	7	95	163
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	4	8	60	115	37.8	58.0	0	79.0	115.3	0
..Nephritis-related (580-589)	87	29	48	390	772	276.6	395.4	0	581.5	747.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	19	5	9	63	128	40.4	72.6	0	91.2	133.2	0
Unintentional injuries (E800-E949)	23	18	19	619	802	411.4	420.3	0	498.8	519.3	0
..Motor vehicle accidents (E810-E825)	6	6	6	240	300
..Falls and fall related injuries (E880-E888)	2	.	1	0	3
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	2	2	2	129	149
Suicide (E950-E959)	1	.	.	0	0
Homicide and legal intervention (E960-E978)	12	12	12	427	547
..Homicide (E960-E969)	12	12	12	427	547
All injury (E800-E999)	38	32	33	1,086	1,409	690.9	758.3	0	838.3	933.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	6	6	6	240	300
..All falls (E880-E886,E888,E957,E968.1,E987)	2	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	195	245
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	5	5	5	195	245
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	9	8	8	225	305
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	5	4	4	35	75
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	9	8	8	215	295

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	2,002	1,114	1,513	27,504	40,612	10177.5	9449.8	0	15275.1	14195.1	0
Infectious diseases and parasitic disease (1-139)	223	196	210	4,785	6,810	1834.4	1591.4	0	2527.4	2138.3	0
..Septicemia (038)	50	28	38	561	891	211.0	109.6	0	346.3	172.2	0
...Septicemia-related (038)	143	77	110	1,539	2,451	631.1	629.7	0	1010.2	986.0	0
..HIV infection (042-044)	156	152	155	3,852	5,385	1480.8	1365.8	0	1979.9	1799.0	0
All cancer (140-208)	441	199	337	2,553	5,228	1228.7	1252.9	0	2515.8	2482.9	0
..Oral cavity or pharynx (140.0-149.9)	14	9	14	113	230
..Colorectal cancer (153.0-154.3,154.8,159.0)	41	16	27	160	383	87.1	63.3	0	198.6	122.1	0
...Colon cancer (153)	35	13	22	113	295	61.8	51.5	0	154.0	94.3	0
...Rectal cancer (154)	6	3	5	48	88
..Pancreatic cancer (157)	19	4	10	40	105	22.4	26.5	0	56.8	60.9	0
..Lung and other respiratory cancer (160-165)	118	52	100	595	1,355	302.6	352.4	0	681.6	784.6	0
...Lung cancer (162.2-.9)	112	50	94	575	1,295	291.1	309.9	0	648.6	701.7	0
..Female breast cancer (174)	45	30	39	380	713
..Cervical cancer (180)	4	2	3	15	43
..Endometrial cancer (182)	3	.	.	0	0
..Ovarian cancer (183)	5	2	4	20	45
..Prostate cancer (185)	38	2	16	10	100
..Bladder cancer (188)	6	2	4	15	45
..Brain & other CNS cancer (191-192)	6	5	5	38	88
..Leukemia (204-208)	15	10	13	150	263	66.5	.	0	117.0	.	0
Diabetes mellitus (250)	63	24	47	270	613	135.7	183.5	0	307.1	343.1	0
..Diabetes-related (250)	200	60	129	675	1,613	335.2	454.5	0	806.0	949.6	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43
Alzheimer's diseases (331.0)	5	.	.	0	0
Cardiovascular disease (390-459)	650	243	404	3,847	7,084	1697.1	1620.9	0	3194.8	3124.2	0
..Diseases of the heart (390-398,402,404-429)	530	202	333	3,264	5,957	1420.8	1257.2	0	2658.9	2500.1	0
...Heart disease-related (390-398,402,404-429)	969	424	664	7,054	12,504	3052.6	2870.8	0	5508.2	5196.9	0
...Coronary heart disease (CHD) (402,410-414,429.2)	335	111	201	1,318	2,898	658.6	664.8	0	1433.6	1445.5	0
....Congestive heart failure (CHF) (428.0)	18	7	13	98	193	41.8	20.2	0	87.7	39.7	0
..Hypertension with or without renal disease (401,403)	14	5	10	73	150	.	32.5	.	.	65.6	.
...Hypertension-related (401,403)	137	46	91	555	1,238	268.3	388.7	0	604.0	751.2	0
..Cerebrovascular disease (430-438)	81	27	47	403	763	191.2	248.7	0	362.7	420.8	0
..Atherosclerosis (440)	2	1	1	13	23
...Atherosclerosis-related (440)	47	6	15	55	168	29.4	14.5	0	87.1	58.3	0
..Aortic aneurysm (441)	11	3	7	8	53
Pneumonia & influenza (480-487)	45	18	26	528	753	195.1	107.4	0	282.5	176.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	29	14	22	155	335	66.1	61.7	0	151.4	130.2	0
..COPD-related (490-496)	97	30	64	347	847	149.6	114.2	0	395.9	269.5	0
..Asthma (493)	6	6	6	95	155

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	22	18	20	330	525	151.0	101.4	0	231.1	175.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	45	17	27	365	580	147.8	99.2	0	237.1	179.1	0
..Nephritis-related (580-589)	191	77	124	1,357	2,349	572.8	568.9	0	1012.0	993.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	50	19	30	375	612	153.5	116.7	0	254.6	209.6	0
Unintentional injuries (E800-E949)	100	87	92	2,696	3,593	958.7	871.8	0	1230.2	1070.0	0
..Motor vehicle accidents (E810-E825)	33	31	33	1,163	1,483	375.9	383.2	0	454.4	451.9	0
..Falls and fall related injuries (E880-E888)	8	5	6	53	105
..Drowning (E830,E832,E910)	7	7	7	313	383
..Residential fires (E890-E899)	5	3	3	194	224
Suicide (E950-E959)	16	13	14	403	535	138.6	142.3	0	175.7	180.0	0
Homicide and legal intervention (E960-E978)	79	76	79	2,952	3,730	957.6	860.2	0	1136.0	1026.1	0
..Homicide (E960-E969)	78	75	78	2,935	3,702	948.1	860.2	0	1122.1	1026.1	0
All injury (E800-E999)	205	186	195	6,275	8,183	2145.3	2037.2	0	2667.7	2479.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	33	31	33	1,163	1,483	375.9	366.3	0	454.4	428.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	8	5	5	88	138
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	68	65	67	2,660	3,320	861.0	714.6	0	1003.4	844.2	0
....Suicide (E955.0-.4)	8	6	7	205	268
....Homicide (E965.0-.4)	59	58	59	2,437	3,025	785.0	610.6	0	907.1	713.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	46	44	45	1,070	1,518	435.4	320.9	0	587.8	402.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	19	16	18	245	420	119.2	141.5	0	197.0	215.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	44	42	43	1,000	1,428	415.5	329.4	0	564.3	414.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	1,141	729	949	18,564	26,959	14581.5	12884.9	0	21731.4	19531.5	0
Infectious diseases and parasitic disease (1-139)	154	142	151	3,411	4,874	2881.6	2381.0	0	3998.0	3271.4	0
..Septicemia (038)	27	18	24	374	584	293.2	205.1	0	483.1	324.0	0
...Septicemia-related (038)	76	51	67	1,022	1,607	928.0	903.8	0	1468.0	1428.6	0
..HIV infection (042-044)	116	114	116	2,842	3,992	2417.5	2029.4	0	3255.8	2734.5	0
All cancer (140-208)	228	106	181	1,480	2,908	1567.1	1508.2	0	3131.6	3149.2	0
..Oral cavity or pharynx (140.0-149.9)	13	8	13	90	198
..Colorectal cancer (153.0-154.3,154.8,159.0)	17	7	12	68	170	82.3	.	0	200.2	.	0
...Colon cancer (153)	14	6	10	45	130
...Rectal cancer (154)	3	1	2	23	40
..Pancreatic cancer (157)	8	3	6	38	80
..Lung and other respiratory cancer (160-165)	73	34	63	410	878	471.1	515.1	0	1008.6	1222.2	0
...Lung cancer (162.2-.9)	71	33	61	403	858	461.2	445.4	0	982.5	1083.2	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	38	2	16	10	100	12.9	19.0	0	133.9	149.5	0
..Bladder cancer (188)	2	1	2	13	30
..Brain & other CNS cancer (191-192)	3	3	3	18	48
..Leukemia (204-208)	6	5	6	118	170
Diabetes mellitus (250)	27	12	21	145	318	173.8	204.0	0	369.6	390.8	0
..Diabetes-related (250)	80	29	61	338	783	394.3	500.2	0	912.4	1020.3	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	1	.	.	0	0
Cardiovascular disease (390-459)	335	154	246	2,271	4,276	2307.8	2234.8	0	4459.0	4248.6	0
..Diseases of the heart (390-398,402,404-429)	280	128	205	1,911	3,589	1924.3	1669.7	0	3721.7	3332.1	0
...Heart disease-related (390-398,402,404-429)	533	277	413	4,562	8,017	4413.1	3741.1	0	7955.6	6958.4	0
...Coronary heart disease (CHD) (402,410-414,429.2)	183	75	130	833	1,875	963.2	931.4	0	2145.7	1977.8	0
...Congestive heart failure (CHF) (428.0)	6	3	6	38	80
..Hypertension with or without renal disease (401,403)	4	2	4	50	80
...Hypertension-related (401,403)	57	21	43	293	623	293.0	518.7	0	659.8	933.2	0
..Cerebrovascular disease (430-438)	39	19	29	233	473	257.9	399.1	0	522.0	629.3	0
...Atherosclerosis (440)	1	1	1	13	23
...Atherosclerosis-related (440)	21	2	8	35	95	40.3	.	0	111.4	.	0
..Aortic aneurysm (441)	5	1	3	3	18
Pneumonia & influenza (480-487)	24	12	15	398	536	274.0	117.2	0	383.6	222.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	15	8	12	60	155	72.2	57.3	0	182.0	152.2	0
..COPD-related (490-496)	50	17	35	163	433	188.3	130.8	0	504.5	382.2	0
..Asthma (493)	2	2	2	10	30

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	14	12	13	235	363
Nephritis, nephrotic syndrome/nephrosis (580-589)	27	13	19	305	465	257.5	.	0	400.3	.	0
..Nephritis-related (580-589)	104	48	76	967	1,577	868.2	716.9	0	1454.6	1194.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	31	14	21	312	485	267.4	149.0	0	426.3	275.6	0
Unintentional injuries (E800-E949)	77	69	73	2,077	2,792	1553.6	1349.6	0	2032.6	1654.9	0
..Motor vehicle accidents (E810-E825)	27	25	27	923	1,183	600.8	546.4	0	737.5	657.8	0
..Falls and fall related injuries (E880-E888)	6	5	5	53	103
..Drowning (E830,E832,E910)	7	7	7	313	383
..Residential fires (E890-E899)	3	1	1	65	75
Suicide (E950-E959)	15	13	14	403	535	293.1	.	0	373.5	.	0
Homicide and legal intervention (E960-E978)	67	64	67	2,525	3,183	1647.9	1487.7	0	1959.0	1787.3	0
..Homicide (E960-E969)	66	63	66	2,508	3,155	1626.7	1487.7	0	1927.9	1787.3	0
All injury (E800-E999)	167	154	162	5,189	6,774	3646.2	3375.6	0	4576.8	4106.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	27	25	27	923	1,183	600.8	513.6	0	737.5	611.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	5	5	88	138
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	63	60	62	2,465	3,075	1591.5	1380.4	0	1857.6	1635.4	0
...Suicide (E955.0-.4)	8	6	7	205	268
...Homicide (E965.0-.4)	54	53	54	2,243	2,780	1431.4	1163.3	0	1653.1	1360.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	37	36	37	845	1,213	757.0	509.4	0	1039.3	636.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	12	14	210	345	.	217.3	.	.	336.9	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	35	34	35	785	1,133	712.1	537.2	0	983.5	681.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	861	385	564	8,941	13,653	6247.7	6427.4	0	9684.4	9628.2	0
Infectious diseases and parasitic disease (1-139)	69	54	59	1,374	1,937	934.6	917.1	0	1276.8	1180.9	0
..Septicemia (038)	23	10	14	187	307	137.8	.	0	229.5	.	0
...Septicemia-related (038)	67	26	43	517	845	380.4	398.2	0	629.2	619.5	0
..HIV infection (042-044)	40	38	39	1,010	1,393	676.1	798.5	0	891.7	1005.2	0
All cancer (140-208)	213	93	156	1,073	2,320	946.5	1047.2	0	2022.7	1958.2	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	23	33
..Colorectal cancer (153.0-154.3,154.8,159.0)	24	9	15	93	213	91.0	70.6	0	197.5	138.8	0
...Colon cancer (153)	21	7	12	68	165	65.2	.	0	151.4	.	0
...Rectal cancer (154)	3	2	3	25	48
..Pancreatic cancer (157)	11	1	4	3	25
..Lung and other respiratory cancer (160-165)	45	18	37	185	478	165.9	220.7	0	424.8	436.0	0
...Lung cancer (162.2-.9)	41	17	33	173	438	153.0	200.2	0	386.3	398.2	0
..Female breast cancer (174)	45	30	39	380	713	337.1	250.6	0	614.6	432.9	0
..Cervical cancer (180)	4	2	3	15	43
..Endometrial cancer (182)	3	.	.	0	0
..Ovarian cancer (183)	5	2	4	20	45
..Prostate cancer (185)
..Bladder cancer (188)	4	1	2	3	15
..Brain & other CNS cancer (191-192)	3	2	2	20	40
..Leukemia (204-208)	9	5	7	33	93
Diabetes mellitus (250)	36	12	26	125	295	105.7	164.6	0	257.4	301.4	0
..Diabetes-related (250)	120	31	68	338	830	287.8	412.1	0	722.2	885.2	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43
Alzheimer's diseases (331.0)	4	.	.	0	0
Cardiovascular disease (390-459)	315	89	158	1,576	2,808	1210.6	1102.0	0	2204.5	2203.4	0
..Diseases of the heart (390-398,402,404-429)	250	74	128	1,353	2,368	1018.6	911.8	0	1825.8	1827.7	0
...Heart disease-related (390-398,402,404-429)	436	147	251	2,493	4,488	1925.7	2150.6	0	3531.4	3776.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	152	36	71	485	1,023	421.4	442.2	0	883.3	1017.7	0
...Congestive heart failure (CHF) (428.0)	12	4	7	60	113
..Hypertension with or without renal disease (401,403)	10	3	6	23	70
...Hypertension-related (401,403)	80	25	48	263	615	246.3	279.2	0	559.2	598.2	0
..Cerebrovascular disease (430-438)	42	8	18	170	290	141.7	118.8	0	241.3	242.9	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	26	4	7	20	73	20.2	26.1	0	68.6	95.7	0
..Aortic aneurysm (441)	6	2	4	5	35
Pneumonia & influenza (480-487)	21	6	11	130	218	114.2	106.0	0	182.7	148.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	14	6	10	95	180
..COPD-related (490-496)	47	13	29	185	415	123.6	100.3	0	317.6	183.5	0
..Asthma (493)	4	4	4	85	125

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	8	6	7	95	163
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	4	8	60	115	51.0	72.0	0	97.1	134.5	0
..Nephritis-related (580-589)	87	29	48	390	772	317.1	442.5	0	639.2	822.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	19	5	9	63	128	53.5	91.1	0	108.5	157.7	0
Unintentional injuries (E800-E949)	23	18	19	619	802	419.0	416.1	0	515.4	519.4	0
..Motor vehicle accidents (E810-E825)	6	6	6	240	300
..Falls and fall related injuries (E880-E888)	2	.	1	0	3
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	2	2	2	129	149
Suicide (E950-E959)	1	.	.	0	0
Homicide and legal intervention (E960-E978)	12	12	12	427	547
..Homicide (E960-E969)	12	12	12	427	547
All injury (E800-E999)	38	32	33	1,086	1,409	726.0	760.3	0	891.6	942.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	6	6	6	240	300
..All falls (E880-E886,E888,E957,E968.1,E987)	2	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	195	245
...Suicide (E955.0-.4)
...Homicide (E965.0-.4)	5	5	5	195	245
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	9	8	8	225	305
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	5	4	4	35	75
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	9	8	8	215	295

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).