

# Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Black Residents, 1994

Page

## Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Black Residents, 1994

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

## Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Black Residents, 1994

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Black Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1994*****				*****1994*****				*****1994*****						
	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR
*****Causes of Death*****															
All causes	2,239	763.5	773.6	0	711.7	1,266	906.9	1054.5	0	967.4	973	633.2	555.2	0	511.3
Infectious diseases and parasitic disease (1-139)	291	99.2	96.4	0	96.5	205	146.8	151.2	0	147.9	86	56.0	51.1	0	54.1
..Septicemia (038)	38	13.0	12.5	0	11.4	13	9.3	.	.	12.8	25	16.3	13.2	0	10.7
....Septicemia-related (038)	144	49.1	49.2	0	39.7	67	48.0	58.2	0	50.3	77	50.1	42.6	0	33.0
..HIV infection (042-044)	230	78.4	76.0	0	74.1	176	126.1	127.1	0	119.0	54	35.1	33.3	0	36.3
All cancer (140-208)	461	157.2	173.1	0	154.9	246	176.2	230.1	0	214.7	215	139.9	132.7	0	114.9
..Oral cavity or pharynx (140.0-149.9)	12	4.1	.	.	.	8	5.7	.	.	.	4	2.6	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	46	15.7	16.4	0	14.2	25	17.9	23.6	0	15.4	21	13.7	10.8	0	13.3
....Colon cancer (153)	39	13.3	13.6	0	12.4	19	13.6	17.9	0	.	20	13.0	10.3	0	11.8
....Rectal cancer (154)	7	2.4	.	.	.	6	4.3	.	.	.	1	0.7	.	.	.
..Pancreatic cancer (157)	36	12.3	13.1	0	11.5	17	12.2	16.0	0	16.1	19	12.4	10.7	0	.
..Lung and other respiratory cancer (160-165)	118	40.2	46.0	0	38.3	76	54.4	71.8	0	62.6	42	27.3	27.5	0	21.0
....Lung cancer (162.2-.9)	108	36.8	42.2	0	36.1	68	48.7	64.3	0	58.8	40	26.0	26.3	0	20.2
..Malignant melanoma of skin (172)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.7	.	.	.
..Female breast cancer (174)	49	.	.	.	.	.	.	.	.	.	49	31.9	31.4	0	21.0
..Cervical cancer (180)	7	.	.	.	.	.	.	.	.	.	7	4.6	.	.	.
..Endometrial cancer (182)	3	.	.	.	.	.	.	.	.	.	3	2.0	.	.	.
..Ovarian cancer (183)	7	.	.	.	.	.	.	.	.	.	7	4.6	.	.	.
..Prostate cancer (185)	33	.	.	.	.	33	23.6	30.5	0	36.0	.	.	.	.	.
..Bladder cancer (188)	6	2.0	.	.	.	5	3.6	.	.	.	1	0.7	.	.	.
..Brain & other CNS cancer (191-192)	2	0.7	.	.	.	.	.	.	.	.	2	1.3	.	.	.
..Leukemia (204-208)	12	4.1	.	.	.	4	2.9	.	.	.	8	5.2	.	.	.
Diabetes mellitus (250)	69	23.5	24.0	0	20.7	33	23.6	29.1	0	22.2	36	23.4	20.3	0	20.4
..Diabetes-related (250)	208	70.9	73.9	0	75.3	98	70.2	88.4	0	78.8	110	71.6	64.4	0	73.8
..Diabetic ketoacidosis (DKA) (250.1)	3	1.0	.	.	.	3	2.1	.	.	.	.	.	.	.	.
Alzheimer's diseases (331.0)	9	3.1	.	.	.	3	2.1	.	.	.	6	3.9	.	.	.
Cardiovascular disease (390-459)	719	245.2	246.5	0	220.8	371	265.8	333.3	0	269.0	348	226.5	183.9	0	185.0
..Diseases of the heart (390-398,402,404-429)	563	192.0	193.8	0	170.0	286	204.9	257.5	0	211.8	277	180.3	148.3	0	139.8
....Heart disease-related (390-398,402,404-429)	1,119	381.6	387.2	0	343.0	576	412.6	504.2	0	428.5	543	353.4	299.9	0	279.9
....Coronary heart disease (CHD) (402,410-414,429.2)	379	129.2	130.0	0	105.0	191	136.8	174.1	0	136.3	188	122.4	99.2	0	80.5
....Congestive heart failure (CHF) (428.0)	10	3.4	.	.	7.3	5	3.6	.	.	.	5	3.3	.	.	.
....Hypertension with or without renal disease (401,403)	7	2.4	.	.	5.8	3	2.1	.	.	.	4	2.6	.	.	.
....Hypertension-related (401,403)	175	59.7	61.4	0	53.5	85	60.9	76.8	0	54.5	90	58.6	49.3	0	50.6
..Cerebrovascular disease (430-438)	120	40.9	41.8	0	33.3	69	49.4	62.0	1	34.2	51	33.2	26.6	0	31.8
..Atherosclerosis (440)	12	4.1	.	.	.	6	4.3	.	.	.	6	3.9	.	.	.
....Atherosclerosis-related (440)	58	19.8	18.4	0	10.4	30	21.5	27.3	0	13.2	28	18.2	12.6	0	8.8
..Aortic aneurysm (441)	3	1.0	.	.	5.3	2	1.4	.	.	.	1	0.7	.	.	.
Pneumonia & influenza (480-487)	62	21.1	20.1	1	10.2	38	27.2	31.1	1	14.0	24	15.6	12.0	0	7.1

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Black Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1994*****				*****1994*****				*****1994*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	40	13.6	13.7	0	17.9	26	18.6	21.7	0	23.6	14	9.1	.	.	14.0
..COPD-related (490-496)	111	37.9	38.3	0	37.7	64	45.8	54.9	0	51.4	47	30.6	27.0	0	28.7
..Asthma (493)	8	2.7	.	.	.	7	5.0	.	.	.	1	0.7	.	.	.
Chronic liver disease and cirrhosis (571)	20	6.8	7.5	0	9.5	9	6.4	.	.	.	11	7.2	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	36	12.3	12.9	0	11.8	16	11.5	13.8	0	13.5	20	13.0	11.5	0	9.9
..Nephritis-related (580-589)	168	57.3	58.9	0	54.7	92	65.9	78.1	0	65.7	76	49.5	44.7	0	46.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	16.0	16.5	0	12.6	21	15.0	17.9	0	14.8	26	16.9	14.7	0	10.2
Unintentional injuries (E800-E949)	108	36.8	37.3	0	32.3	75	53.7	57.3	0	51.5	33	21.5	20.0	0	15.0
..Motor vehicle accidents (E810-E825)	31	10.6	10.9	0	11.4	25	17.9	19.0	0	17.3	6	3.9	.	.	.
..Falls and fall related injuries (E880-E888)	9	3.1	.	.	.	5	3.6	.	.	.	4	2.6	.	.	.
..Drowning (E830,E832,E910)	8	2.7	.	.	.	6	4.3	.	.	.	2	1.3	.	.	.
..Residential fires (E890-E899)	8	2.7	.	.	.	3	2.1	.	.	.	5	3.3	.	.	.
Suicide (E950-E959)	21	7.2	7.2	0	6.0	18	12.9	13.0	0	11.9	3	2.0	.	.	.
Homicide and legal intervention (E960-E978)	92	31.4	31.6	0	33.7	73	52.3	51.9	0	56.8	19	12.4	11.6	0	11.6
..Homicide (E960-E969)	92	31.4	31.6	0	33.4	73	52.3	51.9	0	56.2	19	12.4	11.6	0	11.6
All injury (E800-E999)	222	75.7	76.4	0	74.9	166	118.9	122.3	0	126.2	56	36.4	34.2	0	27.9
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	10.6	10.9	0	11.4	25	17.9	19.0	0	17.3	6	3.9	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	9	3.1	.	.	.	6	4.3	.	.	.	3	2.0	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	87	29.7	30.7	0	29.2	77	55.2	55.8	0	54.9	10	6.5	.	.	.
....Suicide (E955.0-.4)	11	3.8	.	.	.	10	7.2	.	.	.	1	0.7	.	.	.
....Homicide (E965.0-.4)	72	24.6	25.0	0	25.2	63	45.1	45.3	0	46.6	9	5.9	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	10.2	10.1	0	15.5	19	13.6	14.0	0	26.4	11	7.2	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	4.8	.	.	11.2	10	7.2	.	.	19.3	4	2.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	32	10.9	10.7	0	13.8	21	15.0	15.3	0	22.9	11	7.2	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Black Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

*****Causes of Death*****	Both Sexes					Male					Female				
	*****1994*****					*****1994*****					*****1994*****				
	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR
All causes	2,239	763.5	957.8	1	876.2	1,266	906.9	1272.6	0	1164.3	973	633.2	722.4	0	661.9
Infectious diseases and parasitic disease (1-139)	291	99.2	92.1	0	90.5	205	146.8	140.6	0	137.5	86	56.0	52.3	0	52.8
..Septicemia (038)	38	13.0	17.6	0	15.5	13	9.3	.	0	18.5	25	16.3	18.6	0	14.1
....Septicemia-related (038)	144	49.1	63.9	0	52.8	67	48.0	73.2	0	70.0	77	50.1	56.4	0	43.3
..HIV infection (042-044)	230	78.4	66.2	0	63.1	176	126.1	111.2	0	102.1	54	35.1	28.9	0	30.6
All cancer (140-208)	461	157.2	221.0	0	199.5	246	176.2	294.7	0	284.5	215	139.9	169.2	0	145.7
..Oral cavity or pharynx (140.0-149.9)	12	4.1	.	.	.	8	5.7	.	.	.	4	2.6	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	46	15.7	22.8	0	17.3	25	17.9	29.9	0	18.3	21	13.7	16.7	0	16.5
....Colon cancer (153)	39	13.3	19.5	0	14.7	19	13.6	23.6	0	.	20	13.0	15.9	0	14.0
....Rectal cancer (154)	7	2.4	.	.	.	6	4.3	.	.	.	1	0.7	.	.	.
..Pancreatic cancer (157)	36	12.3	17.8	0	15.4	17	12.2	19.7	0	20.1	19	12.4	15.5	0	.
..Lung and other respiratory cancer (160-165)	118	40.2	57.7	0	47.2	76	54.4	89.9	0	79.7	42	27.3	35.1	0	25.2
....Lung cancer (162.2-.9)	108	36.8	52.8	0	44.9	68	48.7	80.1	0	75.7	40	26.0	33.6	0	24.3
..Malignant melanoma of skin (172)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.7	.	.	.
..Female breast cancer (174)	49	.	.	.	.	.	.	.	.	.	49	31.9	36.5	0	25.0
..Cervical cancer (180)	7	.	.	.	.	.	.	.	.	.	7	4.6	.	.	.
..Endometrial cancer (182)	3	.	.	.	.	.	.	.	.	.	3	2.0	.	.	.
..Ovarian cancer (183)	7	.	.	.	.	.	.	.	.	.	7	4.6	.	.	.
..Prostate cancer (185)	33	.	.	.	.	33	23.6	44.6	0	60.5	.	.	.	.	.
..Bladder cancer (188)	6	2.0	.	.	.	5	3.6	.	.	.	1	0.7	.	.	.
..Brain & other CNS cancer (191-192)	2	0.7	.	.	.	.	.	.	.	.	2	1.3	.	.	.
..Leukemia (204-208)	12	4.1	.	.	.	4	2.9	.	.	.	8	5.2	.	.	.
Diabetes mellitus (250)	69	23.5	33.1	0	28.5	33	23.6	38.5	0	31.9	36	23.4	29.5	0	27.3
..Diabetes-related (250)	208	70.9	101.3	0	102.9	98	70.2	121.6	0	110.4	110	71.6	88.8	0	99.8
..Diabetic ketoacidosis (DKA) (250.1)	3	1.0	.	.	.	3	2.1	.	.	.	.	.	.	.	.
Alzheimer's diseases (331.0)	9	3.1	.	.	.	3	2.1	.	.	.	6	3.9	.	.	.
Cardiovascular disease (390-459)	719	245.2	344.4	0	310.3	371	265.8	450.6	0	368.8	348	226.5	270.3	0	268.5
..Diseases of the heart (390-398,402,404-429)	563	192.0	271.4	0	237.5	286	204.9	350.0	0	291.2	277	180.3	217.2	0	201.0
....Heart disease-related (390-398,402,404-429)	1,119	381.6	517.3	0	459.0	576	412.6	651.8	0	563.2	543	353.4	419.6	0	386.1
....Coronary heart disease (CHD) (402,410-414,429.2)	379	129.2	186.5	0	150.7	191	136.8	243.6	0	185.2	188	122.4	148.4	0	123.6
....Congestive heart failure (CHF) (428.0)	10	3.4	.	.	10.6	5	3.6	.	.	.	5	3.3	.	.	.
....Hypertension with or without renal disease (401,403)	7	2.4	.	.	7.4	3	2.1	.	.	.	4	2.6	.	.	.
....Hypertension-related (401,403)	175	59.7	82.8	0	73.0	85	60.9	99.3	0	67.8	90	58.6	69.9	0	72.6
..Cerebrovascular disease (430-438)	120	40.9	56.0	0	49.9	69	49.4	79.4	0	47.4	51	33.2	38.8	0	49.4
..Atherosclerosis (440)	12	4.1	.	.	.	6	4.3	.	.	.	6	3.9	.	.	.
....Atherosclerosis-related (440)	58	19.8	30.6	0	18.2	30	21.5	44.0	0	23.4	28	18.2	22.3	0	15.6
..Aortic aneurysm (441)	3	1.0	.	.	7.2	2	1.4	.	.	.	1	0.7	.	.	.
Pneumonia & influenza (480-487)	62	21.1	26.2	1	14.2	38	27.2	40.1	0	18.2	24	15.6	16.7	0	11.1

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Black Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1994*****				*****1994*****				*****1994*****						
	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	40	13.6	19.3	0	23.3	26	18.6	32.8	0	30.9	14	9.1	.	.	18.0
..COPD-related (490-496)	111	37.9	53.2	0	52.8	64	45.8	78.4	0	73.4	47	30.6	38.2	0	40.3
..Asthma (493)	8	2.7	.	.	.	7	5.0	.	.	.	1	0.7	.	.	.
Chronic liver disease and cirrhosis (571)	20	6.8	8.3	0	10.3	9	6.4	.	.	.	11	7.2	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	36	12.3	16.7	0	17.8	16	11.5	15.5	0	18.2	20	13.0	16.3	0	16.7
..Nephritis-related (580-589)	168	57.3	75.0	0	72.1	92	65.9	97.2	0	84.2	76	49.5	59.6	0	64.0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	16.0	21.3	0	18.8	21	15.0	20.0	0	19.2	26	16.9	20.6	0	17.4
Unintentional injuries (E800-E949)	108	36.8	37.0	0	32.8	75	53.7	56.4	0	50.0	33	21.5	20.7	0	16.9
..Motor vehicle accidents (E810-E825)	31	10.6	10.2	0	11.4	25	17.9	18.3	0	16.9	6	3.9	.	.	.
..Falls and fall related injuries (E880-E888)	9	3.1	.	.	.	5	3.6	.	.	.	4	2.6	.	.	.
..Drowning (E830,E832,E910)	8	2.7	.	.	.	6	4.3	.	.	.	2	1.3	.	.	.
..Residential fires (E890-E899)	8	2.7	.	.	.	3	2.1	.	.	.	5	3.3	.	.	.
Suicide (E950-E959)	21	7.2	6.7	0	5.6	18	12.9	12.2	0	11.2	3	2.0	.	.	.
Homicide and legal intervention (E960-E978)	92	31.4	28.6	0	30.4	73	52.3	46.7	0	51.4	19	12.4	10.6	0	10.4
..Homicide (E960-E969)	92	31.4	28.6	0	30.2	73	52.3	46.7	0	51.0	19	12.4	10.6	0	10.4
All injury (E800-E999)	222	75.7	72.5	0	71.4	166	118.9	115.4	0	117.9	56	36.4	33.4	0	28.4
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	10.6	10.2	0	11.4	25	17.9	18.3	0	16.9	6	3.9	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	9	3.1	.	.	.	6	4.3	.	.	.	3	2.0	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	87	29.7	27.7	0	26.6	77	55.2	50.7	0	50.6	10	6.5	.	.	.
....Suicide (E955.0-.4)	11	3.8	.	.	.	10	7.2	.	.	.	1	0.7	.	.	.
....Homicide (E965.0-.4)	72	24.6	22.3	0	22.7	63	45.1	40.8	0	42.5	9	5.9	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	10.2	8.6	0	13.8	19	13.6	12.2	0	23.2	11	7.2	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	4.8	.	.	11.9	10	7.2	.	.	20.9	4	2.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	32	10.9	9.1	0	11.5	21	15.0	13.2	0	18.6	11	7.2	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Black Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

*****Causes of Death*****	Both Sexes					Male					Female				
	*****1994*****					*****1994*****					*****1994*****				
	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR
All causes	2,239	763.5	1221.3	1	1111.1	1,266	906.9	1594.5	0	1464.6	973	633.2	949.0	0	858.8
Infectious diseases and parasitic disease (1-139)	291	99.2	116.4	0	115.7	205	146.8	177.3	0	177.5	86	56.0	65.4	0	67.1
..Septicemia (038)	38	13.0	24.5	0	21.0	13	9.3	.	.	27.1	25	16.3	26.0	0	18.7
....Septicemia-related (038)	144	49.1	85.9	0	72.0	67	48.0	94.4	0	99.3	77	50.1	77.5	0	58.3
..HIV infection (042-044)	230	78.4	81.9	0	80.0	176	126.1	138.8	0	129.7	54	35.1	34.6	0	38.5
All cancer (140-208)	461	157.2	269.3	0	247.0	246	176.2	350.6	0	358.4	215	139.9	212.9	0	179.7
..Oral cavity or pharynx (140.0-149.9)	12	4.1	.	.	.	8	5.7	.	.	.	4	2.6	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	46	15.7	30.0	0	20.5	25	17.9	35.6	0	21.2	21	13.7	24.1	0	19.6
....Colon cancer (153)	39	13.3	26.1	0	17.0	19	13.6	28.6	0	.	20	13.0	22.8	0	16.1
....Rectal cancer (154)	7	2.4	.	.	.	6	4.3	.	.	.	1	0.7	.	.	.
..Pancreatic cancer (157)	36	12.3	22.5	0	19.7	17	12.2	22.4	0	24.0	19	12.4	20.8	0	.
..Lung and other respiratory cancer (160-165)	118	40.2	67.3	0	54.6	76	54.4	104.1	0	94.2	42	27.3	41.8	0	29.3
....Lung cancer (162.2-.9)	108	36.8	61.3	0	52.2	68	48.7	92.3	0	90.1	40	26.0	39.8	0	28.5
..Malignant melanoma of skin (172)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.7	.	.	.
..Female breast cancer (174)	49	.	.	.	.	.	.	.	.	.	49	31.9	45.6	0	32.2
..Cervical cancer (180)	7	.	.	.	.	.	.	.	.	.	7	4.6	.	.	.
..Endometrial cancer (182)	3	.	.	.	.	.	.	.	.	.	3	2.0	.	.	.
..Ovarian cancer (183)	7	.	.	.	.	.	.	.	.	.	7	4.6	.	.	.
..Prostate cancer (185)	33	.	.	.	.	33	23.6	58.7	0	89.8	.	.	.	.	.
..Bladder cancer (188)	6	2.0	.	.	.	5	3.6	.	.	.	1	0.7	.	.	.
..Brain & other CNS cancer (191-192)	2	0.7	.	.	.	.	.	.	.	.	2	1.3	.	.	.
..Leukemia (204-208)	12	4.1	.	.	.	4	2.9	.	.	.	8	5.2	.	.	.
Diabetes mellitus (250)	69	23.5	44.0	0	36.1	33	23.6	51.4	0	43.2	36	23.4	39.1	0	33.2
..Diabetes-related (250)	208	70.9	132.1	0	130.6	98	70.2	160.1	0	144.9	110	71.6	115.4	0	124.4
..Diabetic ketoacidosis (DKA) (250.1)	3	1.0	.	.	.	3	2.1	.	.	.	.	.	.	.	.
Alzheimer's diseases (331.0)	9	3.1	.	.	.	3	2.1	.	.	.	6	3.9	.	.	.
Cardiovascular disease (390-459)	719	245.2	469.1	0	419.0	371	265.8	596.2	0	488.4	348	226.5	382.7	0	371.4
..Diseases of the heart (390-398,402,404-429)	563	192.0	368.0	0	318.3	286	204.9	463.2	0	386.0	277	180.3	303.8	0	275.1
....Heart disease-related (390-398,402,404-429)	1,119	381.6	689.6	0	606.1	576	412.6	849.3	0	737.8	543	353.4	574.7	0	517.9
....Coronary heart disease (CHD) (402,410-414,429.2)	379	129.2	255.2	0	204.9	191	136.8	326.2	0	240.4	188	122.4	209.9	0	176.7
....Congestive heart failure (CHF) (428.0)	10	3.4	.	.	14.5	5	3.6	.	.	.	5	3.3	.	.	.
....Hypertension with or without renal disease (401,403)	7	2.4	.	.	8.6	3	2.1	.	.	.	4	2.6	.	.	.
....Hypertension-related (401,403)	175	59.7	109.8	0	95.5	85	60.9	126.6	0	80.2	90	58.6	96.7	0	99.4
..Cerebrovascular disease (430-438)	120	40.9	75.0	0	71.4	69	49.4	101.3	0	62.9	51	33.2	56.2	0	72.8
..Atherosclerosis (440)	12	4.1	.	.	.	6	4.3	.	.	.	6	3.9	.	.	.
....Atherosclerosis-related (440)	58	19.8	45.1	0	29.0	30	21.5	63.3	0	37.3	28	18.2	34.7	0	25.2
..Aortic aneurysm (441)	3	1.0	.	.	9.3	2	1.4	.	.	.	1	0.7	.	.	.
Pneumonia & influenza (480-487)	62	21.1	37.2	0	21.5	38	27.2	56.0	0	27.0	24	15.6	25.1	0	17.6

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Black Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1994*****				*****1994*****				*****1994*****						
	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	40	13.6	25.8	0	27.9	26	18.6	47.4	0	36.5	14	9.1	.	.	21.9
..COPD-related (490-496)	111	37.9	70.9	0	69.5	64	45.8	108.5	0	98.5	47	30.6	51.0	0	53.2
..Asthma (493)	8	2.7	.	.	.	7	5.0	.	.	.	1	0.7	.	.	.
Chronic liver disease and cirrhosis (571)	20	6.8	10.3	0	11.4	9	6.4	.	.	.	11	7.2	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	36	12.3	21.1	0	26.2	16	11.5	17.6	0	25.5	20	13.0	21.5	0	25.3
..Nephritis-related (580-589)	168	57.3	96.5	0	97.6	92	65.9	125.9	0	116.6	76	49.5	76.9	0	85.8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	16.0	27.4	0	27.8	21	15.0	23.5	0	26.7	26	16.9	27.5	0	26.7
Unintentional injuries (E800-E949)	108	36.8	42.4	0	36.5	75	53.7	64.5	0	54.2	33	21.5	24.1	0	19.8
..Motor vehicle accidents (E810-E825)	31	10.6	10.5	0	11.1	25	17.9	19.3	0	16.0	6	3.9	.	.	.
..Falls and fall related injuries (E880-E888)	9	3.1	.	.	.	5	3.6	.	.	.	4	2.6	.	.	.
..Drowning (E830,E832,E910)	8	2.7	.	.	.	6	4.3	.	.	.	2	1.3	.	.	.
..Residential fires (E890-E899)	8	2.7	.	.	.	3	2.1	.	.	.	5	3.3	.	.	.
Suicide (E950-E959)	21	7.2	6.7	0	5.8	18	12.9	12.5	0	11.5	3	2.0	.	.	.
Homicide and legal intervention (E960-E978)	92	31.4	27.1	0	29.6	73	52.3	43.2	0	49.7	19	12.4	11.3	0	10.8
..Homicide (E960-E969)	92	31.4	27.1	0	29.3	73	52.3	43.2	0	49.2	19	12.4	11.3	0	10.8
All injury (E800-E999)	222	75.7	76.4	0	75.3	166	118.9	120.1	0	122.2	56	36.4	37.7	0	31.9
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	10.6	10.5	0	11.1	25	17.9	19.3	0	16.0	6	3.9	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	9	3.1	.	.	.	6	4.3	.	.	.	3	2.0	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	87	29.7	25.3	0	25.6	77	55.2	46.1	0	48.8	10	6.5	.	.	.
....Suicide (E955.0-.4)	11	3.8	.	.	.	10	7.2	.	.	.	1	0.7	.	.	.
....Homicide (E965.0-.4)	72	24.6	20.8	0	21.9	63	45.1	37.7	0	41.0	9	5.9	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	10.2	10.7	0	16.9	19	13.6	15.2	0	28.7	11	7.2	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	4.8	.	.	13.2	10	7.2	.	.	23.0	4	2.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	32	10.9	11.4	0	15.0	21	15.0	16.7	0	24.8	11	7.2	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	2,239	1,263	1,678	31,262	45,944	11108.6	10446.3	0	16093.7	15105.2	0
Infectious diseases and parasitic disease (1-139)	291	259	275	6,745	9,420	2300.1	2289.7	0	3102.7	3089.5	0
..Septicemia (038)	38	14	24	240	435	89.4	84.0	0	162.4	148.7	0
...Septicemia-related (038)	144	69	98	1,303	2,145	482.5	350.1	0	783.4	582.8	0
..HIV infection (042-044)	230	226	230	5,985	8,265	2034.0	2005.0	0	2701.8	2656.3	0
All cancer (140-208)	461	215	346	2,690	5,507	1078.2	1067.5	0	2188.5	2060.6	0
..Oral cavity or pharynx (140.0-149.9)	12	7	9	123	203	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	46	17	28	168	395	71.5	94.8	0	163.8	189.9	0
...Colon cancer (153)	39	13	22	118	295	49.5	90.0	0	121.9	175.4	0
...Rectal cancer (154)	7	4	6	50	100	.	.	.	.	.	.
..Pancreatic cancer (157)	36	14	27	135	328	55.7	60.5	0	133.6	136.1	0
..Lung and other respiratory cancer (160-165)	118	54	94	530	1,285	224.9	210.4	0	531.9	486.7	0
...Lung cancer (162.2-.9)	108	51	87	483	1,188	204.9	191.9	0	492.6	447.4	0
..Malignant melanoma of skin (172)	2	1	1	3	13	.	.	.	.	.	.
..Female breast cancer (174)	49	32	39	490	833	.	.	.	.	.	.
..Cervical cancer (180)	7	5	6	88	145	.	.	.	.	.	.
..Endometrial cancer (182)	3	2	2	10	30	.	.	.	.	.	.
..Ovarian cancer (183)	7	2	5	10	48	.	.	.	.	.	.
..Prostate cancer (185)	33	6	20	45	185	.	.	.	.	.	.
..Bladder cancer (188)	6	1	5	13	48	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	.	2	0	10	.	.	.	.	.	.
..Leukemia (204-208)	12	6	8	165	235	.	.	.	.	.	.
Diabetes mellitus (250)	69	21	47	298	633	112.7	95.1	0	242.3	217.8	0
..Diabetes-related (250)	208	69	141	863	1,898	339.6	297.2	0	747.1	709.9	0
...Diabetic ketoacidosis (DKA) (250.1)	3	2	3	45	73	.	.	.	.	.	.
Alzheimer's diseases (331.0)	9	.	2	0	5	.	.	.	.	.	.
Cardiovascular disease (390-459)	719	274	438	3,789	7,354	1489.0	1309.7	0	2871.0	2523.2	0
..Diseases of the heart (390-398,402,404-429)	563	212	342	2,819	5,599	1118.0	1012.1	0	2204.9	1966.1	0
...Heart disease-related (390-398,402,404-429)	1,119	487	739	8,339	14,474	3121.5	2843.0	0	5394.7	4871.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	379	127	221	1,415	3,135	571.6	431.2	0	1258.6	989.4	0
....Congestive heart failure (CHF) (428.0)	10	3	3	18	48	.	40.1	.	.	77.0	.
...Hypertension with or without renal disease (401,403)	7	2	4	40	75	.	30.0	.	.	71.5	.
....Hypertension-related (401,403)	175	71	112	938	1,885	366.0	264.1	0	733.6	575.9	0
..Cerebrovascular disease (430-438)	120	52	80	765	1,420	293.9	186.4	0	542.5	329.8	0
...Atherosclerosis (440)	12	1	2	3	15	.	.	.	.	.	.
....Atherosclerosis-related (440)	58	6	22	15	140	7.2	12.2	0	60.5	41.3	0
..Aortic aneurysm (441)	3	.	1	0	8	.	27.5	.	.	62.4	.
Pneumonia & influenza (480-487)	62	33	39	745	1,095	258.7	139.4	0	372.9	196.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	40	12	24	255	440	100.3	120.7	0	170.2	225.5	0
..COPD-related (490-496)	111	38	67	675	1,208	255.4	203.2	0	455.7	388.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	8	6	8	210	280	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	20	15	18	238	395	92.6	91.7	0	150.2	174.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	36	16	26	277	487	97.6	91.4	0	175.2	141.3	0
..Nephritis-related (580-589)	168	79	123	1,653	2,643	578.7	529.2	0	926.5	846.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	23	33	430	705	151.7	112.7	0	250.4	167.8	0
Unintentional injuries (E800-E949)	108	92	102	2,880	3,850	1037.8	953.4	0	1331.2	1207.0	0
..Motor vehicle accidents (E810-E825)	31	29	30	963	1,260	358.2	417.9	0	447.1	505.5	0
..Falls and fall related injuries (E880-E888)	9	5	8	133	200	.	.	.	.	.	.
..Drowning (E830,E832,E910)	8	8	8	280	360	.	.	.	.	.	.
..Residential fires (E890-E899)	8	5	7	175	230	.	.	.	.	.	.
Suicide (E950-E959)	21	20	20	735	935	274.6	186.4	0	331.5	238.6	0
Homicide and legal intervention (E960-E978)	92	89	92	3,571	4,468	1326.2	1372.3	0	1575.0	1641.5	0
..Homicide (E960-E969)	92	89	92	3,571	4,468	1326.2	1362.3	0	1575.0	1629.1	0
All injury (E800-E999)	222	202	215	7,218	9,296	2648.4	2585.6	0	3249.9	3186.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	29	30	963	1,260	358.2	417.9	0	447.1	505.5	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	5	8	123	190	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	87	86	87	3,452	4,315	1321.9	1168.7	0	1566.9	1405.4	0
....Suicide (E955.0-.4)	11	11	11	478	588	.	.	.	.	.	.
....Homicide (E965.0-.4)	72	71	72	2,820	3,532	1064.6	1025.4	0	1264.6	1228.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	30	30	780	1,080	272.3	401.2	0	361.6	537.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	14	14	275	415	.	135.7	.	.	232.4	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	32	32	32	835	1,155	290.8	369.0	0	385.3	491.3	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	1,266	809	1,056	20,265	29,602	15303.8	14751.0	0	22283.6	21252.9	0
Infectious diseases and parasitic disease (1-139)	205	190	200	4,819	6,764	3527.8	3496.0	0	4798.3	4735.4	0
..Septicemia (038)	13	5	10	73	145	.	93.7	.	.	163.8	.
...Septicemia-related (038)	67	36	53	605	1,048	485.8	411.5	0	845.1	691.7	0
..HIV infection (042-044)	176	172	176	4,419	6,159	3226.6	3105.5	0	4345.3	4155.0	0
All cancer (140-208)	246	109	198	1,233	2,805	1147.5	1250.7	0	2596.9	2550.6	0
..Oral cavity or pharynx (140.0-149.9)	8	5	6	103	160	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	25	12	20	125	285	121.0	115.4	0	269.2	221.2	0
...Colon cancer (153)	19	8	14	75	185	71.3	.	0	173.9	.	0
...Rectal cancer (154)	6	4	6	50	100	.	.	.	.	.	.
..Pancreatic cancer (157)	17	7	16	88	200	77.4	108.9	0	179.1	221.8	0
..Lung and other respiratory cancer (160-165)	76	34	64	350	855	336.0	288.6	0	805.7	727.0	0
...Lung cancer (162.2-.9)	68	32	58	320	785	307.1	250.2	0	740.7	652.1	0
..Malignant melanoma of skin (172)	1	1	1	3	13	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	33	6	20	45	185	47.7	24.0	0	181.8	93.3	0
..Bladder cancer (188)	5	.	4	0	25	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	.	.	.	.	.	.	.	.	.	.	.
..Leukemia (204-208)	4	3	3	68	98	.	.	.	.	.	.
Diabetes mellitus (250)	33	15	26	253	450	204.3	85.6	0	370.1	199.3	0
..Diabetes-related (250)	98	37	71	493	1,023	418.1	275.9	0	887.2	675.4	0
...Diabetic ketoacidosis (DKA) (250.1)	3	2	3	45	73	.	.	.	.	.	.
Alzheimer's diseases (331.0)	3	.	1	0	3	.	.	.	.	.	.
Cardiovascular disease (390-459)	371	172	272	2,342	4,562	2058.7	1705.5	0	4023.5	3264.8	0
..Diseases of the heart (390-398,402,404-429)	286	132	206	1,722	3,412	1518.6	1254.1	0	3023.3	2502.1	0
...Heart disease-related (390-398,402,404-429)	576	300	445	5,150	8,893	4191.8	3742.1	0	7307.3	6349.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	191	81	133	863	1,913	803.6	682.3	0	1769.4	1500.8	0
....Congestive heart failure (CHF) (428.0)	5	2	2	15	35	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	3	2	3	40	68	.	.	.	.	.	.
...Hypertension-related (401,403)	85	43	68	538	1,105	491.3	320.8	0	999.4	708.0	0
..Cerebrovascular disease (430-438)	69	35	57	508	968	440.0	275.3	0	841.8	427.6	0
...Atherosclerosis (440)	6	.	1	0	3	.	.	.	.	.	.
...Atherosclerosis-related (440)	30	5	15	13	103	13.6	8.2	0	103.4	43.1	0
..Aortic aneurysm (441)	2	.	1	0	8	.	.	.	.	.	.
Pneumonia & influenza (480-487)	38	23	28	530	777	400.7	197.4	0	582.5	289.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	26	9	14	233	355	185.6	126.7	0	282.4	252.7	0
..COPD-related (490-496)	64	27	41	533	888	422.5	239.9	0	714.8	485.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	7	6	7	210	278	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	9	6	8	100	165	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	10	15	217	345	162.2	115.2	0	262.9	197.4	0
..Nephritis-related (580-589)	92	51	75	1,104	1,724	831.5	760.7	0	1310.7	1167.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	21	14	19	292	460	223.0	160.1	0	353.8	253.3	0
Unintentional injuries (E800-E949)	75	67	73	2,017	2,717	1539.7	1567.2	0	2003.2	1986.1	0
..Motor vehicle accidents (E810-E825)	25	23	24	733	970	566.8	628.0	0	721.7	771.1	0
..Falls and fall related injuries (E880-E888)	5	3	5	58	98	.	.	.	.	.	.
..Drowning (E830,E832,E910)	6	6	6	205	265	.	.	.	.	.	.
..Residential fires (E890-E899)	3	2	3	70	93	.	.	.	.	.	.
Suicide (E950-E959)	18	17	17	623	793	471.1	367.8	0	571.3	470.9	0
Homicide and legal intervention (E960-E978)	73	72	73	2,914	3,637	2224.2	2301.4	0	2637.3	2758.9	0
..Homicide (E960-E969)	73	72	73	2,914	3,637	2224.2	2280.2	0	2637.3	2732.6	0
All injury (E800-E999)	166	156	163	5,553	7,146	4235.0	4374.6	0	5211.8	5405.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	25	23	24	733	970	566.8	628.0	0	721.7	771.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	4	6	85	135	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	77	76	77	3,060	3,823	2385.6	2161.8	0	2830.4	2606.4	0
....Suicide (E955.0-.4)	10	10	10	430	530	.	.	.	.	.	.
....Homicide (E965.0-.4)	63	62	63	2,475	3,098	1913.9	1870.4	0	2274.7	2244.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	478	668	361.3	726.2	0	486.9	955.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	10	10	10	215	315	.	216.0	.	.	376.9	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	21	21	21	533	743	401.3	646.1	0	537.9	847.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	973	454	622	10,997	16,342	7369.4	6579.0	0	10715.4	9702.7	0
Infectious diseases and parasitic disease (1-139)	86	69	75	1,926	2,656	1259.3	1258.6	0	1671.0	1689.0	0
..Septicemia (038)	25	9	14	168	290	119.3	75.9	0	201.8	136.3	0
...Septicemia-related (038)	77	33	45	698	1,098	494.4	300.1	0	752.5	495.5	0
..HIV infection (042-044)	54	54	54	1,566	2,106	1017.2	1064.8	0	1307.4	1381.1	0
All cancer (140-208)	215	106	148	1,457	2,702	1034.2	930.6	0	1888.8	1687.5	0
..Oral cavity or pharynx (140.0-149.9)	4	2	3	20	43	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	21	5	8	43	110	32.3	79.2	0	81.8	166.4	0
...Colon cancer (153)	20	5	8	43	110	32.3	77.1	0	81.8	156.3	0
...Rectal cancer (154)	1	.	.	0	0	.	.	.	.	.	.
..Pancreatic cancer (157)	19	7	11	48	128	37.8	.	0	97.6	.	0
..Lung and other respiratory cancer (160-165)	42	20	30	180	430	137.0	149.4	0	319.1	299.9	0
...Lung cancer (162.2-.9)	40	19	29	163	403	124.0	147.2	0	299.8	289.8	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	.	.	.	.
..Female breast cancer (174)	49	32	39	490	833	345.4	223.3	0	571.0	373.8	0
..Cervical cancer (180)	7	5	6	88	145	.	.	.	.	.	.
..Endometrial cancer (182)	3	2	2	10	30	.	.	.	.	.	.
..Ovarian cancer (183)	7	2	5	10	48	.	.	.	.	.	.
..Prostate cancer (185)	1	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	1	1	1	13	23	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	.	2	0	10	.	.	.	.	.	.
..Leukemia (204-208)	8	3	5	98	138	.	.	.	.	.	.
Diabetes mellitus (250)	36	6	21	45	183	35.6	106.6	0	135.8	237.1	0
..Diabetes-related (250)	110	32	70	370	875	278.2	317.8	0	637.8	742.6	0
..Diabetic ketoacidosis (DKA) (250.1)	.	.	.	.	.	.	.	.	.	.	.
Alzheimer's diseases (331.0)	6	.	1	0	3	.	.	.	.	.	.
Cardiovascular disease (390-459)	348	102	166	1,447	2,792	1038.5	975.1	0	1969.2	1914.6	0
..Diseases of the heart (390-398,402,404-429)	277	80	136	1,097	2,187	808.2	820.4	0	1572.1	1544.0	0
...Heart disease-related (390-398,402,404-429)	543	187	294	3,189	5,581	2257.8	2081.0	0	3870.2	3646.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	188	46	88	552	1,222	391.8	222.1	0	864.4	574.8	0
....Congestive heart failure (CHF) (428.0)	5	1	1	3	13	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	4	.	1	0	8	.	.	.	.	.	.
...Hypertension-related (401,403)	90	28	44	400	780	268.2	218.8	0	527.2	470.9	0
..Cerebrovascular disease (430-438)	51	17	23	258	453	174.4	99.7	0	303.7	234.1	0
..Atherosclerosis (440)	6	1	1	3	13	.	.	.	.	.	.
...Atherosclerosis-related (440)	28	1	7	3	38	2.1	15.7	0	27.7	41.0	0
..Aortic aneurysm (441)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	24	10	11	215	318	134.8	92.9	0	194.4	122.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	14	3	10	23	85	.	115.0	0	.	203.9	.
..COPD-related (490-496)	47	11	26	143	320	102.4	173.7	0	226.5	313.9	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	1	.	1	0	3	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	11	9	10	138	230	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	20	6	11	60	143	40.2	76.6	0	98.8	100.4	0
..Nephritis-related (580-589)	76	28	48	549	919	365.1	338.0	0	607.1	581.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	26	9	14	138	245	91.3	76.6	0	164.1	100.4	0
Unintentional injuries (E800-E949)	33	25	29	864	1,134	577.8	378.4	0	724.5	487.0	0
..Motor vehicle accidents (E810-E825)	6	6	6	230	290	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	4	2	3	75	103	.	.	.	.	.	.
..Drowning (E830,E832,E910)	2	2	2	75	95	.	.	.	.	.	.
..Residential fires (E890-E899)	5	3	4	105	137	.	.	.	.	.	.
Suicide (E950-E959)	3	3	3	113	143	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	19	17	19	657	832	433.8	464.4	0	521.4	554.8	0
..Homicide (E960-E969)	19	17	19	657	832	433.8	464.4	0	521.4	554.8	0
All injury (E800-E999)	56	46	52	1,665	2,150	1113.1	875.1	0	1368.2	1085.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	6	6	6	230	290	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1	2	38	55	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	10	10	10	392	492	.	.	.	.	.	.
....Suicide (E955.0-.4)	1	1	1	48	58	.	.	.	.	.	.
....Homicide (E965.0-.4)	9	9	9	345	435	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	11	11	11	303	413	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	4	4	4	60	100	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	11	11	11	303	413	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	2,239	1,263	1,678	31,262	45,944	10695.9	10055.9	0	15732.3	14759.1	0
Infectious diseases and parasitic disease (1-139)	291	259	275	6,745	9,420	2021.2	1965.5	0	2723.1	2652.0	0
..Septicemia (038)	38	14	24	240	435	87.6	74.9	0	167.2	143.0	0
...Septicemia-related (038)	144	69	98	1,303	2,145	446.2	321.7	0	755.1	563.7	0
..HIV infection (042-044)	230	226	230	5,985	8,265	1761.0	1704.5	0	2325.5	2243.5	0
All cancer (140-208)	461	215	346	2,690	5,507	1077.9	1077.0	0	2303.9	2167.4	0
..Oral cavity or pharynx (140.0-149.9)	12	7	9	123	203	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	46	17	28	168	395	73.7	94.4	0	177.2	198.4	0
...Colon cancer (153)	39	13	22	118	295	51.1	88.9	0	133.4	181.3	0
...Rectal cancer (154)	7	4	6	50	100	.	.	.	.	.	.
..Pancreatic cancer (157)	36	14	27	135	328	56.8	61.1	0	145.7	145.3	0
..Lung and other respiratory cancer (160-165)	118	54	94	530	1,285	231.3	211.3	0	577.1	520.7	0
...Lung cancer (162.2-.9)	108	51	87	483	1,188	211.4	192.3	0	536.2	478.9	0
..Malignant melanoma of skin (172)	2	1	1	3	13	.	.	.	.	.	.
..Female breast cancer (174)	49	32	39	490	833	.	.	.	.	.	.
..Cervical cancer (180)	7	5	6	88	145	.	.	.	.	.	.
..Endometrial cancer (182)	3	2	2	10	30	.	.	.	.	.	.
..Ovarian cancer (183)	7	2	5	10	48	.	.	.	.	.	.
..Prostate cancer (185)	33	6	20	45	185	.	.	.	.	.	.
..Bladder cancer (188)	6	1	5	13	48	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	.	2	0	10	.	.	.	.	.	.
..Leukemia (204-208)	12	6	8	165	235	.	.	.	.	.	.
Diabetes mellitus (250)	69	21	47	298	633	105.1	102.0	0	250.0	242.3	0
..Diabetes-related (250)	208	69	141	863	1,898	329.7	311.3	0	788.8	782.0	0
...Diabetic ketoacidosis (DKA) (250.1)	3	2	3	45	73	.	.	.	.	.	.
Alzheimer's diseases (331.0)	9	.	2	0	5	.	.	.	.	.	.
Cardiovascular disease (390-459)	719	274	438	3,789	7,354	1458.4	1298.1	0	2966.7	2636.9	0
..Diseases of the heart (390-398,402,404-429)	563	212	342	2,819	5,599	1110.2	1007.8	0	2305.1	2060.6	0
...Heart disease-related (390-398,402,404-429)	1,119	487	739	8,339	14,474	2982.5	2762.3	0	5395.5	4929.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	379	127	221	1,415	3,135	574.9	441.6	0	1344.2	1069.1	0
....Congestive heart failure (CHF) (428.0)	10	3	3	18	48	.	43.0	.	.	84.8	.
..Hypertension with or without renal disease (401,403)	7	2	4	40	75	.	29.9	.	.	77.2	.
...Hypertension-related (401,403)	175	71	112	938	1,885	350.9	261.3	0	750.7	607.5	0
..Cerebrovascular disease (430-438)	120	52	80	765	1,420	276.7	183.9	0	541.8	341.9	0
...Atherosclerosis (440)	12	1	2	3	15	.	.	.	.	.	.
...Atherosclerosis-related (440)	58	6	22	15	140	8.7	12.9	0	75.0	48.0	0
..Aortic aneurysm (441)	3	.	1	0	8	.	26.0	.	.	65.3	.
Pneumonia & influenza (480-487)	62	33	39	745	1,095	239.1	130.8	0	347.9	185.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	40	12	24	255	440	100.9	124.9	0	178.4	242.1	0
..COPD-related (490-496)	111	38	67	675	1,208	243.1	203.4	0	460.8	410.2	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	8	6	8	210	280	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	20	15	18	238	395	87.6	91.7	0	144.8	179.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	36	16	26	277	487	92.6	85.6	0	176.9	137.8	0
..Nephritis-related (580-589)	168	79	123	1,653	2,643	537.5	482.5	0	899.6	808.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	23	33	430	705	140.0	102.6	0	243.7	158.7	0
Unintentional injuries (E800-E949)	108	92	102	2,880	3,850	974.0	926.7	0	1237.3	1158.5	0
..Motor vehicle accidents (E810-E825)	31	29	30	963	1,260	332.0	415.0	0	409.8	493.9	0
..Falls and fall related injuries (E880-E888)	9	5	8	133	200	.	.	.	.	.	.
..Drowning (E830,E832,E910)	8	8	8	280	360	.	.	.	.	.	.
..Residential fires (E890-E899)	8	5	7	175	230	.	.	.	.	.	.
Suicide (E950-E959)	21	20	20	735	935	252.2	178.9	0	299.7	226.2	0
Homicide and legal intervention (E960-E978)	92	89	92	3,571	4,468	1238.5	1278.9	0	1444.5	1501.5	0
..Homicide (E960-E969)	92	89	92	3,571	4,468	1238.5	1271.5	0	1444.5	1492.4	0
All injury (E800-E999)	222	202	215	7,218	9,296	2472.1	2446.4	0	2990.5	2970.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	29	30	963	1,260	332.0	415.0	0	409.8	493.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	5	8	123	190	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	87	86	87	3,452	4,315	1242.1	1103.7	0	1446.2	1303.8	0
....Suicide (E955.0-.4)	11	11	11	478	588	.	.	.	.	.	.
....Homicide (E965.0-.4)	72	71	72	2,820	3,532	989.0	957.8	0	1153.9	1126.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	30	30	780	1,080	234.5	353.7	0	309.1	472.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	14	14	275	415	.	133.3	.	.	233.7	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	32	32	32	835	1,155	250.1	306.8	0	328.6	406.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	1,266	809	1,056	20,265	29,602	14596.0	14051.3	0	21610.2	20541.3	0
Infectious diseases and parasitic disease (1-139)	205	190	200	4,819	6,764	3043.7	2983.4	0	4145.9	4044.8	0
..Septicemia (038)	13	5	10	73	145	.	83.8	.	.	157.7	.
...Septicemia-related (038)	67	36	53	605	1,048	444.0	381.2	0	819.9	673.6	0
..HIV infection (042-044)	176	172	176	4,419	6,159	2764.0	2633.4	0	3716.3	3509.7	0
All cancer (140-208)	246	109	198	1,233	2,805	1187.7	1278.9	0	2822.7	2718.4	0
..Oral cavity or pharynx (140.0-149.9)	8	5	6	103	160	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	25	12	20	125	285	125.0	117.7	0	290.3	231.9	0
...Colon cancer (153)	19	8	14	75	185	73.7	.	0	190.6	.	0
...Rectal cancer (154)	6	4	6	50	100	.	.	.	.	.	.
..Pancreatic cancer (157)	17	7	16	88	200	76.7	108.0	0	192.5	230.8	0
..Lung and other respiratory cancer (160-165)	76	34	64	350	855	345.7	298.3	0	876.2	795.5	0
...Lung cancer (162.2-.9)	68	32	58	320	785	316.8	259.2	0	806.6	717.2	0
..Malignant melanoma of skin (172)	1	1	1	3	13	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	33	6	20	45	185	53.1	26.1	0	212.6	110.4	0
..Bladder cancer (188)	5	.	4	0	25	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	.	.	.	.	.	.	.	.	.	.	.
..Leukemia (204-208)	4	3	3	68	98	.	.	.	.	.	.
Diabetes mellitus (250)	33	15	26	253	450	185.5	85.9	0	361.8	214.8	0
..Diabetes-related (250)	98	37	71	493	1,023	397.2	280.1	0	920.4	736.7	0
...Diabetic ketoacidosis (DKA) (250.1)	3	2	3	45	73	.	.	.	.	.	.
Alzheimer's diseases (331.0)	3	.	1	0	3	.	.	.	.	.	.
Cardiovascular disease (390-459)	371	172	272	2,342	4,562	2023.0	1681.6	0	4164.8	3393.8	0
..Diseases of the heart (390-398,402,404-429)	286	132	206	1,722	3,412	1501.2	1247.9	0	3147.8	2624.5	0
...Heart disease-related (390-398,402,404-429)	576	300	445	5,150	8,893	3998.5	3613.7	0	7292.3	6374.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	191	81	133	863	1,913	814.7	693.1	0	1892.6	1606.0	0
....Congestive heart failure (CHF) (428.0)	5	2	2	15	35	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	3	2	3	40	68	.	.	.	.	.	.
...Hypertension-related (401,403)	85	43	68	538	1,105	487.5	319.8	0	1042.9	749.3	0
..Cerebrovascular disease (430-438)	69	35	57	508	968	421.4	270.1	0	855.4	433.3	0
...Atherosclerosis (440)	6	.	1	0	3	.	.	.	.	.	.
...Atherosclerosis-related (440)	30	5	15	13	103	16.5	9.4	0	128.0	52.7	0
..Aortic aneurysm (441)	2	.	1	0	8	.	.	.	.	.	.
Pneumonia & influenza (480-487)	38	23	28	530	777	381.8	190.1	0	558.4	278.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	26	9	14	233	355	184.7	132.5	0	288.3	276.6	0
..COPD-related (490-496)	64	27	41	533	888	401.4	242.4	0	715.0	518.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	7	6	7	210	278	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	9	6	8	100	165	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	10	15	217	345	154.7	99.8	0	260.0	184.5	0
..Nephritis-related (580-589)	92	51	75	1,104	1,724	765.8	682.0	0	1255.3	1082.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	21	14	19	292	460	210.7	135.7	0	344.2	228.4	0
Unintentional injuries (E800-E949)	75	67	73	2,017	2,717	1444.8	1518.7	0	1864.2	1897.7	0
..Motor vehicle accidents (E810-E825)	25	23	24	733	970	522.2	635.0	0	660.8	767.4	0
..Falls and fall related injuries (E880-E888)	5	3	5	58	98	.	.	.	.	.	.
..Drowning (E830,E832,E910)	6	6	6	205	265	.	.	.	.	.	.
..Residential fires (E890-E899)	3	2	3	70	93	.	.	.	.	.	.
Suicide (E950-E959)	18	17	17	623	793	431.1	352.3	0	515.4	445.8	0
Homicide and legal intervention (E960-E978)	73	72	73	2,914	3,637	2079.6	2148.8	0	2422.0	2529.9	0
..Homicide (E960-E969)	73	72	73	2,914	3,637	2079.6	2132.9	0	2422.0	2510.5	0
All injury (E800-E999)	166	156	163	5,553	7,146	3955.4	4138.3	0	4801.6	5036.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	25	23	24	733	970	522.2	635.0	0	660.8	767.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	4	6	85	135	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	77	76	77	3,060	3,823	2246.2	2049.6	0	2619.2	2428.4	0
....Suicide (E955.0-.4)	10	10	10	430	530	.	.	.	.	.	.
....Homicide (E965.0-.4)	63	62	63	2,475	3,098	1785.3	1753.7	0	2085.2	2066.9	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	478	668	313.6	637.0	0	420.0	831.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	10	10	10	215	315	.	216.3	.	.	385.6	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	21	21	21	533	743	347.3	532.2	0	462.0	692.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	973	454	622	10,997	16,342	7219.4	6456.0	0	10652.6	9688.9	0
Infectious diseases and parasitic disease (1-139)	86	69	75	1,926	2,656	1162.9	1100.4	0	1534.0	1474.5	0
..Septicemia (038)	25	9	14	168	290	120.5	67.5	0	209.4	131.1	0
...Septicemia-related (038)	77	33	45	698	1,098	463.0	273.7	0	722.9	476.4	0
..HIV infection (042-044)	54	54	54	1,566	2,106	911.9	915.5	0	1154.7	1173.0	0
All cancer (140-208)	215	106	148	1,457	2,702	999.4	925.1	0	1916.5	1746.9	0
..Oral cavity or pharynx (140.0-149.9)	4	2	3	20	43	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	21	5	8	43	110	33.3	76.7	0	89.6	173.0	0
...Colon cancer (153)	20	5	8	43	110	33.3	74.1	0	89.6	160.9	0
...Rectal cancer (154)	1	.	.	0	0	.	.	0	.	.	0
..Pancreatic cancer (157)	19	7	11	48	128	40.5	.	0	109.3	.	0
..Lung and other respiratory cancer (160-165)	42	20	30	180	430	141.1	143.2	0	345.9	307.1	0
...Lung cancer (162.2-.9)	40	19	29	163	403	128.4	140.6	0	327.2	295.0	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	0	.	.	0
..Female breast cancer (174)	49	32	39	490	833	328.5	215.1	0	556.5	367.3	0
..Cervical cancer (180)	7	5	6	88	145	.	.	0	.	.	0
..Endometrial cancer (182)	3	2	2	10	30	.	.	0	.	.	0
..Ovarian cancer (183)	7	2	5	10	48	.	.	0	.	.	0
..Prostate cancer (185)	1	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	1	1	1	13	23	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	2	.	2	0	10	.	.	0	.	.	0
..Leukemia (204-208)	8	3	5	98	138	.	.	0	.	.	0
Diabetes mellitus (250)	36	6	21	45	183	37.9	119.7	0	157.5	269.7	0
..Diabetes-related (250)	110	32	70	370	875	278.1	340.8	0	688.1	824.5	0
..Diabetic ketoacidosis (DKA) (250.1)	.	.	.	.	.	.	.	0	.	.	0
Alzheimer's diseases (331.0)	6	.	1	0	3	.	.	0	.	.	0
Cardiovascular disease (390-459)	348	102	166	1,447	2,792	1015.5	974.7	0	2036.3	2019.8	0
..Diseases of the heart (390-398,402,404-429)	277	80	136	1,097	2,187	811.5	818.5	0	1659.5	1618.7	0
...Heart disease-related (390-398,402,404-429)	543	187	294	3,189	5,581	2167.3	2041.9	0	3895.2	3737.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	188	46	88	552	1,222	390.1	232.3	0	923.5	635.8	0
....Congestive heart failure (CHF) (428.0)	5	1	1	3	13	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	4	.	1	0	8	.	.	0	.	.	0
...Hypertension-related (401,403)	90	28	44	400	780	243.4	214.7	0	523.4	495.0	0
..Cerebrovascular disease (430-438)	51	17	23	258	453	159.1	98.9	0	293.6	251.2	0
..Atherosclerosis (440)	6	1	1	3	13	.	.	0	.	.	0
...Atherosclerosis-related (440)	28	1	7	3	38	2.6	16.0	0	34.7	45.6	0
..Aortic aneurysm (441)	1	.	.	0	0	.	.	0	.	.	0
Pneumonia & influenza (480-487)	24	10	11	215	318	113.6	83.2	0	168.1	110.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	14	3	10	23	85	.	117.6	0	.	214.8	0
..COPD-related (490-496)	47	11	26	143	320	98.0	171.7	0	236.8	326.3	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	1	.	1	0	3	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	11	9	10	138	230	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	20	6	11	60	143	37.1	79.3	0	104.1	105.4	0
..Nephritis-related (580-589)	76	28	48	549	919	345.3	319.9	0	606.2	583.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	26	9	14	138	245	79.5	79.3	0	159.1	105.4	0
Unintentional injuries (E800-E949)	33	25	29	864	1,134	541.2	366.3	0	671.0	469.8	0
..Motor vehicle accidents (E810-E825)	6	6	6	230	290	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	4	2	3	75	103	.	.	.	.	.	.
..Drowning (E830,E832,E910)	2	2	2	75	95	.	.	.	.	.	.
..Residential fires (E890-E899)	5	3	4	105	137	.	.	.	.	.	.
Suicide (E950-E959)	3	3	3	113	143	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	19	17	19	657	832	398.7	423.5	0	470.0	495.4	0
..Homicide (E960-E969)	19	17	19	657	832	398.7	423.5	0	470.0	495.4	0
All injury (E800-E999)	56	46	52	1,665	2,150	1030.0	817.3	0	1247.3	1002.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	6	6	6	230	290	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1	2	38	55	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	10	10	10	392	492	.	.	.	.	.	.
....Suicide (E955.0-.4)	1	1	1	48	58	.	.	.	.	.	.
....Homicide (E965.0-.4)	9	9	9	345	435	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	11	11	11	303	413	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	4	4	4	60	100	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	11	11	11	303	413	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	2,239	1,263	1,678	31,262	45,944	11525.0	10792.4	0	16987.7	15867.6	0
Infectious diseases and parasitic disease (1-139)	291	259	275	6,745	9,420	2530.7	2542.2	0	3384.3	3393.8	0
..Septicemia (038)	38	14	24	240	435	99.4	98.5	0	184.5	173.5	0
...Septicemia-related (038)	144	69	98	1,303	2,145	546.2	400.3	0	891.0	670.1	0
..HIV infection (042-044)	230	226	230	5,985	8,265	2236.8	2225.8	0	2938.1	2911.3	0
All cancer (140-208)	461	215	346	2,690	5,507	1253.5	1218.3	0	2557.4	2377.2	0
..Oral cavity or pharynx (140.0-149.9)	12	7	9	123	203	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	46	17	28	168	395	86.9	116.1	0	196.3	229.5	0
...Colon cancer (153)	39	13	22	118	295	60.3	110.6	0	146.1	212.4	0
...Rectal cancer (154)	7	4	6	50	100	.	.	0	.	.	0
..Pancreatic cancer (157)	36	14	27	135	328	66.6	70.7	0	160.6	157.7	0
..Lung and other respiratory cancer (160-165)	118	54	94	530	1,285	270.5	252.3	0	635.0	576.1	0
...Lung cancer (162.2-.9)	108	51	87	483	1,188	246.0	229.9	0	586.7	530.4	0
..Malignant melanoma of skin (172)	2	1	1	3	13	.	.	0	.	.	0
..Female breast cancer (174)	49	32	39	490	833	.	.	0	.	.	0
..Cervical cancer (180)	7	5	6	88	145	.	.	0	.	.	0
..Endometrial cancer (182)	3	2	2	10	30	.	.	0	.	.	0
..Ovarian cancer (183)	7	2	5	10	48	.	.	0	.	.	0
..Prostate cancer (185)	33	6	20	45	185	.	.	0	.	.	0
..Bladder cancer (188)	6	1	5	13	48	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	2	.	2	0	10	.	.	0	.	.	0
..Leukemia (204-208)	12	6	8	165	235	.	.	0	.	.	0
Diabetes mellitus (250)	69	21	47	298	633	129.9	108.8	0	287.1	253.2	0
..Diabetes-related (250)	208	69	141	863	1,898	397.5	354.1	0	889.1	851.2	0
..Diabetic ketoacidosis (DKA) (250.1)	3	2	3	45	73	.	.	0	.	.	0
Alzheimer's diseases (331.0)	9	.	2	0	5	.	.	0	.	.	0
Cardiovascular disease (390-459)	719	274	438	3,789	7,354	1715.7	1442.4	0	3335.8	2855.8	0
..Diseases of the heart (390-398,402,404-429)	563	212	342	2,819	5,599	1288.1	1118.4	0	2563.3	2225.0	0
...Heart disease-related (390-398,402,404-429)	1,119	487	739	8,339	14,474	3521.8	3126.9	0	6154.1	5453.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	379	127	221	1,415	3,135	682.3	505.4	0	1500.6	1165.4	0
....Congestive heart failure (CHF) (428.0)	10	3	3	18	48	.	42.8	0	.	86.2	0
..Hypertension with or without renal disease (401,403)	7	2	4	40	75	.	30.8	0	.	78.2	0
...Hypertension-related (401,403)	175	71	112	938	1,885	435.1	305.7	0	866.2	672.3	0
..Cerebrovascular disease (430-438)	120	52	80	765	1,420	344.3	200.2	0	635.8	372.4	0
..Atherosclerosis (440)	12	1	2	3	15	.	.	0	.	.	0
...Atherosclerosis-related (440)	58	6	22	15	140	8.2	14.7	0	76.2	52.6	0
..Aortic aneurysm (441)	3	.	1	0	8	.	28.3	0	.	69.7	0
Pneumonia & influenza (480-487)	62	33	39	745	1,095	293.7	154.2	0	421.7	217.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	40	12	24	255	440	96.1	126.3	0	175.6	247.9	0
..COPD-related (490-496)	111	38	67	675	1,208	264.2	222.9	0	494.1	442.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	8	6	8	210	280	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	20	15	18	238	395	112.3	111.3	0	179.2	206.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	36	16	26	277	487	111.8	94.4	0	202.9	150.8	0
..Nephritis-related (580-589)	168	79	123	1,653	2,643	642.6	587.2	0	1045.0	948.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	23	33	430	705	167.8	115.2	0	280.7	176.3	0
Unintentional injuries (E800-E949)	108	92	102	2,880	3,850	1019.6	932.3	0	1309.6	1178.9	0
..Motor vehicle accidents (E810-E825)	31	29	30	963	1,260	327.0	367.7	0	406.4	441.2	0
..Falls and fall related injuries (E880-E888)	9	5	8	133	200	.	.	.	.	.	.
..Drowning (E830,E832,E910)	8	8	8	280	360	.	.	.	.	.	.
..Residential fires (E890-E899)	8	5	7	175	230	.	.	.	.	.	.
Suicide (E950-E959)	21	20	20	735	935	240.4	175.6	0	286.2	225.2	0
Homicide and legal intervention (E960-E978)	92	89	92	3,571	4,468	1144.9	1199.5	0	1337.7	1412.6	0
..Homicide (E960-E969)	92	89	92	3,571	4,468	1144.9	1189.8	0	1337.7	1400.8	0
All injury (E800-E999)	222	202	215	7,218	9,296	2414.5	2392.2	0	2945.2	2929.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	29	30	963	1,260	327.0	367.7	0	406.4	441.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	5	8	123	190	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	87	86	87	3,452	4,315	1123.2	1026.1	0	1308.0	1217.3	0
....Suicide (E955.0-.4)	11	11	11	478	588	.	.	.	.	.	.
....Homicide (E965.0-.4)	72	71	72	2,820	3,532	908.7	894.3	0	1060.7	1055.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	30	30	780	1,080	297.0	447.0	0	390.5	593.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	14	14	275	415	.	158.5	.	.	270.4	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	32	32	32	835	1,155	320.1	419.5	0	419.4	549.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	1,266	809	1,056	20,265	29,602	15983.3	15340.8	0	23663.6	22408.8	0
Infectious diseases and parasitic disease (1-139)	205	190	200	4,819	6,764	3959.1	3916.9	0	5326.6	5243.2	0
..Septicemia (038)	13	5	10	73	145	.	110.7	.	.	191.4	.
...Septicemia-related (038)	67	36	53	605	1,048	595.4	474.9	0	1021.4	799.1	0
..HIV infection (042-044)	176	172	176	4,419	6,159	3607.6	3482.8	0	4799.1	4598.6	0
All cancer (140-208)	246	109	198	1,233	2,805	1332.6	1453.7	0	3056.6	2979.7	0
..Oral cavity or pharynx (140.0-149.9)	8	5	6	103	160	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	25	12	20	125	285	147.2	141.8	0	324.1	267.3	0
...Colon cancer (153)	19	8	14	75	185	87.0	.	0	209.9	.	0
...Rectal cancer (154)	6	4	6	50	100	.	.	.	.	.	.
..Pancreatic cancer (157)	17	7	16	88	200	92.4	127.0	0	217.3	254.5	0
..Lung and other respiratory cancer (160-165)	76	34	64	350	855	401.1	348.3	0	963.4	863.6	0
...Lung cancer (162.2-.9)	68	32	58	320	785	365.8	301.5	0	882.3	775.7	0
..Malignant melanoma of skin (172)	1	1	1	3	13	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	33	6	20	45	185	56.0	28.5	0	221.9	119.6	0
..Bladder cancer (188)	5	.	4	0	25	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	.	.	.	.	.	.	.	.	.	.	.
..Leukemia (204-208)	4	3	3	68	98	.	.	.	.	.	.
Diabetes mellitus (250)	33	15	26	253	450	234.0	106.5	0	431.5	243.8	0
..Diabetes-related (250)	98	37	71	493	1,023	497.5	339.3	0	1065.1	830.3	0
...Diabetic ketoacidosis (DKA) (250.1)	3	2	3	45	73	.	.	.	.	.	.
Alzheimer's diseases (331.0)	3	.	1	0	3	.	.	.	.	.	.
Cardiovascular disease (390-459)	371	172	272	2,342	4,562	2411.0	1883.2	0	4730.2	3693.3	0
..Diseases of the heart (390-398,402,404-429)	286	132	206	1,722	3,412	1791.3	1409.3	0	3566.5	2858.1	0
...Heart disease-related (390-398,402,404-429)	576	300	445	5,150	8,893	4862.7	4158.8	0	8502.5	7142.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	191	81	133	863	1,913	968.7	794.7	0	2120.1	1756.3	0
....Congestive heart failure (CHF) (428.0)	5	2	2	15	35	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	3	2	3	40	68	.	.	.	.	.	.
...Hypertension-related (401,403)	85	43	68	538	1,105	591.8	371.3	0	1193.3	821.8	0
..Cerebrovascular disease (430-438)	69	35	57	508	968	512.0	283.7	0	987.4	463.3	1
...Atherosclerosis (440)	6	.	1	0	3	.	.	.	.	.	.
...Atherosclerosis-related (440)	30	5	15	13	103	15.5	9.5	0	129.1	56.5	0
..Aortic aneurysm (441)	2	.	1	0	8	.	.	.	.	.	.
Pneumonia & influenza (480-487)	38	23	28	530	777	459.8	231.3	0	667.3	336.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	26	9	14	233	355	174.6	130.2	0	279.2	279.8	0
..COPD-related (490-496)	64	27	41	533	888	425.8	269.4	0	751.6	564.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	7	6	7	210	278	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	9	6	8	100	165	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	10	15	217	345	183.2	130.7	0	300.2	223.7	0
..Nephritis-related (580-589)	92	51	75	1,104	1,724	940.8	857.5	0	1497.4	1315.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	21	14	19	292	460	258.1	174.6	0	409.1	277.3	0
Unintentional injuries (E800-E949)	75	67	73	2,017	2,717	1539.2	1554.1	0	2007.0	1965.6	0
..Motor vehicle accidents (E810-E825)	25	23	24	733	970	521.9	566.9	0	664.7	693.9	0
..Falls and fall related injuries (E880-E888)	5	3	5	58	98	.	.	.	.	.	.
..Drowning (E830,E832,E910)	6	6	6	205	265	.	.	.	.	.	.
..Residential fires (E890-E899)	3	2	3	70	93	.	.	.	.	.	.
Suicide (E950-E959)	18	17	17	623	793	412.1	345.5	0	493.1	443.2	0
Homicide and legal intervention (E960-E978)	73	72	73	2,914	3,637	1896.1	2007.8	0	2209.2	2371.8	0
..Homicide (E960-E969)	73	72	73	2,914	3,637	1896.1	1987.1	0	2209.2	2346.7	0
All injury (E800-E999)	166	156	163	5,553	7,146	3847.4	4070.9	0	4709.3	5002.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	25	23	24	733	970	521.9	566.9	0	664.7	693.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	4	6	85	135	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	77	76	77	3,060	3,823	2018.8	1899.7	0	2354.7	2261.9	0
...Suicide (E955.0-.4)	10	10	10	430	530	.	.	.	.	.	.
...Homicide (E965.0-.4)	63	62	63	2,475	3,098	1624.3	1630.0	0	1898.0	1927.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	478	668	401.9	800.9	0	535.6	1043.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	10	10	10	215	315	.	253.5	.	.	441.7	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	21	21	21	533	743	451.9	730.8	0	598.3	943.3	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	973	454	622	10,997	16,342	7617.1	6765.1	0	11290.3	10206.6	0
Infectious diseases and parasitic disease (1-139)	86	69	75	1,926	2,656	1322.3	1372.9	0	1748.8	1828.2	0
..Septicemia (038)	25	9	14	168	290	125.7	88.3	0	218.8	158.8	0
...Septicemia-related (038)	77	33	45	698	1,098	517.2	338.8	0	801.2	566.2	0
..HIV infection (042-044)	54	54	54	1,566	2,106	1072.0	1157.1	0	1364.8	1482.6	0
All cancer (140-208)	215	106	148	1,457	2,702	1203.7	1038.1	0	2192.3	1914.5	0
..Oral cavity or pharynx (140.0-149.9)	4	2	3	20	43	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	21	5	8	43	110	39.1	96.5	0	97.0	200.9	0
...Colon cancer (153)	20	5	8	43	110	39.1	94.1	0	97.0	189.6	0
...Rectal cancer (154)	1	.	.	0	0	.	.	.	.	.	.
..Pancreatic cancer (157)	19	7	11	48	128	45.1	.	0	116.0	.	0
..Lung and other respiratory cancer (160-165)	42	20	30	180	430	167.3	177.1	0	381.0	352.7	0
...Lung cancer (162.2-.9)	40	19	29	163	403	151.4	174.7	0	357.8	341.4	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	.	.	.	.
..Female breast cancer (174)	49	32	39	490	833	426.0	269.8	0	688.7	445.1	0
..Cervical cancer (180)	7	5	6	88	145	.	.	.	.	.	.
..Endometrial cancer (182)	3	2	2	10	30	.	.	.	.	.	.
..Ovarian cancer (183)	7	2	5	10	48	.	.	.	.	.	.
..Prostate cancer (185)	1	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	1	1	1	13	23	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	.	2	0	10	.	.	.	.	.	.
..Leukemia (204-208)	8	3	5	98	138	.	.	.	.	.	.
Diabetes mellitus (250)	36	6	21	45	183	42.7	113.9	0	167.5	264.6	0
..Diabetes-related (250)	110	32	70	370	875	317.7	368.8	0	750.6	872.7	0
..Diabetic ketoacidosis (DKA) (250.1)	.	.	.	.	.	.	.	.	.	.	.
Alzheimer's diseases (331.0)	6	.	1	0	3	.	.	.	.	.	.
Cardiovascular disease (390-459)	348	102	166	1,447	2,792	1164.1	1072.8	0	2245.8	2174.2	0
..Diseases of the heart (390-398,402,404-429)	277	80	136	1,097	2,187	893.6	885.8	0	1783.6	1724.8	0
...Heart disease-related (390-398,402,404-429)	543	187	294	3,189	5,581	2432.5	2256.9	0	4277.3	4059.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	188	46	88	552	1,222	458.7	265.7	0	1022.4	689.0	0
....Congestive heart failure (CHF) (428.0)	5	1	1	3	13	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	4	.	1	0	8	.	.	.	.	.	.
...Hypertension-related (401,403)	90	28	44	400	780	312.7	253.5	0	612.9	553.4	0
..Cerebrovascular disease (430-438)	51	17	23	258	453	208.2	120.0	0	357.9	285.4	0
..Atherosclerosis (440)	6	1	1	3	13	.	.	.	.	.	.
...Atherosclerosis-related (440)	28	1	7	3	38	2.5	19.1	0	36.2	51.2	0
..Aortic aneurysm (441)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	24	10	11	215	318	150.7	92.1	0	215.2	121.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	14	3	10	23	85	.	122.6	.	.	223.9	.
..COPD-related (490-496)	47	11	26	143	320	118.5	185.7	0	269.8	348.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Black Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	1	.	1	0	3	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	11	9	10	138	230	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	20	6	11	60	143	49.2	68.4	0	119.1	94.9	0
..Nephritis-related (580-589)	76	28	48	549	919	391.4	364.1	0	670.8	645.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	26	9	14	138	245	91.6	68.4	0	173.5	94.9	0
Unintentional injuries (E800-E949)	33	25	29	864	1,134	552.9	356.8	0	693.0	461.6	0
..Motor vehicle accidents (E810-E825)	6	6	6	230	290	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	4	2	3	75	103	.	.	.	.	.	.
..Drowning (E830,E832,E910)	2	2	2	75	95	.	.	.	.	.	.
..Residential fires (E890-E899)	5	3	4	105	137	.	.	.	.	.	.
Suicide (E950-E959)	3	3	3	113	143	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	19	17	19	657	832	401.4	415.9	0	477.1	488.0	0
..Homicide (E960-E969)	19	17	19	657	832	401.4	415.9	0	477.1	488.0	0
All injury (E800-E999)	56	46	52	1,665	2,150	1046.4	807.6	0	1279.3	996.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	6	6	6	230	290	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1	2	38	55	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	10	10	10	392	492	.	.	.	.	.	.
....Suicide (E955.0-.4)	1	1	1	48	58	.	.	.	.	.	.
....Homicide (E965.0-.4)	9	9	9	345	435	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	11	11	11	303	413	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	4	4	4	60	100	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	11	11	11	303	413	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).