

# Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Black Residents, 1996-1998

Page

## Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Black Residents, 1996-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

## Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Black Residents, 1996-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female				1989-1991 AAMR		
	*****1996-1998*****				*****1996-1998*****				*****1996-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance			
*****Causes of Death*****															
All causes	5,898	655.0	633.8	1	685.6	3,118	729.9	820.7	1	942.9	2,780	587.5	488.6	0	491.1
Infectious diseases and parasitic disease (1-139)	474	52.6	50.3	1	60.9	297	69.5	71.6	1	91.2	177	37.4	33.2	0	36.4
..Septicemia (038)	97	10.8	10.0	0	13.1	45	10.5	11.9	0	19.4	52	11.0	8.5	0	8.9
....Septicemia-related (038)	378	42.0	40.3	0	46.7	188	44.0	49.9	0	64.3	190	40.2	33.5	0	33.6
..HIV infection (042-044)	314	34.9	33.3	1	41.5	213	49.9	49.9	1	65.2	101	21.3	19.7	0	21.5
All cancer (140-208)	1,329	147.6	150.6	0	156.2	715	167.4	199.6	0	224.9	614	129.8	117.1	0	108.3
..Oral cavity or pharynx (140.0-149.9)	28	3.1	3.4	0	4.6	24	5.6	6.8	0	8.9	4	0.8	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	129	14.3	14.7	0	13.9	64	15.0	17.9	0	18.8	65	13.7	12.3	0	10.7
....Colon cancer (153)	113	12.5	12.9	0	12.0	52	12.2	14.4	0	16.1	61	12.9	11.8	0	9.6
....Rectal cancer (154)	16	1.8	1.8	0	.	12	2.8	.	.	.	4	0.8	.	.	.
..Pancreatic cancer (157)	81	9.0	9.1	0	7.7	38	8.9	11.1	0	9.3	43	9.1	7.5	0	6.6
..Lung and other respiratory cancer (160-165)	347	38.5	40.7	0	46.8	221	51.7	63.6	0	79.3	126	26.6	25.0	0	22.7
....Lung cancer (162.2-.9)	322	35.8	37.7	0	43.1	203	47.5	58.2	0	72.8	119	25.1	23.6	0	21.2
..Malignant melanoma of skin (172)	1	0.1	.	.	.	1	0.2	.	.	.	.	.	.	.	.
..Female breast cancer (174)	135	.	.	.	.	.	.	.	.	135	28.5	26.6	.	0	21.4
..Cervical cancer (180)	22	.	.	.	.	.	.	.	.	22	4.6	4.4	.	0	5.1
..Endometrial cancer (182)	9	.	.	.	.	.	.	.	.	9	1.9	.	.	.	.
..Ovarian cancer (183)	15	.	.	.	.	.	.	.	.	15	3.2	3.2	.	0	4.2
..Prostate cancer (185)	116	.	.	.	.	116	27.2	30.1	0	29.3	.	.	.	.	.
..Bladder cancer (188)	14	1.6	.	.	2.3	8	1.9	.	.	6	1.3	.	.	.	.
..Brain & other CNS cancer (191-192)	18	2.0	1.9	0	.	9	2.1	.	.	9	1.9	.	.	.	.
..Leukemia (204-208)	38	4.2	4.2	0	4.5	22	5.1	6.1	0	5.1	16	3.4	2.9	0	4.0
Diabetes mellitus (250)	215	23.9	23.6	0	19.2	100	23.4	27.5	0	19.8	115	24.3	20.9	0	18.7
..Diabetes-related (250)	699	77.6	76.1	0	71.0	283	66.2	78.5	0	73.7	416	87.9	73.6	0	68.9
..Diabetic ketoacidosis (DKA) (250.1)	7	0.8	.	.	.	4	0.9	.	.	3	0.6	.	.	.	.
Alzheimer's diseases (331.0)	14	1.6	.	.	.	2	0.5	.	.	.	12	2.5	.	.	.
Cardiovascular disease (390-459)	2,024	224.8	211.0	1	231.8	906	212.1	248.1	1	305.5	1,118	236.3	182.4	0	179.1
..Diseases of the heart (390-398,402,404-429)	1,612	179.0	169.0	0	183.7	748	175.1	205.3	1	244.4	864	182.6	142.0	0	140.4
....Heart disease-related (390-398,402,404-429)	2,916	323.9	308.6	1	344.5	1,406	329.1	381.6	1	457.9	1,510	319.1	254.5	0	263.8
....Coronary heart disease (CHD) (402,410-414,429.2)	1,076	119.5	112.7	0	120.2	501	117.3	138.4	0	161.7	575	121.5	93.9	0	90.2
....Congestive heart failure (CHF) (428.0)	65	7.2	6.0	0	4.2	20	4.7	5.3	0	5.5	45	9.5	6.5	0	3.7
..Hypertension with or without renal disease (401,403)	48	5.3	5.1	0	5.0	18	4.2	5.2	0	6.3	30	6.3	4.9	0	3.8
....Hypertension-related (401,403)	574	63.7	62.4	0	58.4	243	56.9	68.4	0	68.6	331	69.9	57.7	0	50.4
..Cerebrovascular disease (430-438)	287	31.9	29.1	0	33.1	105	24.6	28.2	1	43.8	182	38.5	28.9	0	25.3
..Atherosclerosis (440)	20	2.2	2.0	0	2.8	8	1.9	.	.	12	2.5	.	.	.	3.3
....Atherosclerosis-related (440)	119	13.2	11.1	0	13.3	40	9.4	10.1	0	13.6	79	16.7	11.8	0	13.2
..Aortic aneurysm (441)	18	2.0	1.7	0	3.2	7	1.6	.	.	11	2.3	.	.	.	.
Pneumonia & influenza (480-487)	178	19.8	17.0	0	16.3	87	20.4	21.8	0	24.2	91	19.2	13.5	0	10.8

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.  
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1996-1998*****				1989-1991 AAMR	*****1996-1998*****				1989-1991 AAMR	*****1996-1998*****				1989-1991 AAMR
	No. of deaths	Crude rate	AAMR	Signif- icance		No. of deaths	Crude rate	AAMR	Signif- icance		No. of deaths	Crude rate	AAMR	Signif- icance	
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	95	10.6	10.4	0	12.8	45	10.5	12.3	0	18.6	50	10.6	9.2	0	9.8
..COPD-related (490-496)	284	31.5	29.7	0	31.3	155	36.3	42.1	0	49.7	129	27.3	21.9	0	19.8
..Asthma (493)	24	2.7	2.7	0	2.4	10	2.3	.	0	.	14	3.0	.	0	.
Chronic liver disease and cirrhosis (571)	58	6.4	6.9	0	9.0	36	8.4	10.0	0	13.8	22	4.6	4.7	0	5.3
Nephritis, nephrotic syndrome/nephrosis (580-589)	104	11.6	11.2	0	12.6	47	11.0	12.7	0	13.8	57	12.0	10.1	0	11.2
..Nephritis-related (580-589)	448	49.8	48.9	1	65.8	215	50.3	56.8	1	78.3	233	49.2	42.9	1	56.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	136	15.1	14.7	0	14.0	64	15.0	17.4	0	15.9	72	15.2	12.8	0	12.2
Unintentional injuries (E800-E949)	281	31.2	31.1	0	27.8	201	47.0	49.8	0	42.7	80	16.9	15.2	0	14.8
..Motor vehicle accidents (E810-E825)	100	11.1	11.3	0	11.9	74	17.3	18.3	0	17.2	26	5.5	5.1	0	7.2
..Falls and fall related injuries (E880-E888)	15	1.7	1.5	0	2.4	12	2.8	.	0	4.4	3	0.6	.	0	.
..Drowning (E830,E832,E910)	11	1.2	.	0	2.1	9	2.1	.	0	4.2	2	0.4	.	0	.
..Residential fires (E890-E899)	15	1.7	1.7	0	2.7	7	1.6	.	0	.	8	1.7	.	0	.
Suicide (E950-E959)	66	7.3	7.7	0	5.1	54	12.6	13.3	0	8.3	12	2.5	.	0	.
Homicide and legal intervention (E960-E978)	221	24.5	25.9	0	25.6	179	41.9	43.9	0	45.2	42	8.9	9.0	0	7.3
..Homicide (E960-E969)	217	24.1	25.4	0	25.6	175	41.0	42.9	0	45.2	42	8.9	9.0	0	7.3
All injury (E800-E999)	577	64.1	65.7	0	61.3	443	103.7	109.0	0	101.2	134	28.3	26.7	0	25.2
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	100	11.1	11.3	0	11.5	74	17.3	18.3	0	16.7	26	5.5	5.1	0	6.9
..All falls (E880-E886,E888,E957,E968.1,E987)	17	1.9	1.8	0	2.4	13	3.0	.	0	4.4	4	0.8	.	0	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	193	21.4	23.1	0	22.5	174	40.7	42.8	0	42.9	19	4.0	4.3	0	3.2
....Suicide (E955.0-.4)	26	2.9	3.1	0	2.7	26	6.1	6.4	0	5.5	.	.	.	0	.
....Homicide (E965.0-.4)	160	17.8	19.2	0	19.1	141	33.0	34.6	0	35.9	19	4.0	4.3	0	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	95	10.6	10.3	1	5.5	71	16.6	16.9	1	9.4	24	5.1	4.7	0	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	49	5.4	5.7	1	10.7	36	8.4	9.7	0	16.1	13	2.7	.	0	6.7
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	88	9.8	9.4	0	5.9	67	15.7	15.7	0	9.3	21	4.4	4.1	0	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.

0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1996-1998*****				*****1996-1998*****				*****1996-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR
*****Causes of Death*****															
All causes	5,898	655.0	807.4	0	851.1	3,118	729.9	1021.3	1	1160.9	2,780	587.5	646.4	0	630.7
Infectious diseases and parasitic disease (1-139)	474	52.6	50.8	0	59.6	297	69.5	71.3	0	89.0	177	37.4	34.5	0	36.9
..Septicemia (038)	97	10.8	13.5	0	17.5	45	10.5	15.5	0	26.2	52	11.0	11.9	0	12.1
....Septicemia-related (038)	378	42.0	53.5	0	58.5	188	44.0	65.9	0	79.2	190	40.2	45.1	0	43.9
..HIV infection (042-044)	314	34.9	29.7	0	34.9	213	49.9	45.0	0	55.5	101	21.3	17.2	0	17.7
All cancer (140-208)	1,329	147.6	196.1	0	197.9	715	167.4	266.2	0	291.4	614	129.8	150.5	0	136.1
..Oral cavity or pharynx (140.0-149.9)	28	3.1	4.1	0	5.3	24	5.6	8.4	0	10.0	4	0.8	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	129	14.3	18.7	0	19.3	64	15.0	22.7	0	27.0	65	13.7	15.9	0	14.8
....Colon cancer (153)	113	12.5	16.6	0	17.1	52	12.2	18.9	0	23.9	61	12.9	15.1	0	13.4
....Rectal cancer (154)	16	1.8	2.2	0	.	12	2.8	.	.	.	4	0.8	.	.	.
..Pancreatic cancer (157)	81	9.0	12.3	0	10.2	38	8.9	14.3	0	12.3	43	9.1	10.5	0	8.8
..Lung and other respiratory cancer (160-165)	347	38.5	52.2	0	56.8	221	51.7	83.3	0	98.1	126	26.6	31.5	0	27.4
....Lung cancer (162.2-.9)	322	35.8	48.5	0	52.5	203	47.5	76.8	0	90.2	119	25.1	29.8	0	25.7
..Malignant melanoma of skin (172)	1	0.1	.	.	.	1	0.2	.	.	.	.	.	.	.	.
..Female breast cancer (174)	135	.	.	.	.	.	.	.	.	.	135	28.5	32.2	0	24.6
..Cervical cancer (180)	22	.	.	.	.	.	.	.	.	.	22	4.6	4.8	0	5.6
..Endometrial cancer (182)	9	.	.	.	.	.	.	.	.	.	9	1.9	.	.	.
..Ovarian cancer (183)	15	.	.	.	.	.	.	.	.	.	15	3.2	4.1	0	5.3
..Prostate cancer (185)	116	.	.	.	.	116	27.2	48.8	0	47.2	.	.	.	.	.
..Bladder cancer (188)	14	1.6	.	.	3.3	8	1.9	.	.	.	6	1.3	.	.	.
..Brain & other CNS cancer (191-192)	18	2.0	2.7	0	.	9	2.1	.	.	.	9	1.9	.	.	.
..Leukemia (204-208)	38	4.2	5.3	0	5.6	22	5.1	7.7	0	6.2	16	3.4	3.8	0	4.9
Diabetes mellitus (250)	215	23.9	32.0	0	24.8	100	23.4	37.4	0	25.1	115	24.3	28.5	0	24.4
..Diabetes-related (250)	699	77.6	104.4	0	94.9	283	66.2	104.5	0	97.1	416	87.9	102.9	0	92.8
..Diabetic ketoacidosis (DKA) (250.1)	7	0.8	.	.	.	4	0.9	.	.	.	3	0.6	.	.	.
Alzheimer's diseases (331.0)	14	1.6	.	.	.	2	0.5	.	.	.	12	2.5	.	.	.
Cardiovascular disease (390-459)	2,024	224.8	296.1	0	318.9	906	212.1	335.2	1	413.5	1,118	236.3	264.8	0	255.1
..Diseases of the heart (390-398,402,404-429)	1,612	179.0	235.4	0	249.7	748	175.1	276.8	1	328.4	864	182.6	204.1	0	196.6
....Heart disease-related (390-398,402,404-429)	2,916	323.9	419.5	1	459.7	1,406	329.1	505.6	1	607.3	1,510	319.1	356.4	0	361.2
....Coronary heart disease (CHD) (402,410-414,429.2)	1,076	119.5	159.1	0	167.1	501	117.3	189.5	0	219.7	575	121.5	136.9	0	130.6
....Congestive heart failure (CHF) (428.0)	65	7.2	9.8	0	6.7	20	4.7	8.4	0	10.2	45	9.5	10.5	0	5.4
..Hypertension with or without renal disease (401,403)	48	5.3	6.9	0	7.1	18	4.2	6.3	0	8.7	30	6.3	6.9	0	6.0
....Hypertension-related (401,403)	574	63.7	85.1	0	78.5	243	56.9	90.9	0	89.3	331	69.9	80.3	0	70.1
..Cerebrovascular disease (430-438)	287	31.9	42.3	0	47.6	105	24.6	38.2	1	60.1	182	38.5	43.7	0	38.6
..Atherosclerosis (440)	20	2.2	3.1	0	4.5	8	1.9	.	.	.	12	2.5	.	.	5.0
....Atherosclerosis-related (440)	119	13.2	18.0	0	21.8	40	9.4	16.7	0	22.3	79	16.7	18.8	0	21.4
..Aortic aneurysm (441)	18	2.0	2.5	0	4.2	7	1.6	.	.	.	11	2.3	.	.	.
Pneumonia & influenza (480-487)	178	19.8	25.1	0	22.7	87	20.4	31.0	0	32.9	91	19.2	21.0	0	15.9

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.  
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1996-1998*****				*****1996-1998*****				*****1996-1998*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	95	10.6	13.8	0	17.8	45	10.5	17.0	0	29.0	50	10.6	12.0	0	12.3
..COPD-related (490-496)	284	31.5	42.1	0	43.4	155	36.3	61.5	0	72.1	129	27.3	30.3	0	26.6
..Asthma (493)	24	2.7	3.0	0	2.7	10	2.3	.	.	.	14	3.0	.	.	.
Chronic liver disease and cirrhosis (571)	58	6.4	7.6	0	9.5	36	8.4	11.0	0	14.6	22	4.6	5.1	0	5.5
Nephritis, nephrotic syndrome/nephrosis (580-589)	104	11.6	15.2	0	17.3	47	11.0	16.9	0	17.7	57	12.0	14.0	0	16.3
..Nephritis-related (580-589)	448	49.8	63.4	1	85.1	215	50.3	72.8	1	98.9	233	49.2	56.8	1	75.3
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	136	15.1	19.6	0	19.3	64	15.0	23.1	0	20.8	72	15.2	17.1	0	17.7
Unintentional injuries (E800-E949)	281	31.2	31.5	0	29.2	201	47.0	49.9	0	44.1	80	16.9	16.2	0	16.5
..Motor vehicle accidents (E810-E825)	100	11.1	11.0	0	12.0	74	17.3	17.7	0	17.7	26	5.5	5.0	0	7.3
..Falls and fall related injuries (E880-E888)	15	1.7	2.1	0	3.1	12	2.8	.	.	5.3	3	0.6	.	.	.
..Drowning (E830,E832,E910)	11	1.2	.	.	2.2	9	2.1	.	.	4.1	2	0.4	.	.	.
..Residential fires (E890-E899)	15	1.7	1.7	0	3.0	7	1.6	.	.	.	8	1.7	.	.	.
Suicide (E950-E959)	66	7.3	7.3	0	4.4	54	12.6	12.5	0	7.2	12	2.5	.	.	.
Homicide and legal intervention (E960-E978)	221	24.5	23.7	0	23.6	179	41.9	40.1	0	41.8	42	8.9	8.2	0	6.8
..Homicide (E960-E969)	217	24.1	23.2	0	23.6	175	41.0	39.1	0	41.8	42	8.9	8.2	0	6.8
All injury (E800-E999)	577	64.1	63.3	0	59.8	443	103.7	104.2	0	97.5	134	28.3	26.9	0	26.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	100	11.1	11.0	0	11.5	74	17.3	17.7	0	17.0	26	5.5	5.0	0	7.0
..All falls (E880-E886,E888,E957,E968.1,E987)	17	1.9	2.2	0	3.0	13	3.0	.	.	5.3	4	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	193	21.4	21.0	0	20.6	174	40.7	38.7	0	39.4	19	4.0	4.0	0	2.9
....Suicide (E955.0-.4)	26	2.9	2.9	0	2.4	26	6.1	6.2	0	4.9	.	.	.	.	.
....Homicide (E965.0-.4)	160	17.8	17.3	0	17.4	141	33.0	30.9	0	32.9	19	4.0	4.0	0	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	95	10.6	9.2	1	4.6	71	16.6	15.2	1	7.9	24	5.1	4.2	0	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	49	5.4	6.0	1	11.1	36	8.4	10.2	0	17.4	13	2.7	.	.	6.6
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	88	9.8	8.3	1	4.9	67	15.7	14.0	1	7.8	21	4.4	3.5	0	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.  
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1996-1998*****				*****1996-1998*****				*****1996-1998*****						
	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1991 AAMR
*****Causes of Death*****															
All causes	5,898	655.0	1026.7	0	1076.4	3,118	729.9	1270.9	1	1460.5	2,780	587.5	846.9	0	816.6
Infectious diseases and parasitic disease (1-139)	474	52.6	64.1	0	77.0	297	69.5	89.8	0	115.7	177	37.4	43.6	0	47.8
..Septicemia (038)	97	10.8	18.1	0	24.3	45	10.5	20.0	0	37.0	52	11.0	16.5	0	17.1
....Septicemia-related (038)	378	42.0	69.5	0	76.8	188	44.0	85.7	0	103.0	190	40.2	58.8	0	58.9
..HIV infection (042-044)	314	34.9	36.9	0	43.6	213	49.9	56.1	0	69.5	101	21.3	21.1	0	21.7
All cancer (140-208)	1,329	147.6	242.5	0	241.0	715	167.4	332.8	0	358.9	614	129.8	187.3	0	168.0
..Oral cavity or pharynx (140.0-149.9)	28	3.1	4.5	0	6.0	24	5.6	9.6	0	10.6	4	0.8	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	129	14.3	22.9	0	26.1	64	15.0	27.3	0	37.3	65	13.7	19.9	0	20.0
....Colon cancer (153)	113	12.5	20.3	0	23.5	52	12.2	23.3	0	33.9	61	12.9	18.6	0	18.1
....Rectal cancer (154)	16	1.8	2.6	0	.	12	2.8	.	.	.	4	0.8	.	.	.
..Pancreatic cancer (157)	81	9.0	15.4	0	12.5	38	8.9	16.5	0	15.6	43	9.1	14.1	0	10.7
..Lung and other respiratory cancer (160-165)	347	38.5	62.4	0	64.3	221	51.7	100.7	0	111.9	126	26.6	37.9	0	31.9
....Lung cancer (162.2-.9)	322	35.8	58.3	0	59.4	203	47.5	93.5	0	103.0	119	25.1	35.8	0	29.9
..Malignant melanoma of skin (172)	1	0.1	.	.	.	1	0.2	.	.	.	.	.	.	.	.
..Female breast cancer (174)	135	.	.	.	.	.	.	.	.	.	135	28.5	39.5	0	30.1
..Cervical cancer (180)	22	.	.	.	.	.	.	.	.	.	22	4.6	5.8	0	6.6
..Endometrial cancer (182)	9	.	.	.	.	.	.	.	.	.	9	1.9	.	.	.
..Ovarian cancer (183)	15	.	.	.	.	.	.	.	.	.	15	3.2	4.6	0	5.9
..Prostate cancer (185)	116	.	.	.	.	116	27.2	71.2	0	67.8	.	.	.	.	.
..Bladder cancer (188)	14	1.6	.	.	4.5	8	1.9	.	.	.	6	1.3	.	.	.
..Brain & other CNS cancer (191-192)	18	2.0	3.6	0	.	9	2.1	.	.	.	9	1.9	.	.	.
..Leukemia (204-208)	38	4.2	6.4	0	6.6	22	5.1	9.4	0	6.7	16	3.4	4.6	0	6.2
Diabetes mellitus (250)	215	23.9	40.8	0	31.0	100	23.4	48.0	0	31.0	115	24.3	36.3	0	30.7
..Diabetes-related (250)	699	77.6	134.6	0	120.1	283	66.2	131.3	0	121.8	416	87.9	134.2	0	117.7
..Diabetic ketoacidosis (DKA) (250.1)	7	0.8	.	.	.	4	0.9	.	.	.	3	0.6	.	.	.
Alzheimer's diseases (331.0)	14	1.6	.	.	.	2	0.5	.	.	.	12	2.5	.	.	.
Cardiovascular disease (390-459)	2,024	224.8	398.9	0	427.8	906	212.1	432.8	1	547.1	1,118	236.3	368.4	0	351.3
..Diseases of the heart (390-398,402,404-429)	1,612	179.0	315.3	0	329.1	748	175.1	356.5	1	428.4	864	182.6	282.5	0	266.1
....Heart disease-related (390-398,402,404-429)	2,916	323.9	554.6	1	608.0	1,406	329.1	649.4	1	797.9	1,510	319.1	484.3	0	487.6
....Coronary heart disease (CHD) (402,410-414,429.2)	1,076	119.5	213.7	0	221.7	501	117.3	245.6	0	285.4	575	121.5	189.9	0	179.7
....Congestive heart failure (CHF) (428.0)	65	7.2	14.6	0	10.0	20	4.7	12.0	0	16.8	45	9.5	15.8	1	7.5
..Hypertension with or without renal disease (401,403)	48	5.3	8.9	0	9.8	18	4.2	7.1	0	11.7	30	6.3	9.6	0	8.6
....Hypertension-related (401,403)	574	63.7	109.8	0	102.0	243	56.9	113.1	0	114.4	331	69.9	106.0	0	92.4
..Cerebrovascular disease (430-438)	287	31.9	58.6	0	68.1	105	24.6	50.1	1	82.9	182	38.5	62.1	0	57.4
..Atherosclerosis (440)	20	2.2	4.4	0	6.7	8	1.9	.	.	.	12	2.5	.	.	7.1
....Atherosclerosis-related (440)	119	13.2	26.6	0	33.1	40	9.4	25.2	0	32.8	79	16.7	27.6	0	32.7
..Aortic aneurysm (441)	18	2.0	3.7	0	5.6	7	1.6	.	.	.	11	2.3	.	.	.
Pneumonia & influenza (480-487)	178	19.8	36.2	0	31.4	87	20.4	44.0	0	44.4	91	19.2	30.9	0	22.7

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.  
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1996-1998*****				*****1996-1998*****				*****1996-1998*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	95	10.6	17.6	0	23.5	45	10.5	22.0	1	41.3	50	10.6	15.1	0	15.3
..COPD-related (490-496)	284	31.5	56.9	0	56.6	155	36.3	83.4	0	96.6	129	27.3	41.5	0	34.9
..Asthma (493)	24	2.7	3.5	0	3.1	10	2.3	.	.	.	14	3.0	.	.	.
Chronic liver disease and cirrhosis (571)	58	6.4	8.5	0	11.2	36	8.4	12.6	0	16.8	22	4.6	5.5	0	6.7
Nephritis, nephrotic syndrome/nephrosis (580-589)	104	11.6	19.7	0	23.1	47	11.0	21.5	0	22.4	57	12.0	18.3	0	22.4
..Nephritis-related (580-589)	448	49.8	81.0	1	110.8	215	50.3	94.7	1	130.0	233	49.2	72.1	1	97.7
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	136	15.1	25.3	0	25.9	64	15.0	29.4	0	26.8	72	15.2	22.4	0	24.4
Unintentional injuries (E800-E949)	281	31.2	36.2	0	32.6	201	47.0	57.2	0	48.5	80	16.9	19.3	0	19.2
..Motor vehicle accidents (E810-E825)	100	11.1	11.7	0	12.5	74	17.3	18.8	0	18.8	26	5.5	5.8	0	7.6
..Falls and fall related injuries (E880-E888)	15	1.7	2.9	0	4.1	12	2.8	.	.	6.7	3	0.6	.	.	.
..Drowning (E830,E832,E910)	11	1.2	.	.	2.1	9	2.1	.	.	3.9	2	0.4	.	.	.
..Residential fires (E890-E899)	15	1.7	1.7	0	3.3	7	1.6	.	.	.	8	1.7	.	.	.
Suicide (E950-E959)	66	7.3	7.5	0	4.8	54	12.6	12.5	0	8.0	12	2.5	.	.	.
Homicide and legal intervention (E960-E978)	221	24.5	22.7	0	23.0	179	41.9	38.4	0	40.9	42	8.9	8.3	0	6.9
..Homicide (E960-E969)	217	24.1	22.3	0	23.0	175	41.0	37.5	0	40.9	42	8.9	8.3	0	6.9
All injury (E800-E999)	577	64.1	67.3	0	63.4	443	103.7	109.9	0	103.1	134	28.3	30.4	0	29.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	100	11.1	11.7	0	12.0	74	17.3	18.8	0	18.2	26	5.5	5.8	0	7.2
..All falls (E880-E886,E888,E957,E968.1,E987)	17	1.9	3.0	0	3.9	13	3.0	.	.	6.7	4	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	193	21.4	19.5	0	19.5	174	40.7	36.4	0	38.1	19	4.0	3.7	0	2.7
....Suicide (E955.0-.4)	26	2.9	2.9	0	2.6	26	6.1	6.3	0	5.3	.	.	.	.	.
....Homicide (E965.0-.4)	160	17.8	15.8	0	16.2	141	33.0	28.6	0	31.2	19	4.0	3.7	0	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	95	10.6	11.2	1	5.6	71	16.6	18.6	1	9.9	24	5.1	5.1	0	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	49	5.4	7.0	1	13.0	36	8.4	11.7	0	20.6	13	2.7	.	.	7.6
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	88	9.8	10.3	1	6.0	67	15.7	17.3	1	9.7	21	4.4	4.5	0	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.  
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	5,898	3,064	4,166	68,537	104,427	8209.0	9621.4	1	12205.5	14076.1	1
Infectious diseases and parasitic disease (1-139)	474	403	427	9,248	13,413	1029.5	1440.3	1	1442.7	1922.3	1
..Septicemia (038)	97	45	58	782	1,309	91.5	139.3	0	151.9	213.5	0
...Septicemia-related (038)	378	161	251	2,872	4,922	339.7	547.2	1	577.2	842.4	1
..HIV infection (042-044)	314	308	313	7,408	10,521	815.4	1188.0	1	1112.1	1552.3	1
All cancer (140-208)	1,329	606	939	7,148	14,851	898.7	1027.6	0	1847.6	2073.5	0
..Oral cavity or pharynx (140.0-149.9)	28	17	25	183	398	24.5	37.1	0	51.6	74.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	129	62	98	690	1,490	86.2	77.7	0	185.0	154.2	0
...Colon cancer (153)	113	53	85	553	1,233	69.2	59.7	0	153.5	123.3	0
...Rectal cancer (154)	16	9	13	138	258	17.0	.	0	31.5	.	0
..Pancreatic cancer (157)	81	32	53	285	718	35.6	32.4	0	90.4	78.5	0
..Lung and other respiratory cancer (160-165)	347	167	259	1,568	3,658	202.2	270.5	0	465.7	618.5	1
...Lung cancer (162.2-.9)	322	152	238	1,435	3,340	184.7	239.8	0	424.8	559.7	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	.	.	.	.
..Female breast cancer (174)	135	79	103	1,013	1,923	.	.	.	.	.	.
..Cervical cancer (180)	22	15	18	283	455	.	.	.	.	.	.
..Endometrial cancer (182)	9	1	6	23	55	.	.	.	.	.	.
..Ovarian cancer (183)	15	6	13	25	108	.	.	.	.	.	.
..Prostate cancer (185)	116	19	51	98	433	.	.	.	.	.	.
..Bladder cancer (188)	14	3	9	33	83	.	7.2	.	.	18.6	.
..Brain & other CNS cancer (191-192)	18	5	9	93	163	12.2	.	0	20.6	.	0
..Leukemia (204-208)	38	19	29	437	677	53.3	65.4	0	80.9	96.9	0
Diabetes mellitus (250)	215	85	142	848	1,980	106.8	111.6	0	249.0	232.7	0
..Diabetes-related (250)	699	246	448	2,595	6,045	326.1	332.8	0	757.1	740.4	0
..Diabetic ketoacidosis (DKA) (250.1)	7	5	5	138	188	.	.	.	.	.	.
Alzheimer's diseases (331.0)	14	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	2,024	727	1,194	9,254	18,676	1149.7	1409.0	1	2298.4	2717.1	1
..Diseases of the heart (390-398,402,404-429)	1,612	590	971	7,562	15,225	944.5	1108.3	0	1878.7	2171.7	0
...Heart disease-related (390-398,402,404-429)	2,916	1,181	1,848	16,991	31,918	2065.0	2696.1	1	3848.2	4736.7	1
....Coronary heart disease (CHD) (402,410-414,429.2)	1,076	371	632	3,993	8,885	506.9	551.7	0	1114.9	1219.3	0
....Congestive heart failure (CHF) (428.0)	65	12	25	115	298	14.2	15.7	0	37.1	34.4	0
..Hypertension with or without renal disease (401,403)	48	23	31	248	523	30.4	22.0	0	64.3	45.7	0
...Hypertension-related (401,403)	574	223	372	2,178	5,125	277.7	329.3	0	647.2	670.9	0
..Cerebrovascular disease (430-438)	287	94	153	1,254	2,457	151.3	219.7	0	296.4	389.3	0
..Atherosclerosis (440)	20	2	10	5	65	0.7	6.7	0	8.6	17.2	0
...Atherosclerosis-related (440)	119	20	45	217	550	27.3	29.5	0	69.6	81.2	0
..Aortic aneurysm (441)	18	6	8	95	160	10.6	18.4	0	17.8	38.6	0
Pneumonia & influenza (480-487)	178	58	92	1,143	1,873	131.4	148.6	0	213.7	233.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	95	39	64	705	1,212	87.2	59.8	0	146.8	128.3	0
..COPD-related (490-496)	284	91	159	1,345	2,555	166.4	136.8	0	311.5	304.3	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	24	17	22	475	662	56.0	27.1	0	75.1	45.2	0
Chronic liver disease and cirrhosis (571)	58	44	56	625	1,125	74.2	121.9	0	132.4	199.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	104	35	68	535	1,042	64.8	72.9	0	125.7	144.6	0
..Nephritis-related (580-589)	448	200	311	3,235	5,758	383.7	538.2	1	677.0	935.9	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	136	49	92	825	1,507	96.7	78.0	0	176.2	154.5	0
Unintentional injuries (E800-E949)	281	242	260	6,925	9,435	830.4	797.9	0	1081.2	1007.9	0
..Motor vehicle accidents (E810-E825)	100	90	95	3,018	3,946	374.5	396.0	0	465.6	488.0	0
..Falls and fall related injuries (E880-E888)	15	5	10	98	160	12.0	32.2	0	19.0	48.3	0
..Drowning (E830,E832,E910)	11	11	11	398	508	.	81.8	.	.	97.4	.
..Residential fires (E890-E899)	15	13	15	482	627	56.2	77.7	0	70.1	96.7	0
Suicide (E950-E959)	66	60	64	2,085	2,710	267.7	176.6	0	329.7	219.0	0
Homicide and legal intervention (E960-E978)	221	214	220	8,093	10,273	1029.8	1010.8	0	1240.6	1217.3	0
..Homicide (E960-E969)	217	210	216	7,928	10,068	1006.3	1010.8	0	1212.7	1217.3	0
All injury (E800-E999)	577	525	553	17,428	22,833	2165.9	2067.3	0	2697.3	2547.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	100	90	95	3,018	3,946	374.5	389.5	0	465.6	479.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	17	8	13	180	273	21.5	36.1	0	31.3	53.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	193	189	192	7,360	9,267	961.2	932.7	0	1147.3	1113.8	0
....Suicide (E955.0-.4)	26	23	25	838	1,078	108.4	93.6	0	132.0	115.5	0
....Homicide (E965.0-.4)	160	159	160	6,235	7,832	813.6	808.9	0	969.1	963.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	95	95	95	2,233	3,183	252.9	168.4	0	345.3	214.7	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	49	41	47	663	1,098	77.4	158.4	1	125.9	249.3	1
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	88	88	88	2,115	2,995	238.4	183.3	0	322.6	234.5	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	3,118	1,874	2,448	43,044	64,619	10880.9	12888.4	1	16230.8	19095.8	1
Infectious diseases and parasitic disease (1-139)	297	266	276	5,972	8,692	1432.6	2074.7	1	2029.0	2806.0	1
..Septicemia (038)	45	26	31	467	755	116.9	177.7	0	191.0	285.3	0
...Septicemia-related (038)	188	92	133	1,710	2,818	433.3	713.0	1	720.4	1129.4	1
..HIV infection (042-044)	213	208	212	4,836	6,946	1151.7	1778.2	1	1598.5	2353.7	1
All cancer (140-208)	715	324	518	3,569	7,819	1008.9	1291.2	0	2236.0	2752.1	1
..Oral cavity or pharynx (140.0-149.9)	24	16	21	170	358	49.9	65.6	0	104.3	140.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	64	32	52	355	790	97.6	99.3	0	222.2	193.4	0
...Colon cancer (153)	52	25	41	248	583	69.1	66.3	0	166.0	140.8	0
...Rectal cancer (154)	12	7	11	108	208	.	.	.	.	.	.
..Pancreatic cancer (157)	38	18	30	130	385	37.1	48.5	0	114.1	108.6	0
..Lung and other respiratory cancer (160-165)	221	105	166	923	2,265	272.2	415.8	0	669.3	1002.0	1
...Lung cancer (162.2-.9)	203	94	150	840	2,045	246.0	367.2	0	601.7	903.9	1
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	116	19	51	98	433	31.7	11.7	0	135.1	102.4	0
..Bladder cancer (188)	8	3	7	33	78	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	9	4	6	85	135	.	.	.	.	.	.
..Leukemia (204-208)	22	11	19	148	298	40.0	62.4	0	81.9	97.4	0
Diabetes mellitus (250)	100	44	70	515	1,080	138.6	126.3	0	299.6	256.5	0
..Diabetes-related (250)	283	119	206	1,413	3,045	381.6	390.2	0	843.9	813.2	0
..Diabetic ketoacidosis (DKA) (250.1)	4	4	4	120	160	.	.	.	.	.	.
Alzheimer's diseases (331.0)	2	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	906	409	633	5,266	10,446	1443.6	1914.0	1	2897.0	3701.5	1
..Diseases of the heart (390-398,402,404-429)	748	330	523	4,281	8,539	1177.5	1486.3	0	2372.0	2943.5	1
...Heart disease-related (390-398,402,404-429)	1,406	673	1,015	9,838	18,228	2604.0	3507.3	1	4893.5	6252.3	1
....Coronary heart disease (CHD) (402,410-414,429.2)	501	214	341	2,300	5,068	655.4	797.9	0	1452.5	1748.7	0
....Congestive heart failure (CHF) (428.0)	20	4	9	20	88	6.6	4.6	0	27.5	22.7	0
..Hypertension with or without renal disease (401,403)	18	14	16	135	285	39.4	37.5	0	83.4	77.3	0
...Hypertension-related (401,403)	243	116	179	1,115	2,588	321.7	469.9	0	751.3	893.2	0
..Cerebrovascular disease (430-438)	105	53	74	740	1,357	195.2	320.1	0	364.6	560.0	0
..Atherosclerosis (440)	8	.	4	0	20	.	.	.	.	.	.
...Atherosclerosis-related (440)	40	7	16	135	257	33.4	14.1	0	67.3	57.5	0
..Aortic aneurysm (441)	7	4	4	50	90	.	.	.	.	.	.
Pneumonia & influenza (480-487)	87	39	55	854	1,314	205.9	202.1	0	318.4	326.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	45	18	31	255	493	69.2	40.8	0	135.8	112.7	0
..COPD-related (490-496)	155	48	90	520	1,180	150.3	162.1	0	342.3	398.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	10	6	8	160	225	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	36	28	35	385	698	104.0	172.6	0	187.6	289.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	47	19	36	305	567	76.3	103.1	0	147.4	193.0	0
..Nephritis-related (580-589)	215	113	160	2,001	3,358	514.3	748.1	0	863.8	1241.5	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	64	25	48	400	742	99.5	107.0	0	191.4	205.3	0
Unintentional injuries (E800-E949)	201	182	192	5,157	7,017	1314.9	1218.8	0	1721.0	1545.2	0
..Motor vehicle accidents (E810-E825)	74	69	71	2,364	3,064	617.4	561.5	0	764.8	693.0	0
..Falls and fall related injuries (E880-E888)	12	5	10	98	160	.	65.8	.	.	97.9	.
..Drowning (E830,E832,E910)	9	9	9	313	403	.	164.8	.	.	196.4	.
..Residential fires (E890-E899)	7	6	7	165	233	.	.	.	.	.	.
Suicide (E950-E959)	54	50	53	1,820	2,338	476.1	283.5	0	581.7	351.8	0
Homicide and legal intervention (E960-E978)	179	172	178	6,568	8,328	1721.9	1743.2	0	2077.3	2109.9	0
..Homicide (E960-E969)	175	168	174	6,403	8,123	1674.2	1743.2	0	2021.0	2109.9	0
All injury (E800-E999)	443	413	432	13,870	18,097	3590.4	3395.1	0	4473.8	4194.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	74	69	71	2,364	3,064	617.4	548.9	0	764.8	676.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	13	6	11	125	198	.	65.8	.	.	97.9	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	174	170	173	6,622	8,340	1757.3	1744.8	0	2101.8	2088.0	0
....Suicide (E955.0-.4)	26	23	25	838	1,078	219.8	179.8	0	268.9	223.9	0
....Homicide (E965.0-.4)	141	140	141	5,497	6,905	1458.9	1505.0	0	1740.2	1794.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	71	71	71	1,623	2,333	398.6	281.9	0	551.8	360.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	36	30	35	480	803	125.0	204.7	0	206.8	335.2	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	67	67	67	1,593	2,263	387.4	285.4	0	528.7	366.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	2,780	1,190	1,718	25,493	39,808	5784.3	6696.0	0	8681.3	9709.4	0
Infectious diseases and parasitic disease (1-139)	177	137	151	3,276	4,721	690.1	896.2	0	953.1	1170.5	0
..Septicemia (038)	52	19	27	315	555	69.3	108.9	0	119.0	157.6	0
...Septicemia-related (038)	190	69	118	1,162	2,104	260.4	413.2	0	458.6	612.0	0
..HIV infection (042-044)	101	100	101	2,572	3,575	532.1	677.8	0	705.1	863.9	0
All cancer (140-208)	614	282	421	3,579	7,032	810.5	812.0	0	1551.1	1532.1	0
..Oral cavity or pharynx (140.0-149.9)	4	1	4	13	40	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	65	30	46	335	700	76.6	58.9	0	155.7	121.7	0
...Colon cancer (153)	61	28	44	305	650	69.4	54.4	0	144.3	109.6	0
...Rectal cancer (154)	4	2	2	30	50	.	.	0	.	.	0
..Pancreatic cancer (157)	43	14	23	155	333	34.7	19.3	0	73.0	54.3	0
..Lung and other respiratory cancer (160-165)	126	62	93	645	1,393	147.4	152.5	0	310.9	310.9	0
...Lung cancer (162.2-.9)	119	58	88	595	1,295	136.3	136.8	0	289.7	284.4	0
..Malignant melanoma of skin (172)	.	.	.	.	.	.	.	0	.	.	0
..Female breast cancer (174)	135	79	103	1,013	1,923	228.2	231.4	0	422.0	398.6	0
..Cervical cancer (180)	22	15	18	283	455	58.9	70.7	0	92.7	111.5	0
..Endometrial cancer (182)	9	1	6	23	55	.	.	0	.	.	0
..Ovarian cancer (183)	15	6	13	25	108	6.2	29.6	0	25.2	55.6	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	6	.	2	0	5	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	9	1	3	8	28	.	.	0	.	.	0
..Leukemia (204-208)	16	8	10	289	379	70.6	66.5	0	88.1	95.5	0
Diabetes mellitus (250)	115	41	72	333	900	78.5	98.9	0	205.9	212.4	0
..Diabetes-related (250)	416	127	242	1,183	3,000	279.5	283.6	0	685.2	677.8	0
...Diabetic ketoacidosis (DKA) (250.1)	3	1	1	18	28	.	.	0	.	.	0
Alzheimer's diseases (331.0)	12	.	.	0	0	.	.	0	.	.	0
Cardiovascular disease (390-459)	1,118	318	561	3,988	8,231	905.4	989.8	0	1819.7	1917.7	0
..Diseases of the heart (390-398,402,404-429)	864	260	448	3,281	6,686	751.0	795.8	0	1484.9	1547.1	0
...Heart disease-related (390-398,402,404-429)	1,510	508	833	7,153	13,691	1618.4	2018.9	0	3010.3	3498.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	575	157	291	1,693	3,818	386.5	349.2	0	849.8	793.1	0
....Congestive heart failure (CHF) (428.0)	45	8	16	95	210	20.5	26.1	0	45.2	45.6	0
..Hypertension with or without renal disease (401,403)	30	9	15	113	238	23.4	8.8	0	49.9	19.6	0
...Hypertension-related (401,403)	331	107	193	1,063	2,538	242.9	210.9	0	567.2	485.8	0
..Cerebrovascular disease (430-438)	182	41	79	515	1,100	113.5	135.9	0	239.6	249.5	0
...Atherosclerosis (440)	12	2	6	5	45	.	11.3	0	.	27.4	0
...Atherosclerosis-related (440)	79	13	29	83	293	20.3	42.1	0	68.2	100.4	0
..Aortic aneurysm (441)	11	2	4	45	70	.	.	0	.	.	0
Pneumonia & influenza (480-487)	91	19	37	290	560	64.3	106.8	0	121.7	160.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	50	21	33	450	720	106.2	74.9	0	161.6	141.7	0
..COPD-related (490-496)	129	43	69	825	1,375	186.2	113.2	0	298.3	228.3	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	14	11	14	315	437	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	22	16	21	240	428	50.7	80.7	0	89.3	126.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	57	16	32	230	475	54.9	47.6	0	108.1	104.0	0
..Nephritis-related (580-589)	233	87	151	1,235	2,400	272.1	362.8	0	519.0	680.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	72	24	44	425	765	94.7	54.3	0	165.3	112.9	0
Unintentional injuries (E800-E949)	80	60	68	1,768	2,418	385.7	396.8	0	502.7	503.7	0
..Motor vehicle accidents (E810-E825)	26	21	24	655	882	141.0	234.0	0	180.6	289.6	0
..Falls and fall related injuries (E880-E888)	3	.	.	0	0	.	.	.	.	.	.
..Drowning (E830,E832,E910)	2	2	2	85	105	.	.	.	.	.	.
..Residential fires (E890-E899)	8	7	8	317	394	.	.	.	.	.	.
Suicide (E950-E959)	12	10	11	265	373	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	42	42	42	1,525	1,945	356.2	294.5	0	430.4	350.7	0
..Homicide (E960-E969)	42	42	42	1,525	1,945	356.2	294.5	0	430.4	350.7	0
All injury (E800-E999)	134	112	121	3,558	4,736	806.0	788.8	0	1018.3	978.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	21	24	655	882	141.0	234.0	0	180.6	289.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	2	2	55	75	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	19	19	19	738	928	184.4	133.8	0	219.7	160.2	0
....Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	19	19	19	738	928	184.4	.	0	219.7	.	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	24	24	24	610	850	128.2	.	0	170.0	.	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	13	11	12	183	295	.	121.7	.	.	181.2	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	21	21	21	523	733	108.0	.	0	144.2	.	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	5,898	3,064	4,166	68,537	104,427	8108.6	9301.9	1	12258.8	13849.5	1
Infectious diseases and parasitic disease (1-139)	474	403	427	9,248	13,413	930.1	1236.3	1	1306.9	1649.7	1
..Septicemia (038)	97	45	58	782	1,309	90.7	128.7	0	154.4	203.8	0
...Septicemia-related (038)	378	161	251	2,872	4,922	334.2	503.5	1	589.6	801.0	1
..HIV infection (042-044)	314	308	313	7,408	10,521	721.3	1005.0	1	979.1	1302.6	1
All cancer (140-208)	1,329	606	939	7,148	14,851	908.7	1022.9	0	1960.5	2174.9	0
..Oral cavity or pharynx (140.0-149.9)	28	17	25	183	398	26.1	38.0	0	56.4	77.9	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	129	62	98	690	1,490	85.4	78.7	0	195.1	162.2	0
...Colon cancer (153)	113	53	85	553	1,233	69.7	59.9	0	163.9	129.7	0
...Rectal cancer (154)	16	9	13	138	258	15.8	.	0	31.2	.	0
..Pancreatic cancer (157)	81	32	53	285	718	36.1	33.4	0	98.6	85.6	0
..Lung and other respiratory cancer (160-165)	347	167	259	1,568	3,658	206.9	272.9	0	503.0	662.2	1
...Lung cancer (162.2-.9)	322	152	238	1,435	3,340	188.5	242.5	0	458.3	601.4	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	.	.	.	.
..Female breast cancer (174)	135	79	103	1,013	1,923	.	.	.	.	.	.
..Cervical cancer (180)	22	15	18	283	455	.	.	.	.	.	.
..Endometrial cancer (182)	9	1	6	23	55	.	.	.	.	.	.
..Ovarian cancer (183)	15	6	13	25	108	.	.	.	.	.	.
..Prostate cancer (185)	116	19	51	98	433	.	.	.	.	.	.
..Bladder cancer (188)	14	3	9	33	83	.	7.9	.	.	21.1	.
..Brain & other CNS cancer (191-192)	18	5	9	93	163	11.5	.	0	20.6	.	0
..Leukemia (204-208)	38	19	29	437	677	54.5	70.6	0	84.2	104.2	0
Diabetes mellitus (250)	215	85	142	848	1,980	109.1	110.3	0	270.1	243.6	0
..Diabetes-related (250)	699	246	448	2,595	6,045	325.4	330.2	0	813.4	786.4	0
..Diabetic ketoacidosis (DKA) (250.1)	7	5	5	138	188	.	.	.	.	.	.
Alzheimer's diseases (331.0)	14	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	2,024	727	1,194	9,254	18,676	1142.8	1355.6	0	2413.5	2782.8	1
..Diseases of the heart (390-398,402,404-429)	1,612	590	971	7,562	15,225	936.7	1073.3	0	1968.2	2239.5	0
...Heart disease-related (390-398,402,404-429)	2,916	1,181	1,848	16,991	31,918	2023.2	2574.5	1	3966.5	4756.9	1
....Coronary heart disease (CHD) (402,410-414,429.2)	1,076	371	632	3,993	8,885	507.1	545.9	0	1188.0	1293.9	0
....Congestive heart failure (CHF) (428.0)	65	12	25	115	298	14.1	17.0	0	40.5	38.6	0
..Hypertension with or without renal disease (401,403)	48	23	31	248	523	29.7	20.6	0	67.3	46.9	0
...Hypertension-related (401,403)	574	223	372	2,178	5,125	283.0	324.6	0	700.0	700.3	0
..Cerebrovascular disease (430-438)	287	94	153	1,254	2,457	152.7	206.9	0	313.5	386.3	0
..Atherosclerosis (440)	20	2	10	5	65	0.9	7.2	0	10.7	19.1	0
...Atherosclerosis-related (440)	119	20	45	217	550	28.6	31.0	0	77.8	90.6	0
..Aortic aneurysm (441)	18	6	8	95	160	9.7	17.6	0	17.2	39.8	0
Pneumonia & influenza (480-487)	178	58	92	1,143	1,873	127.6	141.9	0	215.5	230.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	95	39	64	705	1,212	86.6	58.3	0	151.3	134.7	0
..COPD-related (490-496)	284	91	159	1,345	2,555	163.8	138.0	0	323.2	327.5	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	24	17	22	475	662	54.6	24.4	0	73.2	43.1	0
Chronic liver disease and cirrhosis (571)	58	44	56	625	1,125	70.2	113.4	0	131.4	190.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	104	35	68	535	1,042	62.4	69.0	0	130.1	147.4	0
..Nephritis-related (580-589)	448	200	311	3,235	5,758	366.3	501.0	0	680.1	921.1	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	136	49	92	825	1,507	90.1	73.3	0	176.7	156.8	0
Unintentional injuries (E800-E949)	281	242	260	6,925	9,435	792.5	776.0	0	1022.3	970.5	0
..Motor vehicle accidents (E810-E825)	100	90	95	3,018	3,946	353.3	387.8	0	433.6	471.8	0
..Falls and fall related injuries (E880-E888)	15	5	10	98	160	11.1	30.8	0	18.4	47.1	0
..Drowning (E830,E832,E910)	11	11	11	398	508	.	82.7	.	.	96.9	.
..Residential fires (E890-E899)	15	13	15	482	627	58.7	79.6	0	72.2	98.1	0
Suicide (E950-E959)	66	60	64	2,085	2,710	252.8	155.4	0	307.4	190.0	0
Homicide and legal intervention (E960-E978)	221	214	220	8,093	10,273	967.8	949.4	0	1147.3	1124.7	0
..Homicide (E960-E969)	217	210	216	7,928	10,068	946.1	949.4	0	1122.1	1124.7	0
All injury (E800-E999)	577	525	553	17,428	22,833	2048.2	1952.8	0	2518.4	2375.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	100	90	95	3,018	3,946	353.3	381.1	0	433.6	462.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	17	8	13	180	273	19.1	34.0	0	28.7	50.9	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	193	189	192	7,360	9,267	902.7	881.8	0	1059.4	1034.3	0
....Suicide (E955.0-.4)	26	23	25	838	1,078	101.6	85.0	0	122.1	103.4	0
....Homicide (E965.0-.4)	160	159	160	6,235	7,832	763.9	765.1	0	894.2	894.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	95	95	95	2,233	3,183	225.8	143.8	0	306.5	181.1	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	49	41	47	663	1,098	72.3	146.9	1	120.6	236.5	1
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	88	88	88	2,115	2,995	211.1	154.8	0	283.7	195.5	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	3,118	1,874	2,448	43,044	64,619	10675.7	12356.6	1	16210.4	18688.6	1
Infectious diseases and parasitic disease (1-139)	297	266	276	5,972	8,692	1296.9	1769.6	1	1841.1	2401.0	1
..Septicemia (038)	45	26	31	467	755	116.1	162.5	0	193.8	272.7	0
...Septicemia-related (038)	188	92	133	1,710	2,818	425.2	648.3	0	729.5	1069.9	1
..HIV infection (042-044)	213	208	212	4,836	6,946	1026.0	1507.0	1	1419.8	1984.1	1
All cancer (140-208)	715	324	518	3,569	7,819	1037.5	1305.2	0	2419.5	2934.0	0
..Oral cavity or pharynx (140.0-149.9)	24	16	21	170	358	53.4	68.2	0	114.4	150.6	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	64	32	52	355	790	95.9	100.7	0	235.8	203.5	0
...Colon cancer (153)	52	25	41	248	583	69.9	67.0	0	179.6	149.3	0
...Rectal cancer (154)	12	7	11	108	208	.	.	.	.	.	.
..Pancreatic cancer (157)	38	18	30	130	385	38.2	49.6	0	127.8	116.7	0
..Lung and other respiratory cancer (160-165)	221	105	166	923	2,265	282.1	428.7	1	733.3	1091.2	1
...Lung cancer (162.2-.9)	203	94	150	840	2,045	253.8	380.5	0	657.8	988.6	1
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	116	19	51	98	433	35.7	14.0	0	160.4	127.1	0
..Bladder cancer (188)	8	3	7	33	78	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	9	4	6	85	135	.	.	.	.	.	.
..Leukemia (204-208)	22	11	19	148	298	38.0	72.2	0	84.3	111.6	0
Diabetes mellitus (250)	100	44	70	515	1,080	138.3	122.6	0	318.6	265.3	0
..Diabetes-related (250)	283	119	206	1,413	3,045	375.0	382.5	0	893.1	850.6	0
...Diabetic ketoacidosis (DKA) (250.1)	4	4	4	120	160	.	.	.	.	.	.
Alzheimer's diseases (331.0)	2	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	906	409	633	5,266	10,446	1443.2	1840.1	1	3050.1	3785.4	1
..Diseases of the heart (390-398,402,404-429)	748	330	523	4,281	8,539	1170.4	1440.7	0	2490.6	3038.0	1
...Heart disease-related (390-398,402,404-429)	1,406	673	1,015	9,838	18,228	2557.1	3352.5	1	5050.9	6289.3	1
....Coronary heart disease (CHD) (402,410-414,429.2)	501	214	341	2,300	5,068	657.8	795.4	0	1549.6	1857.4	0
....Congestive heart failure (CHF) (428.0)	20	4	9	20	88	7.3	5.4	0	32.2	26.9	0
..Hypertension with or without renal disease (401,403)	18	14	16	135	285	40.0	34.5	0	88.7	78.7	0
...Hypertension-related (401,403)	243	116	179	1,115	2,588	329.3	458.5	0	814.1	915.8	0
..Cerebrovascular disease (430-438)	105	53	74	740	1,357	200.6	301.1	0	386.6	552.6	0
...Atherosclerosis (440)	8	.	4	0	20	.	.	.	.	.	.
...Atherosclerosis-related (440)	40	7	16	135	257	33.9	16.2	0	72.6	68.1	0
..Aortic aneurysm (441)	7	4	4	50	90	.	.	.	.	.	.
Pneumonia & influenza (480-487)	87	39	55	854	1,314	199.6	185.2	0	316.4	314.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	45	18	31	255	493	67.1	39.7	0	141.4	123.6	0
..COPD-related (490-496)	155	48	90	520	1,180	152.4	165.6	0	370.5	439.2	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	10	6	8	160	225	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	36	28	35	385	698	101.0	164.4	0	188.8	282.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	47	19	36	305	567	73.9	97.9	0	152.9	194.7	0
..Nephritis-related (580-589)	215	113	160	2,001	3,358	495.0	678.7	0	860.4	1185.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	64	25	48	400	742	95.2	101.9	0	197.1	208.2	0
Unintentional injuries (E800-E949)	201	182	192	5,157	7,017	1247.0	1178.9	0	1618.3	1480.6	0
..Motor vehicle accidents (E810-E825)	74	69	71	2,364	3,064	580.5	546.7	0	710.1	666.3	0
..Falls and fall related injuries (E880-E888)	12	5	10	98	160	.	62.4	.	.	94.8	.
..Drowning (E830,E832,E910)	9	9	9	313	403	.	166.0	.	.	194.3	.
..Residential fires (E890-E899)	7	6	7	165	233	.	.	.	.	.	.
Suicide (E950-E959)	54	50	53	1,820	2,338	448.9	246.2	0	541.1	301.1	0
Homicide and legal intervention (E960-E978)	179	172	178	6,568	8,328	1606.7	1632.8	0	1908.9	1945.5	0
..Homicide (E960-E969)	175	168	174	6,403	8,123	1562.8	1632.8	0	1857.9	1945.5	0
All injury (E800-E999)	443	413	432	13,870	18,097	3374.1	3190.0	0	4152.7	3890.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	74	69	71	2,364	3,064	580.5	533.7	0	710.1	648.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	13	6	11	125	198	.	62.4	.	.	94.8	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	174	170	173	6,622	8,340	1638.9	1645.0	0	1927.8	1934.0	0
....Suicide (E955.0-.4)	26	23	25	838	1,078	205.5	161.2	0	248.2	198.0	0
....Homicide (E965.0-.4)	141	140	141	5,497	6,905	1359.0	1421.1	0	1593.3	1664.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	71	71	71	1,623	2,333	355.4	240.3	0	490.8	303.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	36	30	35	480	803	117.8	192.3	0	200.1	323.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	67	67	67	1,593	2,263	345.2	243.0	0	468.5	308.3	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	2,780	1,190	1,718	25,493	39,808	5777.4	6561.4	0	8818.6	9659.0	0
Infectious diseases and parasitic disease (1-139)	177	137	151	3,276	4,721	622.3	780.6	0	862.9	1014.2	0
..Septicemia (038)	52	19	27	315	555	68.4	102.8	0	121.4	151.2	0
...Septicemia-related (038)	190	69	118	1,162	2,104	257.1	388.5	0	474.2	588.4	0
..HIV infection (042-044)	101	100	101	2,572	3,575	465.6	571.2	0	612.1	718.4	0
All cancer (140-208)	614	282	421	3,579	7,032	805.6	791.9	0	1610.8	1571.1	0
..Oral cavity or pharynx (140.0-149.9)	4	1	4	13	40	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	65	30	46	335	700	76.9	59.4	0	163.7	128.1	0
...Colon cancer (153)	61	28	44	305	650	69.7	54.2	0	152.4	114.4	0
...Rectal cancer (154)	4	2	2	30	50	.	.	0	.	.	0
..Pancreatic cancer (157)	43	14	23	155	333	34.7	20.2	0	77.1	60.8	0
..Lung and other respiratory cancer (160-165)	126	62	93	645	1,393	148.4	146.4	0	328.6	319.0	0
...Lung cancer (162.2-.9)	119	58	88	595	1,295	137.4	130.8	0	306.8	292.3	0
..Malignant melanoma of skin (172)	.	.	.	.	.	.	.	0	.	.	0
..Female breast cancer (174)	135	79	103	1,013	1,923	223.7	215.2	0	428.5	387.4	0
..Cervical cancer (180)	22	15	18	283	455	53.0	65.1	0	86.1	106.0	0
..Endometrial cancer (182)	9	1	6	23	55	.	.	0	.	.	0
..Ovarian cancer (183)	15	6	13	25	108	7.3	33.6	0	30.2	63.0	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	6	.	2	0	5	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	9	1	3	8	28	.	.	0	.	.	0
..Leukemia (204-208)	16	8	10	289	379	75.0	67.3	0	93.0	96.6	0
Diabetes mellitus (250)	115	41	72	333	900	83.0	99.6	0	228.9	225.2	0
..Diabetes-related (250)	416	127	242	1,183	3,000	283.8	285.6	0	747.5	731.5	0
...Diabetic ketoacidosis (DKA) (250.1)	3	1	1	18	28	.	.	0	.	.	0
Alzheimer's diseases (331.0)	12	.	.	0	0	.	.	0	.	.	0
Cardiovascular disease (390-459)	1,118	318	561	3,988	8,231	893.8	955.4	0	1907.5	1974.5	0
..Diseases of the heart (390-398,402,404-429)	864	260	448	3,281	6,686	743.4	771.1	0	1554.3	1598.1	0
...Heart disease-related (390-398,402,404-429)	1,510	508	833	7,153	13,691	1582.1	1926.5	0	3103.2	3512.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	575	157	291	1,693	3,818	385.7	341.4	0	906.1	842.5	0
....Congestive heart failure (CHF) (428.0)	45	8	16	95	210	19.7	28.0	0	47.5	49.8	0
...Hypertension with or without renal disease (401,403)	30	9	15	113	238	21.8	8.8	0	51.1	21.0	0
....Hypertension-related (401,403)	331	107	193	1,063	2,538	246.9	212.2	0	613.1	521.8	0
..Cerebrovascular disease (430-438)	182	41	79	515	1,100	111.1	128.5	0	252.4	251.1	0
..Atherosclerosis (440)	12	2	6	5	45	.	12.1	0	.	30.2	0
...Atherosclerosis-related (440)	79	13	29	83	293	22.1	43.0	0	78.6	108.8	0
..Aortic aneurysm (441)	11	2	4	45	70	.	.	0	.	.	0
Pneumonia & influenza (480-487)	91	19	37	290	560	62.4	109.1	0	126.6	167.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	50	21	33	450	720	107.3	73.2	0	165.9	144.9	0
..COPD-related (490-496)	129	43	69	825	1,375	180.2	112.4	0	297.7	238.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	14	11	14	315	437	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	22	16	21	240	428	45.9	72.0	0	86.6	116.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	57	16	32	230	475	52.4	44.9	0	111.8	107.8	0
..Nephritis-related (580-589)	233	87	151	1,235	2,400	256.1	354.1	0	527.3	702.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	72	24	44	425	765	86.0	49.9	0	161.7	114.8	0
Unintentional injuries (E800-E949)	80	60	68	1,768	2,418	374.2	388.5	0	483.4	489.0	0
..Motor vehicle accidents (E810-E825)	26	21	24	655	882	134.0	231.2	0	169.6	282.5	0
..Falls and fall related injuries (E880-E888)	3	.	.	0	0	.	.	.	.	.	.
..Drowning (E830,E832,E910)	2	2	2	85	105	.	.	.	.	.	.
..Residential fires (E890-E899)	8	7	8	317	394	.	.	.	.	.	.
Suicide (E950-E959)	12	10	11	265	373	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	42	42	42	1,525	1,945	342.1	276.5	0	405.9	323.0	0
..Homicide (E960-E969)	42	42	42	1,525	1,945	342.1	276.5	0	405.9	323.0	0
All injury (E800-E999)	134	112	121	3,558	4,736	776.4	752.1	0	968.5	921.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	21	24	655	882	134.0	231.2	0	169.6	281.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	2	2	55	75	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	19	19	19	738	928	179.8	125.6	0	210.3	147.6	0
....Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	19	19	19	738	928	179.8	.	0	210.3	.	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	24	24	24	610	850	115.4	.	0	151.3	.	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	13	11	12	183	295	.	110.9	.	.	167.8	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	21	21	21	523	733	93.9	.	0	124.1	.	0

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	5,898	3,064	4,166	68,537	104,427	8441.6	9919.0	1	12843.4	14796.4	1
Infectious diseases and parasitic disease (1-139)	474	403	427	9,248	13,413	1165.6	1546.8	1	1617.4	2049.8	1
..Septicemia (038)	97	45	58	782	1,309	101.9	151.7	0	170.1	236.3	0
...Septicemia-related (038)	378	161	251	2,872	4,922	368.5	600.6	1	641.3	932.8	1
..HIV infection (042-044)	314	308	313	7,408	10,521	928.2	1278.8	1	1249.9	1651.3	1
All cancer (140-208)	1,329	606	939	7,148	14,851	1031.4	1195.0	0	2139.4	2419.1	0
..Oral cavity or pharynx (140.0-149.9)	28	17	25	183	398	26.9	45.3	0	58.0	88.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	129	62	98	690	1,490	100.4	92.4	0	216.1	182.8	0
...Colon cancer (153)	113	53	85	553	1,233	82.4	73.1	0	181.8	148.6	0
...Rectal cancer (154)	16	9	13	138	258	18.0	.	0	34.3	.	0
..Pancreatic cancer (157)	81	32	53	285	718	42.2	39.6	0	106.6	94.8	0
..Lung and other respiratory cancer (160-165)	347	167	259	1,568	3,658	240.0	322.4	0	549.9	728.6	1
...Lung cancer (162.2-.9)	322	152	238	1,435	3,340	218.8	286.5	0	501.5	660.6	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	.	.	.	.
..Female breast cancer (174)	135	79	103	1,013	1,923	.	.	.	.	.	.
..Cervical cancer (180)	22	15	18	283	455	.	.	.	.	.	.
..Endometrial cancer (182)	9	1	6	23	55	.	.	.	.	.	.
..Ovarian cancer (183)	15	6	13	25	108	.	.	.	.	.	.
..Prostate cancer (185)	116	19	51	98	433	.	.	.	.	.	.
..Bladder cancer (188)	14	3	9	33	83	.	8.4	.	.	22.3	.
..Brain & other CNS cancer (191-192)	18	5	9	93	163	12.1	.	0	21.5	.	0
..Leukemia (204-208)	38	19	29	437	677	52.0	68.4	0	82.4	103.1	0
Diabetes mellitus (250)	215	85	142	848	1,980	123.8	134.2	0	291.1	278.0	0
..Diabetes-related (250)	699	246	448	2,595	6,045	374.9	396.7	0	885.9	883.4	0
...Diabetic ketoacidosis (DKA) (250.1)	7	5	5	138	188	.	.	.	.	.	.
Alzheimer's diseases (331.0)	14	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	2,024	727	1,194	9,254	18,676	1312.1	1619.8	1	2662.2	3153.6	1
..Diseases of the heart (390-398,402,404-429)	1,612	590	971	7,562	15,225	1075.1	1269.5	0	2172.8	2515.8	0
...Heart disease-related (390-398,402,404-429)	2,916	1,181	1,848	16,991	31,918	2323.7	3017.3	1	4399.7	5375.6	1
....Coronary heart disease (CHD) (402,410-414,429.2)	1,076	371	632	3,993	8,885	594.1	652.1	0	1315.0	1447.1	0
....Congestive heart failure (CHF) (428.0)	65	12	25	115	298	16.3	17.1	0	44.0	38.9	0
..Hypertension with or without renal disease (401,403)	48	23	31	248	523	34.8	25.0	0	73.7	53.4	0
...Hypertension-related (401,403)	574	223	372	2,178	5,125	328.6	390.2	0	765.2	795.0	0
..Cerebrovascular disease (430-438)	287	94	153	1,254	2,457	174.4	255.8	0	345.3	454.7	0
...Atherosclerosis (440)	20	2	10	5	65	0.9	8.0	0	10.9	20.2	0
...Atherosclerosis-related (440)	119	20	45	217	550	29.8	34.2	0	80.4	96.1	0
..Aortic aneurysm (441)	18	6	8	95	160	12.4	21.8	0	20.7	45.7	0
Pneumonia & influenza (480-487)	178	58	92	1,143	1,873	141.9	159.0	0	236.7	255.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	95	39	64	705	1,212	91.4	69.3	0	159.8	150.2	0
..COPD-related (490-496)	284	91	159	1,345	2,555	184.9	158.3	0	355.9	358.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	24	17	22	475	662	56.3	30.2	0	76.6	50.4	0
Chronic liver disease and cirrhosis (571)	58	44	56	625	1,125	87.9	148.3	0	154.8	237.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	104	35	68	535	1,042	71.0	85.3	0	143.1	169.0	0
..Nephritis-related (580-589)	448	200	311	3,235	5,758	433.1	617.5	1	774.1	1082.0	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	136	49	92	825	1,507	107.1	92.2	0	201.2	182.1	0
Unintentional injuries (E800-E949)	281	242	260	6,925	9,435	826.9	757.5	0	1078.4	958.9	0
..Motor vehicle accidents (E810-E825)	100	90	95	3,018	3,946	346.2	361.8	0	428.9	444.6	0
..Falls and fall related injuries (E880-E888)	15	5	10	98	160	13.0	33.2	0	21.5	50.5	0
..Drowning (E830,E832,E910)	11	11	11	398	508	.	73.8	.	.	87.1	.
..Residential fires (E890-E899)	15	13	15	482	627	54.9	73.4	0	68.6	92.0	0
Suicide (E950-E959)	66	60	64	2,085	2,710	240.9	165.5	0	295.5	203.2	0
Homicide and legal intervention (E960-E978)	221	214	220	8,093	10,273	903.8	881.3	0	1075.8	1048.3	0
..Homicide (E960-E969)	217	210	216	7,928	10,068	884.8	881.3	0	1053.8	1048.3	0
All injury (E800-E999)	577	525	553	17,428	22,833	2008.5	1887.1	0	2493.8	2314.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	100	90	95	3,018	3,946	346.2	356.5	0	428.9	436.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	17	8	13	180	273	22.6	36.4	0	33.9	54.3	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	193	189	192	7,360	9,267	823.9	809.1	0	968.5	952.0	0
....Suicide (E955.0-.4)	26	23	25	838	1,078	95.9	86.7	0	116.0	106.1	0
....Homicide (E965.0-.4)	160	159	160	6,235	7,832	695.2	696.0	0	814.5	815.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	95	95	95	2,233	3,183	284.7	174.9	0	384.2	220.6	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	49	41	47	663	1,098	93.3	186.6	1	148.6	289.8	1
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	88	88	88	2,115	2,995	270.0	191.2	0	361.0	241.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	3,118	1,874	2,448	43,044	64,619	11171.2	13385.5	1	17041.0	20205.0	1
Infectious diseases and parasitic disease (1-139)	297	266	276	5,972	8,692	1653.7	2273.3	1	2311.9	3049.2	1
..Septicemia (038)	45	26	31	467	755	128.5	201.9	0	211.0	328.4	0
...Septicemia-related (038)	188	92	133	1,710	2,818	476.2	808.2	1	805.6	1285.1	1
..HIV infection (042-044)	213	208	212	4,836	6,946	1339.0	1950.2	1	1831.4	2549.7	1
All cancer (140-208)	715	324	518	3,569	7,819	1152.3	1505.2	1	2588.9	3223.1	1
..Oral cavity or pharynx (140.0-149.9)	24	16	21	170	358	54.9	79.4	0	116.8	167.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	64	32	52	355	790	110.4	116.6	0	255.5	228.7	0
...Colon cancer (153)	52	25	41	248	583	81.5	81.4	0	195.5	170.5	0
...Rectal cancer (154)	12	7	11	108	208	.	.	.	.	.	.
..Pancreatic cancer (157)	38	18	30	130	385	42.9	59.5	0	132.7	131.1	0
..Lung and other respiratory cancer (160-165)	221	105	166	923	2,265	322.9	494.7	0	790.6	1178.6	1
...Lung cancer (162.2-.9)	203	94	150	840	2,045	291.8	438.9	0	711.4	1066.3	1
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	116	19	51	98	433	37.2	13.5	0	164.9	130.7	0
..Bladder cancer (188)	8	3	7	33	78	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	9	4	6	85	135	.	.	.	.	.	.
..Leukemia (204-208)	22	11	19	148	298	44.6	63.0	0	93.9	102.3	0
Diabetes mellitus (250)	100	44	70	515	1,080	158.2	151.3	0	346.6	305.5	0
..Diabetes-related (250)	283	119	206	1,413	3,045	443.1	459.8	0	989.9	963.3	0
..Diabetic ketoacidosis (DKA) (250.1)	4	4	4	120	160	.	.	.	.	.	.
Alzheimer's diseases (331.0)	2	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	906	409	633	5,266	10,446	1644.8	2211.3	1	3343.3	4302.0	1
..Diseases of the heart (390-398,402,404-429)	748	330	523	4,281	8,539	1340.3	1709.4	0	2738.8	3413.7	1
...Heart disease-related (390-398,402,404-429)	1,406	673	1,015	9,838	18,228	2951.6	3982.5	1	5615.2	7163.1	1
....Coronary heart disease (CHD) (402,410-414,429.2)	501	214	341	2,300	5,068	765.9	942.7	0	1703.6	2069.0	0
....Congestive heart failure (CHF) (428.0)	20	4	9	20	88	7.8	5.3	0	33.1	26.5	0
..Hypertension with or without renal disease (401,403)	18	14	16	135	285	43.5	41.7	0	92.9	88.6	0
...Hypertension-related (401,403)	243	116	179	1,115	2,588	375.0	551.5	0	877.5	1048.4	0
..Cerebrovascular disease (430-438)	105	53	74	740	1,357	225.2	375.4	0	422.2	655.3	0
..Atherosclerosis (440)	8	.	4	0	20	.	.	.	.	.	.
...Atherosclerosis-related (440)	40	7	16	135	257	34.4	16.3	0	74.5	69.0	0
..Aortic aneurysm (441)	7	4	4	50	90	.	.	.	.	.	.
Pneumonia & influenza (480-487)	87	39	55	854	1,314	224.0	225.9	0	352.0	370.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	45	18	31	255	493	72.8	44.0	0	150.4	130.0	0
..COPD-related (490-496)	155	48	90	520	1,180	170.7	181.7	0	400.6	467.2	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	10	6	8	160	225	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	36	28	35	385	698	126.9	209.9	0	224.0	344.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	47	19	36	305	567	86.2	120.9	0	171.5	224.7	0
..Nephritis-related (580-589)	215	113	160	2,001	3,358	588.9	865.1	1	993.7	1435.3	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	64	25	48	400	742	115.2	128.7	0	226.5	244.1	0
Unintentional injuries (E800-E949)	201	182	192	5,157	7,017	1306.7	1164.5	0	1714.5	1480.4	0
..Motor vehicle accidents (E810-E825)	74	69	71	2,364	3,064	558.8	511.5	0	689.4	629.8	0
..Falls and fall related injuries (E880-E888)	12	5	10	98	160	.	67.8	.	.	102.5	.
..Drowning (E830,E832,E910)	9	9	9	313	403	.	149.1	.	.	175.7	.
..Residential fires (E890-E899)	7	6	7	165	233	.	.	.	.	.	.
Suicide (E950-E959)	54	50	53	1,820	2,338	423.9	269.0	0	514.8	330.4	0
Homicide and legal intervention (E960-E978)	179	172	178	6,568	8,328	1496.0	1523.6	0	1783.8	1824.1	0
..Homicide (E960-E969)	175	168	174	6,403	8,123	1457.4	1523.6	0	1739.4	1824.1	0
All injury (E800-E999)	443	413	432	13,870	18,097	3302.5	3109.1	0	4104.0	3824.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	74	69	71	2,364	3,064	558.8	501.2	0	689.4	614.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	13	6	11	125	198	.	67.8	.	.	102.5	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	174	170	173	6,622	8,340	1506.3	1518.6	0	1775.0	1791.9	0
...Suicide (E955.0-.4)	26	23	25	838	1,078	195.4	169.1	0	237.8	209.1	0
...Homicide (E965.0-.4)	141	140	141	5,497	6,905	1244.9	1297.1	0	1460.8	1522.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	71	71	71	1,623	2,333	453.5	299.6	0	619.8	379.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	36	30	35	480	803	150.5	247.4	0	244.4	397.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	67	67	67	1,593	2,263	439.8	304.8	0	592.9	386.9	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	2,780	1,190	1,718	25,493	39,808	6007.1	6860.8	0	9236.4	10165.7	0
Infectious diseases and parasitic disease (1-139)	177	137	151	3,276	4,721	754.8	926.5	0	1037.5	1203.6	0
..Septicemia (038)	52	19	27	315	555	78.9	111.6	0	136.0	164.1	0
...Septicemia-related (038)	190	69	118	1,162	2,104	277.9	431.6	0	506.3	649.3	0
..HIV infection (042-044)	101	100	101	2,572	3,575	582.2	701.5	0	763.5	883.7	0
All cancer (140-208)	614	282	421	3,579	7,032	936.3	942.1	0	1799.1	1781.7	0
..Oral cavity or pharynx (140.0-149.9)	4	1	4	13	40	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	65	30	46	335	700	92.0	71.8	0	185.5	145.5	0
...Colon cancer (153)	61	28	44	305	650	83.3	66.5	0	171.9	131.6	0
...Rectal cancer (154)	4	2	2	30	50	.	.	0	.	.	0
..Pancreatic cancer (157)	43	14	23	155	333	42.0	23.5	0	87.5	65.8	0
..Lung and other respiratory cancer (160-165)	126	62	93	645	1,393	175.1	182.4	0	367.0	369.1	0
...Lung cancer (162.2-.9)	119	58	88	595	1,295	161.4	163.1	0	341.6	337.3	0
..Malignant melanoma of skin (172)	.	.	.	.	.	.	.	0	.	.	0
..Female breast cancer (174)	135	79	103	1,013	1,923	272.2	274.4	0	496.2	465.8	0
..Cervical cancer (180)	22	15	18	283	455	67.9	79.0	0	105.7	124.6	0
..Endometrial cancer (182)	9	1	6	23	55	.	.	0	.	.	0
..Ovarian cancer (183)	15	6	13	25	108	7.2	30.6	0	30.4	60.8	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	6	.	2	0	5	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	9	1	3	8	28	.	.	0	.	.	0
..Leukemia (204-208)	16	8	10	289	379	63.7	71.5	0	80.3	103.0	0
Diabetes mellitus (250)	115	41	72	333	900	93.7	119.5	0	244.5	254.7	0
..Diabetes-related (250)	416	127	242	1,183	3,000	317.6	343.1	0	799.6	815.7	0
...Diabetic ketoacidosis (DKA) (250.1)	3	1	1	18	28	.	.	0	.	.	0
Alzheimer's diseases (331.0)	12	.	.	0	0	.	.	0	.	.	0
Cardiovascular disease (390-459)	1,118	318	561	3,988	8,231	1038.4	1129.9	0	2121.5	2224.7	0
..Diseases of the heart (390-398,402,404-429)	864	260	448	3,281	6,686	856.9	906.7	0	1723.8	1792.5	0
...Heart disease-related (390-398,402,404-429)	1,510	508	833	7,153	13,691	1806.1	2213.7	0	3429.7	3921.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	575	157	291	1,693	3,818	455.6	413.8	0	1010.9	948.7	0
....Congestive heart failure (CHF) (428.0)	45	8	16	95	210	23.5	27.9	0	53.0	50.5	0
..Hypertension with or without renal disease (401,403)	30	9	15	113	238	28.2	10.7	0	59.4	24.6	0
...Hypertension-related (401,403)	331	107	193	1,063	2,538	292.4	255.2	0	679.6	585.4	0
..Cerebrovascular disease (430-438)	182	41	79	515	1,100	131.4	156.1	0	282.0	290.8	0
...Atherosclerosis (440)	12	2	6	5	45	.	13.5	0	.	32.3	0
...Atherosclerosis-related (440)	79	13	29	83	293	24.1	48.7	0	82.0	118.0	0
..Aortic aneurysm (441)	11	2	4	45	70	.	.	0	.	.	0
Pneumonia & influenza (480-487)	91	19	37	290	560	68.9	105.5	0	136.5	165.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	50	21	33	450	720	110.6	89.7	0	173.2	167.8	0
..COPD-related (490-496)	129	43	69	825	1,375	203.1	136.5	0	332.4	273.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).



CONNECTICUT Black Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	14	11	14	315	437	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	22	16	21	240	428	56.8	98.3	0	100.3	150.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	57	16	32	230	475	57.9	55.6	0	120.2	122.4	0
..Nephritis-related (580-589)	233	87	151	1,235	2,400	301.2	410.7	0	589.6	787.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	72	24	44	425	765	100.6	62.2	0	182.1	131.4	0
Unintentional injuries (E800-E949)	80	60	68	1,768	2,418	393.8	375.2	0	513.6	477.9	0
..Motor vehicle accidents (E810-E825)	26	21	24	655	882	143.7	217.2	0	183.7	268.1	0
..Falls and fall related injuries (E880-E888)	3	.	.	0	0	.	.	.	.	.	.
..Drowning (E830,E832,E910)	2	2	2	85	105	.	.	.	.	.	.
..Residential fires (E890-E899)	8	7	8	317	394	.	.	.	.	.	.
Suicide (E950-E959)	12	10	11	265	373	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	42	42	42	1,525	1,945	331.1	258.6	0	395.7	303.1	0
..Homicide (E960-E969)	42	42	42	1,525	1,945	331.1	258.6	0	395.7	303.1	0
All injury (E800-E999)	134	112	121	3,558	4,736	788.4	724.5	0	994.0	895.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	21	24	655	882	143.7	217.2	0	183.7	267.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	2	2	55	75	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	19	19	19	738	928	162.1	116.5	0	190.1	137.4	0
....Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	19	19	19	738	928	162.1	.	0	190.1	.	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	24	24	24	610	850	141.1	.	0	185.2	.	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	13	11	12	183	295	.	137.7	.	.	203.6	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	21	21	21	523	733	122.9	.	0	161.8	.	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).