

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Hispanic Residents, 1996-1998

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Hispanic Residents, 1996-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Hispanic Residents, 1996-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female				1989-1991 AAMR		
	*****1996-1998*****				*****1996-1998*****				*****1996-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance			
*****Causes of Death*****															
All causes	2,285	293.1	355.2	0	333.3	1,351	351.1	472.7	0	446.2	934	236.7	257.7	0	235.7
Infectious diseases and parasitic disease (1-139)	258	33.1	36.1	0	31.1	175	45.5	51.2	0	50.2	83	21.0	22.5	0	14.0
..Septicemia (038)	33	4.2	5.9	0	5.7	15	3.9	6.1	0	9.6	18	4.6	5.7	0	.
....Septicemia-related (038)	125	16.0	21.0	0	19.9	74	19.2	28.6	0	27.0	51	12.9	15.0	0	13.8
..HIV infection (042-044)	182	23.3	24.5	0	22.1	131	34.0	37.3	0	35.8	51	12.9	13.0	0	9.5
All cancer (140-208)	389	49.9	69.2	0	63.4	208	54.1	86.9	0	74.5	181	45.9	57.1	0	55.0
..Oral cavity or pharynx (140.0-149.9)	8	1.0	.	.	.	7	1.8	.	.	.	1	0.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	5.1	7.1	0	5.3	25	6.5	10.2	0	.	15	3.8	4.8	0	5.8
....Colon cancer (153)	31	4.0	5.4	0	4.0	22	5.7	9.0	0	.	9	2.3	.	.	.
....Rectal cancer (154)	9	1.2	.	.	.	3	0.8	.	.	.	6	1.5	.	.	.
..Pancreatic cancer (157)	15	1.9	2.6	0	.	8	2.1	.	.	.	7	1.8	.	.	.
..Lung and other respiratory cancer (160-165)	65	8.3	12.9	0	14.6	40	10.4	18.5	0	22.2	25	6.3	8.6	0	9.0
....Lung cancer (162.2-.9)	61	7.8	12.1	0	14.3	36	9.4	16.6	0	21.5	25	6.3	8.6	0	9.0
..Malignant melanoma of skin (172)	5	0.6	.	.	.	3	0.8	.	.	.	2	0.5	.	.	.
..Female breast cancer (174)	33	33	8.4	10.5	0	6.5
..Cervical cancer (180)	11	11	2.8	.	.	.
..Endometrial cancer (182)	2	2	0.5	.	.	.
..Ovarian cancer (183)	10	10	2.5	.	.	.
..Prostate cancer (185)	15	15	3.9	6.3	0
..Bladder cancer (188)	6	0.8	.	.	.	2	0.5	.	.	.	4	1.0	.	.	.
..Brain & other CNS cancer (191-192)	6	0.8	.	.	.	4	1.0	.	.	.	2	0.5	.	.	.
..Leukemia (204-208)	24	3.1	3.9	0	.	18	4.7	6.5	.	.	6	1.5	.	.	.
Diabetes mellitus (250)	75	9.6	14.3	0	9.1	42	10.9	19.1	1	.	33	8.4	10.8	0	9.7
..Diabetes-related (250)	266	34.1	49.2	0	38.3	133	34.6	58.0	0	43.5	133	33.7	42.4	0	34.2
..Diabetic ketoacidosis (DKA) (250.1)	1	0.1	1	0.3	.	.	.
Alzheimer's diseases (331.0)	8	1.0	.	.	.	2	0.5	.	.	.	6	1.5	.	.	.
Cardiovascular disease (390-459)	640	82.1	106.3	0	106.5	321	83.4	132.5	0	131.0	319	80.8	85.6	0	87.9
..Diseases of the heart (390-398,402,404-429)	499	64.0	82.7	0	80.7	251	65.2	103.5	0	99.5	248	62.8	66.6	0	66.4
....Heart disease-related (390-398,402,404-429)	973	124.8	161.2	0	145.5	519	134.9	204.9	0	180.2	454	115.0	126.7	0	117.6
....Coronary heart disease (CHD) (402,410-414,429.2)	320	41.1	56.0	0	57.6	163	42.4	70.5	0	73.3	157	39.8	45.6	0	46.0
....Congestive heart failure (CHF) (428.0)	20	2.6	2.4	0	.	7	1.8	.	.	.	13	3.3	.	.	.
....Hypertension with or without renal disease (401,403)	5	0.6	.	.	.	3	0.8	.	.	.	2	0.5	.	.	.
....Hypertension-related (401,403)	113	14.5	19.5	0	18.7	51	13.3	21.6	0	20.0	62	15.7	17.7	0	18.1
..Cerebrovascular disease (430-438)	114	14.6	18.7	0	19.1	55	14.3	22.2	0	21.9	59	14.9	15.7	0	16.6
..Atherosclerosis (440)	3	0.4	.	.	.	1	0.3	.	.	.	2	0.5	.	.	.
....Atherosclerosis-related (440)	28	3.6	4.3	0	6.3	15	3.9	6.2	0	.	13	3.3	.	.	5.6
..Aortic aneurysm (441)	9	1.2	.	.	.	6	1.6	.	.	.	3	0.8	.	.	.
Pneumonia & influenza (480-487)	62	8.0	8.9	0	7.6	30	7.8	11.1	0	10.0	32	8.1	7.2	0	5.6

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1996-1998*****				*****1996-1998*****				*****1996-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	63	8.1	9.8	0	7.5	32	8.3	10.8	0	8.1	31	7.9	8.9	0	7.0
..COPD-related (490-496)	144	18.5	22.9	0	19.1	79	20.5	29.7	0	22.4	65	16.5	18.6	0	16.9
..Asthma (493)	24	3.1	3.8	0	.	12	3.1	.	0	.	12	3.0	.	0	.
Chronic liver disease and cirrhosis (571)	77	9.9	13.8	0	12.8	55	14.3	21.1	0	24.9	22	5.6	7.3	0	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	37	4.7	6.6	0	5.3	17	4.4	6.7	0	7.7	20	5.1	6.5	0	.
..Nephritis-related (580-589)	160	20.5	28.2	0	27.0	83	21.6	34.1	0	33.3	77	19.5	23.6	0	21.9
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	6.0	8.3	0	6.2	25	6.5	9.9	0	8.4	22	5.6	7.3	0	.
Unintentional injuries (E800-E949)	212	27.2	28.3	1	18.5	164	42.6	46.0	1	30.5	48	12.2	12.0	0	6.9
..Motor vehicle accidents (E810-E825)	76	9.8	10.7	0	7.3	55	14.3	16.3	0	12.7	21	5.3	5.4	0	.
..Falls and fall related injuries (E880-E888)	11	1.4	.	.	.	8	2.1	.	.	.	3	0.8	.	.	.
..Drowning (E830,E832,E910)	9	1.2	.	.	.	7	1.8	.	.	.	2	0.5	.	.	.
..Residential fires (E890-E899)	13	1.7	.	.	.	9	2.3	.	.	.	4	1.0	.	.	.
Suicide (E950-E959)	39	5.0	5.0	1	9.1	34	8.8	9.0	0	16.7	5	1.3	.	.	.
Homicide and legal intervention (E960-E978)	69	8.9	9.3	0	13.1	60	15.6	16.5	0	23.1	9	2.3	.	.	.
..Homicide (E960-E969)	69	8.9	9.3	0	13.1	60	15.6	16.5	0	23.1	9	2.3	.	.	.
All injury (E800-E999)	329	42.2	43.6	0	42.0	265	68.9	73.2	0	72.7	64	16.2	15.9	0	13.0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	73	9.4	10.3	0	7.2	53	13.8	15.7	0	12.5	20	5.1	5.2	0	.
..All falls (E880-E886,E888,E957,E968.1,E987)	10	1.3	.	.	.	9	2.3	.	.	.	1	0.3	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	63	8.1	8.0	1	14.3	59	15.3	15.0	1	25.8	4	1.0	.	.	.
....Suicide (E955.0-.4)	11	1.4	.	.	3.8	11	2.9	.	.	6.7
....Homicide (E965.0-.4)	51	6.5	6.6	0	9.8	47	12.2	12.1	0	17.7	4	1.0	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	88	11.3	11.1	1	4.5	73	19.0	19.1	1	8.6	15	3.8	3.6	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	44	5.6	7.5	0	9.7	34	8.8	12.6	0	19.9	10	2.5	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	87	11.2	11.0	1	4.3	72	18.7	19.0	1	8.6	15	3.8	3.6	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1996-1998*****				*****1996-1998*****				*****1996-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR
*****Causes of Death*****															
All causes	2,285	293.1	443.4	0	415.5	1,351	351.1	580.1	0	533.7	934	236.7	335.9	0	316.3
Infectious diseases and parasitic disease (1-139)	258	33.1	35.3	0	28.9	175	45.5	49.0	0	46.2	83	21.0	23.2	0	13.7
..Septicemia (038)	33	4.2	7.9	0	6.8	15	3.9	8.3	0	11.5	18	4.6	7.6	0	.
....Septicemia-related (038)	125	16.0	27.0	0	24.8	74	19.2	36.6	0	31.2	51	12.9	20.0	0	19.0
..HIV infection (042-044)	182	23.3	21.9	0	18.8	131	34.0	33.5	0	30.4	51	12.9	11.6	0	8.2
All cancer (140-208)	389	49.9	88.7	0	80.2	208	54.1	116.4	0	94.9	181	45.9	70.6	0	69.3
..Oral cavity or pharynx (140.0-149.9)	8	1.0	.	.	.	7	1.8	.	.	.	1	0.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	5.1	9.2	0	7.6	25	6.5	13.7	0	.	15	3.8	6.0	0	9.0
....Colon cancer (153)	31	4.0	7.1	0	5.6	22	5.7	12.4	0	.	9	2.3	.	.	.
....Rectal cancer (154)	9	1.2	.	.	.	3	0.8	.	.	.	6	1.5	.	.	.
..Pancreatic cancer (157)	15	1.9	3.9	0	.	8	2.1	.	.	.	7	1.8	.	.	.
..Lung and other respiratory cancer (160-165)	65	8.3	16.7	0	19.0	40	10.4	23.9	0	29.6	25	6.3	11.3	0	11.5
....Lung cancer (162.2-.9)	61	7.8	15.7	0	18.7	36	9.4	21.5	0	28.9	25	6.3	11.3	0	11.5
..Malignant melanoma of skin (172)	5	0.6	.	.	.	3	0.8	.	.	.	2	0.5	.	.	.
..Female breast cancer (174)	33	33	8.4	11.5	0	7.5
..Cervical cancer (180)	11	11	2.8	.	.	.
..Endometrial cancer (182)	2	2	0.5	.	.	.
..Ovarian cancer (183)	10	10	2.5	.	.	.
..Prostate cancer (185)	15	15	3.9	10.1	0
..Bladder cancer (188)	6	0.8	.	.	.	2	0.5	.	.	.	4	1.0	.	.	.
..Brain & other CNS cancer (191-192)	6	0.8	.	.	.	4	1.0	.	.	.	2	0.5	.	.	.
..Leukemia (204-208)	24	3.1	4.8	0	.	18	4.7	8.9	.	.	6	1.5	.	.	.
Diabetes mellitus (250)	75	9.6	18.9	0	13.4	42	10.9	25.0	1	.	33	8.4	14.4	0	14.8
..Diabetes-related (250)	266	34.1	66.4	0	52.0	133	34.6	77.6	0	58.6	133	33.7	58.2	0	47.2
..Diabetic ketoacidosis (DKA) (250.1)	1	0.1	1	0.3	.	.	.
Alzheimer's diseases (331.0)	8	1.0	.	.	.	2	0.5	.	.	.	6	1.5	.	.	.
Cardiovascular disease (390-459)	640	82.1	149.6	0	153.4	321	83.4	180.0	0	184.6	319	80.8	125.7	0	130.7
..Diseases of the heart (390-398,402,404-429)	499	64.0	116.8	0	116.6	251	65.2	141.6	0	141.1	248	62.8	97.9	0	99.0
....Heart disease-related (390-398,402,404-429)	973	124.8	218.2	0	201.5	519	134.9	271.8	0	242.0	454	115.0	177.5	0	170.1
....Coronary heart disease (CHD) (402,410-414,429.2)	320	41.1	79.2	0	84.6	163	42.4	99.2	0	106.5	157	39.8	65.5	0	69.5
....Congestive heart failure (CHF) (428.0)	20	2.6	4.5	0	.	7	1.8	.	.	.	13	3.3	.	.	.
....Hypertension with or without renal disease (401,403)	5	0.6	.	.	.	3	0.8	.	.	.	2	0.5	.	.	.
....Hypertension-related (401,403)	113	14.5	28.3	0	25.9	51	13.3	30.5	0	27.6	62	15.7	26.5	0	25.0
..Cerebrovascular disease (430-438)	114	14.6	26.4	0	27.9	55	14.3	30.2	0	29.9	59	14.9	23.1	0	25.8
..Atherosclerosis (440)	3	0.4	.	.	.	1	0.3	.	.	.	2	0.5	.	.	.
....Atherosclerosis-related (440)	28	3.6	6.8	0	11.1	15	3.9	9.0	0	.	13	3.3	.	.	9.6
..Aortic aneurysm (441)	9	1.2	.	.	.	6	1.6	.	.	.	3	0.8	.	.	.
Pneumonia & influenza (480-487)	62	8.0	14.1	0	13.2	30	7.8	17.1	0	15.7	32	8.1	11.9	0	11.1

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1996-1998*****				*****1996-1998*****				*****1996-1998*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	63	8.1	13.4	0	10.6	32	8.3	15.2	0	11.0	31	7.9	12.3	0	10.1
..COPD-related (490-496)	144	18.5	33.3	0	27.1	79	20.5	45.7	0	31.9	65	16.5	25.9	0	23.7
..Asthma (493)	24	3.1	4.2	0	.	12	3.1	.	0	.	12	3.0	.	0	.
Chronic liver disease and cirrhosis (571)	77	9.9	15.3	0	13.6	55	14.3	22.7	0	26.0	22	5.6	8.9	0	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	37	4.7	8.6	0	6.5	17	4.4	9.3	0	10.0	20	5.1	8.3	0	.
..Nephritis-related (580-589)	160	20.5	36.3	0	33.9	83	21.6	44.2	0	41.1	77	19.5	30.5	0	28.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	6.0	11.0	0	7.5	25	6.5	14.0	0	10.9	22	5.6	9.2	0	.
Unintentional injuries (E800-E949)	212	27.2	27.5	1	18.4	164	42.6	44.7	1	29.1	48	12.2	12.0	0	8.1
..Motor vehicle accidents (E810-E825)	76	9.8	10.2	0	6.9	55	14.3	15.8	0	11.8	21	5.3	5.0	0	.
..Falls and fall related injuries (E880-E888)	11	1.4	.	.	.	8	2.1	.	.	.	3	0.8	.	.	.
..Drowning (E830,E832,E910)	9	1.2	.	.	.	7	1.8	.	.	.	2	0.5	.	.	.
..Residential fires (E890-E899)	13	1.7	.	.	.	9	2.3	.	.	.	4	1.0	.	.	.
Suicide (E950-E959)	39	5.0	4.4	1	8.4	34	8.8	7.9	0	15.5	5	1.3	.	.	.
Homicide and legal intervention (E960-E978)	69	8.9	8.7	0	12.2	60	15.6	15.4	0	21.9	9	2.3	.	.	.
..Homicide (E960-E969)	69	8.9	8.7	0	12.2	60	15.6	15.4	0	21.9	9	2.3	.	.	.
All injury (E800-E999)	329	42.2	41.4	0	40.2	265	68.9	69.4	0	68.7	64	16.2	15.5	0	13.5
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	73	9.4	9.8	0	6.8	53	13.8	15.3	0	11.6	20	5.1	4.8	0	.
..All falls (E880-E886,E888,E957,E968.1,E987)	10	1.3	.	.	.	9	2.3	.	.	.	1	0.3	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	63	8.1	7.1	1	13.4	59	15.3	13.2	1	24.9	4	1.0	.	.	.
....Suicide (E955.0-.4)	11	1.4	.	.	3.6	11	2.9	.	.	6.5
....Homicide (E965.0-.4)	51	6.5	6.0	0	9.2	47	12.2	10.9	0	17.1	4	1.0	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	88	11.3	9.5	1	4.0	73	19.0	16.3	1	7.9	15	3.8	3.0	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	44	5.6	7.4	0	9.9	34	8.8	12.7	0	20.7	10	2.5	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	87	11.2	9.4	1	3.9	72	18.7	16.3	1	7.9	15	3.8	3.0	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female				1989-1991 AAMR		
	*****1996-1998*****				*****1996-1998*****				*****1996-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance			
*****Causes of Death*****															
All causes	2,285	293.1	561.8	0	534.8	1,351	351.1	729.3	0	670.7	934	236.7	434.7	0	422.0
Infectious diseases and parasitic disease (1-139)	258	33.1	43.0	0	36.1	175	45.5	60.6	0	57.7	83	21.0	27.5	0	17.0
..Septicemia (038)	33	4.2	10.0	0	9.3	15	3.9	10.7	0	15.3	18	4.6	9.6	0	.
....Septicemia-related (038)	125	16.0	34.7	0	33.0	74	19.2	46.7	0	38.5	51	12.9	26.0	0	27.2
..HIV infection (042-044)	182	23.3	26.2	0	22.7	131	34.0	40.6	0	37.2	51	12.9	13.4	0	9.4
All cancer (140-208)	389	49.9	110.0	0	98.0	208	54.1	148.3	0	114.8	181	45.9	86.2	0	86.0
..Oral cavity or pharynx (140.0-149.9)	8	1.0	.	.	.	7	1.8	.	.	.	1	0.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	5.1	11.2	0	10.7	25	6.5	17.4	0	.	15	3.8	7.2	0	13.1
....Colon cancer (153)	31	4.0	9.1	0	7.6	22	5.7	16.1	0	.	9	2.3	.	.	.
....Rectal cancer (154)	9	1.2	.	.	.	3	0.8	.	.	.	6	1.5	.	.	.
..Pancreatic cancer (157)	15	1.9	5.3	0	.	8	2.1	.	.	.	7	1.8	.	.	.
..Lung and other respiratory cancer (160-165)	65	8.3	19.7	0	22.7	40	10.4	28.2	0	36.5	25	6.3	13.6	0	13.4
....Lung cancer (162.2-.9)	61	7.8	18.6	0	22.4	36	9.4	25.5	0	35.8	25	6.3	13.6	0	13.4
..Malignant melanoma of skin (172)	5	0.6	.	.	.	3	0.8	.	.	.	2	0.5	.	.	.
..Female breast cancer (174)	33	33	8.4	13.2	0	9.3
..Cervical cancer (180)	11	11	2.8	.	.	.
..Endometrial cancer (182)	2	2	0.5	.	.	.
..Ovarian cancer (183)	10	10	2.5	.	.	.
..Prostate cancer (185)	15	15	3.9	14.6	0
..Bladder cancer (188)	6	0.8	.	.	.	2	0.5	.	.	.	4	1.0	.	.	.
..Brain & other CNS cancer (191-192)	6	0.8	.	.	.	4	1.0	.	.	.	2	0.5	.	.	.
..Leukemia (204-208)	24	3.1	5.9	0	.	18	4.7	11.7	.	.	6	1.5	.	.	.
Diabetes mellitus (250)	75	9.6	23.0	0	18.1	42	10.9	30.3	0	.	33	8.4	17.8	0	20.6
..Diabetes-related (250)	266	34.1	83.7	0	65.8	133	34.6	98.1	0	73.6	133	33.7	73.3	0	60.1
..Diabetic ketoacidosis (DKA) (250.1)	1	0.1	1	0.3	.	.	.
Alzheimer's diseases (331.0)	8	1.0	.	.	.	2	0.5	.	.	.	6	1.5	.	.	.
Cardiovascular disease (390-459)	640	82.1	201.7	0	213.6	321	83.4	233.6	0	252.3	319	80.8	176.4	0	185.8
..Diseases of the heart (390-398,402,404-429)	499	64.0	157.7	0	161.8	251	65.2	184.8	0	193.4	248	62.8	136.9	0	139.6
....Heart disease-related (390-398,402,404-429)	973	124.8	287.6	0	275.5	519	134.9	352.3	0	322.9	454	115.0	239.8	0	239.1
....Coronary heart disease (CHD) (402,410-414,429.2)	320	41.1	105.2	0	117.6	163	42.4	130.3	0	147.6	157	39.8	88.2	0	97.6
....Congestive heart failure (CHF) (428.0)	20	2.6	7.6	0	.	7	1.8	.	.	.	13	3.3	.	.	.
....Hypertension with or without renal disease (401,403)	5	0.6	.	.	.	3	0.8	.	.	.	2	0.5	.	.	.
....Hypertension-related (401,403)	113	14.5	38.5	0	34.7	51	13.3	40.8	0	36.7	62	15.7	36.5	0	33.5
..Cerebrovascular disease (430-438)	114	14.6	36.0	0	40.1	55	14.3	39.7	0	39.8	59	14.9	32.9	0	39.0
..Atherosclerosis (440)	3	0.4	.	.	.	1	0.3	.	.	.	2	0.5	.	.	.
....Atherosclerosis-related (440)	28	3.6	9.9	0	18.0	15	3.9	12.1	0	.	13	3.3	.	.	15.5
..Aortic aneurysm (441)	9	1.2	.	.	.	6	1.6	.	.	.	3	0.8	.	.	.
Pneumonia & influenza (480-487)	62	8.0	21.0	0	21.1	30	7.8	24.9	0	23.5	32	8.1	18.4	0	19.1

(CONTINUED)

- * - Crude and age-adjusted mortality rates are calculated per 100,000 population.
- . - The AAMR is not reported due to a small number of deaths (<15).
- 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.
- 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1996-1998*****					*****1996-1998*****					*****1996-1998*****				
	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	63	8.1	18.2	0	14.6	32	8.3	21.7	0	14.0	31	7.9	16.2	0	14.7
..COPD-related (490-496)	144	18.5	46.3	0	36.7	79	20.5	66.5	0	41.9	65	16.5	34.6	0	33.2
..Asthma (493)	24	3.1	4.7	0	.	12	3.1	.	0	.	12	3.0	.	0	.
Chronic liver disease and cirrhosis (571)	77	9.9	17.5	0	15.2	55	14.3	25.8	0	28.7	22	5.6	10.3	0	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	37	4.7	10.9	0	7.6	17	4.4	12.7	0	12.5	20	5.1	10.0	0	.
..Nephritis-related (580-589)	160	20.5	45.7	0	41.5	83	21.6	56.0	0	51.0	77	19.5	38.5	0	34.5
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	6.0	14.0	0	8.7	25	6.5	19.3	0	13.3	22	5.6	10.9	0	.
Unintentional injuries (E800-E949)	212	27.2	30.9	1	20.0	164	42.6	50.2	1	31.1	48	12.2	13.9	0	9.4
..Motor vehicle accidents (E810-E825)	76	9.8	10.7	0	6.6	55	14.3	16.6	0	11.2	21	5.3	5.5	0	.
..Falls and fall related injuries (E880-E888)	11	1.4	.	.	.	8	2.1	.	.	.	3	0.8	.	.	.
..Drowning (E830,E832,E910)	9	1.2	.	.	.	7	1.8	.	.	.	2	0.5	.	.	.
..Residential fires (E890-E899)	13	1.7	.	.	.	9	2.3	.	.	.	4	1.0	.	.	.
Suicide (E950-E959)	39	5.0	4.9	1	9.5	34	8.8	8.9	0	17.9	5	1.3	.	.	.
Homicide and legal intervention (E960-E978)	69	8.9	8.2	0	12.3	60	15.6	14.6	0	22.3	9	2.3	.	.	.
..Homicide (E960-E969)	69	8.9	8.2	0	12.3	60	15.6	14.6	0	22.3	9	2.3	.	.	.
All injury (E800-E999)	329	42.2	44.9	0	43.1	265	68.9	75.2	0	73.7	64	16.2	17.5	0	14.9
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	73	9.4	10.3	0	6.4	53	13.8	16.1	0	11.0	20	5.1	5.3	0	.
..All falls (E880-E886,E888,E957,E968.1,E987)	10	1.3	.	.	.	9	2.3	.	.	.	1	0.3	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	63	8.1	6.7	1	13.2	59	15.3	12.5	1	24.8	4	1.0	.	.	.
....Suicide (E955.0-.4)	11	1.4	.	.	3.8	11	2.9	.	.	6.9
....Homicide (E965.0-.4)	51	6.5	5.3	0	8.9	47	12.2	9.8	0	16.9	4	1.0	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	88	11.3	11.3	1	4.7	73	19.0	19.5	1	9.3	15	3.8	3.7	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	44	5.6	8.4	0	11.2	34	8.8	14.1	0	23.0	10	2.5	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	87	11.2	11.3	1	4.5	72	18.7	19.4	1	9.3	15	3.8	3.7	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	2,285	1,398	1,729	37,409	53,007	4825.5	4719.9	0	7088.6	6878.9	0
Infectious diseases and parasitic disease (1-139)	258	233	246	6,009	8,406	783.2	791.2	0	1081.9	1050.5	0
..Septicemia (038)	33	13	23	215	395	31.1	85.0	0	64.7	122.7	0
...Septicemia-related (038)	125	68	90	1,159	1,954	172.7	222.6	0	310.3	357.7	0
..HIV infection (042-044)	182	180	182	4,612	6,427	609.2	631.3	0	828.5	825.1	0
All cancer (140-208)	389	200	287	3,092	5,540	484.8	460.8	0	927.9	875.9	0
..Oral cavity or pharynx (140.0-149.9)	8	2	5	35	78	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	24	29	285	548	45.3	28.8	0	94.2	54.9	0
...Colon cancer (153)	31	17	20	203	390	33.2	24.1	0	68.3	48.2	0
...Rectal cancer (154)	9	7	9	83	158	.	.	0	.	.	0
..Pancreatic cancer (157)	15	2	7	25	78	4.9	.	0	16.3	.	0
..Lung and other respiratory cancer (160-165)	65	28	49	255	643	48.5	55.6	0	128.6	143.4	0
...Lung cancer (162.2-.9)	61	25	46	243	600	45.7	54.9	0	119.1	139.7	0
..Malignant melanoma of skin (172)	5	3	3	58	88	.	.	0	.	.	0
..Female breast cancer (174)	33	27	30	423	710	.	.	0	.	.	0
..Cervical cancer (180)	11	7	8	163	240	.	.	0	.	.	0
..Endometrial cancer (182)	2	1	1	13	23	.	.	0	.	.	0
..Ovarian cancer (183)	10	6	8	80	150	.	.	0	.	.	0
..Prostate cancer (185)	15	2	7	10	58	.	.	0	.	.	0
..Bladder cancer (188)	6	.	2	0	5	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	6	4	4	110	150	.	.	0	.	.	0
..Leukemia (204-208)	24	14	19	387	555	55.4	.	0	81.0	.	0
Diabetes mellitus (250)	75	30	54	320	745	55.4	29.4	0	141.1	74.1	0
..Diabetes-related (250)	266	110	170	1,120	2,530	201.5	146.3	0	482.6	372.2	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3	.	.	0	.	.	0
Alzheimer's diseases (331.0)	8	1	4	3	20	.	.	0	.	.	0
Cardiovascular disease (390-459)	640	250	375	4,219	7,282	618.7	584.7	0	1164.5	1144.1	0
..Diseases of the heart (390-398,402,404-429)	499	191	290	3,320	5,682	477.5	412.2	0	897.9	834.7	0
...Heart disease-related (390-398,402,404-429)	973	439	628	8,507	13,804	1202.8	1041.0	0	2102.1	1848.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	320	112	184	1,265	2,720	219.5	222.7	0	506.4	510.9	0
....Congestive heart failure (CHF) (428.0)	20	3	4	95	132	9.9	.	0	15.5	.	0
..Hypertension with or without renal disease (401,403)	5	1	4	8	25	.	.	0	.	.	0
...Hypertension-related (401,403)	113	36	59	355	813	66.4	100.5	0	158.0	204.5	0
..Cerebrovascular disease (430-438)	114	46	65	712	1,260	111.6	118.2	0	209.8	211.2	0
...Atherosclerosis (440)	3	1	1	23	33	.	.	0	.	.	0
...Atherosclerosis-related (440)	28	8	11	100	193	16.8	9.6	0	34.3	33.0	0
..Aortic aneurysm (441)	9	3	6	28	65	.	.	0	.	.	0
Pneumonia & influenza (480-487)	62	17	26	474	691	60.7	28.1	0	96.4	49.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	63	30	38	704	1,044	97.2	48.9	0	149.4	84.6	0
..COPD-related (490-496)	144	54	75	954	1,602	140.0	102.4	0	253.7	197.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	24	20	22	502	707	68.6	.	0	97.3	.	0
Chronic liver disease and cirrhosis (571)	77	60	71	915	1,573	147.0	149.0	0	258.6	262.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	37	17	27	243	458	37.7	49.1	0	77.7	86.6	0
..Nephritis-related (580-589)	160	81	117	1,240	2,230	198.6	197.5	0	376.9	379.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	21	33	298	568	46.3	51.3	0	97.3	96.3	0
Unintentional injuries (E800-E949)	212	198	204	6,436	8,441	833.9	606.2	0	1063.5	751.9	1
..Motor vehicle accidents (E810-E825)	76	74	75	2,344	3,087	322.8	287.5	0	412.3	347.4	0
..Falls and fall related injuries (E880-E888)	11	6	6	232	292
..Drowning (E830,E832,E910)	9	9	9	454	544
..Residential fires (E890-E899)	13	11	13	504	624
Suicide (E950-E959)	39	38	39	1,205	1,593	160.2	273.4	0	203.0	348.7	0
Homicide and legal intervention (E960-E978)	69	66	69	2,574	3,252	355.5	499.4	0	430.2	604.3	0
..Homicide (E960-E969)	69	66	69	2,574	3,252	355.5	499.4	0	430.2	604.3	0
All injury (E800-E999)	329	311	321	10,550	13,710	1389.3	1425.9	0	1744.6	1762.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	73	71	72	2,242	2,954	308.7	282.9	0	395.0	341.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	10	8	8	287	367
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	63	63	63	2,458	3,088	339.7	544.0	1	405.1	656.5	1
....Suicide (E955.0-.4)	11	11	11	353	463	.	121.3	.	.	152.0	.
....Homicide (E965.0-.4)	51	51	51	2,058	2,568	289.0	389.5	0	342.6	465.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	88	88	88	2,540	3,420	332.6	130.0	1	429.7	167.0	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	44	42	44	695	1,130	111.7	131.2	0	181.1	218.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	87	87	87	2,488	3,358	326.4	124.8	1	423.2	160.5	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	1,351	926	1,104	24,965	35,140	6599.2	6912.7	0	9692.5	9937.0	0
Infectious diseases and parasitic disease (1-139)	175	165	170	4,086	5,763	1105.4	1230.7	0	1543.0	1652.2	0
..Septicemia (038)	15	8	11	132	225	38.8	133.0	0	75.8	195.4	0
...Septicemia-related (038)	74	45	57	832	1,347	246.4	321.8	0	432.7	518.4	0
..HIV infection (042-044)	131	129	131	3,168	4,473	870.3	968.7	0	1205.8	1284.8	0
All cancer (140-208)	208	103	149	1,585	2,860	519.9	484.5	0	1036.0	968.2	0
..Oral cavity or pharynx (140.0-149.9)	7	2	4	35	70	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	25	16	17	170	338	57.6	.	0	127.1	.	0
...Colon cancer (153)	22	13	14	138	275	48.3	.	0	105.9	.	0
...Rectal cancer (154)	3	3	3	33	63	.	.	0	.	.	0
..Pancreatic cancer (157)	8	.	4	0	25	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	40	20	32	180	440	73.0	89.3	0	191.3	215.9	0
...Lung cancer (162.2-.9)	36	17	29	168	398	66.7	87.7	0	170.6	207.9	0
..Malignant melanoma of skin (172)	3	2	2	30	50	.	.	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Endometrial cancer (182)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	15	2	7	10	58	5.0	.	0	30.1	.	0
..Bladder cancer (188)	2	.	.	0	0	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	4	3	3	98	128	.	.	0	.	.	0
..Leukemia (204-208)	18	9	13	315	425	84.6	.	0	118.1	.	0
Diabetes mellitus (250)	42	19	32	208	465	75.9	.	0	190.0	.	0
..Diabetes-related (250)	133	65	92	743	1,525	278.1	185.9	0	607.4	449.5	0
..Diabetic ketoacidosis (DKA) (250.1)	0	.	.	0
Alzheimer's diseases (331.0)	2	.	.	0	0	.	.	0	.	.	0
Cardiovascular disease (390-459)	321	152	223	2,542	4,405	786.7	754.8	0	1518.3	1454.0	0
..Diseases of the heart (390-398,402,404-429)	251	115	170	1,993	3,415	607.7	551.2	0	1163.2	1076.7	0
...Heart disease-related (390-398,402,404-429)	519	276	378	5,390	8,665	1572.0	1390.9	0	2772.3	2432.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	163	62	101	760	1,588	273.9	324.1	0	632.7	688.5	0
....Congestive heart failure (CHF) (428.0)	7	2	2	30	50	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	3	1	3	8	23	.	.	0	.	.	0
...Hypertension-related (401,403)	51	21	32	248	505	93.2	112.1	0	201.7	212.2	0
..Cerebrovascular disease (430-438)	55	28	38	442	772	139.3	138.3	0	269.6	258.3	0
..Atherosclerosis (440)	1	1	1	23	33	.	.	0	.	.	0
...Atherosclerosis-related (440)	15	6	9	90	163	30.7	.	0	60.1	.	0
..Aortic aneurysm (441)	6	3	6	28	65	.	.	0	.	.	0
Pneumonia & influenza (480-487)	30	10	16	319	449	80.1	43.2	0	125.2	86.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	32	18	20	487	677	134.0	48.0	0	188.7	89.8	0
..COPD-related (490-496)	79	30	40	582	927	171.2	93.3	0	297.9	201.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	12	11	12	333	445
Chronic liver disease and cirrhosis (571)	55	48	53	725	1,233	249.4	289.5	0	431.4	514.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	17	9	12	123	220	43.0	66.8	0	81.1	117.2	0
..Nephritis-related (580-589)	83	48	63	692	1,245	237.6	283.1	0	454.1	507.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	25	12	16	170	305	57.5	66.8	0	111.3	122.7	0
Unintentional injuries (E800-E949)	164	154	159	5,011	6,574	1320.7	1017.9	0	1688.8	1268.1	0
..Motor vehicle accidents (E810-E825)	55	53	54	1,695	2,227	475.2	512.7	0	608.9	617.5	0
..Falls and fall related injuries (E880-E888)	8	5	5	168	218
..Drowning (E830,E832,E910)	7	7	7	352	422
..Residential fires (E890-E899)	9	7	9	322	402
Suicide (E950-E959)	34	33	34	1,038	1,375	276.3	489.9	0	353.4	625.2	0
Homicide and legal intervention (E960-E978)	60	57	60	2,218	2,805	615.0	850.5	0	746.6	1032.8	0
..Homicide (E960-E969)	60	57	60	2,218	2,805	615.0	850.5	0	746.6	1032.8	0
All injury (E800-E999)	265	251	260	8,531	11,088	2274.8	2443.3	0	2864.7	3031.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	53	51	52	1,630	2,142	456.4	503.2	0	585.5	605.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	7	7	223	293
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	59	59	59	2,293	2,883	626.6	951.8	0	748.9	1151.8	0
....Suicide (E955.0-.4)	11	11	11	353	463	.	199.1	.	.	252.3	.
....Homicide (E965.0-.4)	47	47	47	1,893	2,363	524.4	687.1	0	622.6	822.9	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	73	73	73	2,113	2,843	565.3	234.8	1	732.5	304.9	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	34	33	34	513	850	178.0	238.3	0	296.0	416.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	72	72	72	2,060	2,780	553.6	233.9	1	720.1	303.8	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	934	472	625	12,444	17,867	3105.7	2620.2	0	4633.5	4000.8	0
Infectious diseases and parasitic disease (1-139)	83	68	76	1,923	2,643	488.5	381.5	0	661.7	492.8	0
..Septicemia (038)	18	5	12	83	170	23.8	.	0	54.0	.	0
...Septicemia-related (038)	51	23	33	328	608	104.5	131.5	0	200.4	213.7	0
..HIV infection (042-044)	51	51	51	1,445	1,955	370.2	317.8	0	485.1	399.5	0
All cancer (140-208)	181	97	138	1,508	2,680	450.6	440.7	0	834.9	798.3	0
..Oral cavity or pharynx (140.0-149.9)	1	.	1	0	8
..Colorectal cancer (153.0-154.3,154.8,159.0)	15	8	12	115	210	34.1	24.2	0	65.1	53.0	0
...Colon cancer (153)	9	4	6	65	115
...Rectal cancer (154)	6	4	6	50	95
..Pancreatic cancer (157)	7	2	3	25	53
..Lung and other respiratory cancer (160-165)	25	8	17	75	203	27.0	25.5	0	75.3	79.8	0
...Lung cancer (162.2-.9)	25	8	17	75	203	27.0	25.5	0	75.3	79.8	0
..Malignant melanoma of skin (172)	2	1	1	28	38
..Female breast cancer (174)	33	27	30	423	710	123.5	76.4	0	211.3	128.9	0
..Cervical cancer (180)	11	7	8	163	240
..Endometrial cancer (182)	2	1	1	13	23
..Ovarian cancer (183)	10	6	8	80	150
..Prostate cancer (185)
..Bladder cancer (188)	4	.	2	0	5
..Brain & other CNS cancer (191-192)	2	1	1	13	23
..Leukemia (204-208)	6	5	6	73	130
Diabetes mellitus (250)	33	11	22	113	280	37.3	20.9	0	100.0	63.7	0
..Diabetes-related (250)	133	45	78	378	1,005	133.1	110.5	0	372.1	305.1	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	6	1	4	3	20
Cardiovascular disease (390-459)	319	98	152	1,677	2,877	463.7	431.8	0	855.4	872.6	0
..Diseases of the heart (390-398,402,404-429)	248	76	120	1,327	2,267	357.1	286.2	0	665.1	621.2	0
...Heart disease-related (390-398,402,404-429)	454	163	250	3,117	5,139	859.9	717.6	0	1505.1	1323.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	157	50	83	505	1,133	169.4	131.0	0	398.1	354.2	0
....Congestive heart failure (CHF) (428.0)	13	1	2	65	82
..Hypertension with or without renal disease (401,403)	2	.	1	0	3
...Hypertension-related (401,403)	62	15	27	108	308	41.9	89.3	0	119.0	197.1	0
..Cerebrovascular disease (430-438)	59	18	27	270	488	85.4	100.5	0	156.9	171.1	0
..Atherosclerosis (440)	2	.	.	0	0
...Atherosclerosis-related (440)	13	2	2	10	30	.	15.0	.	.	43.3	.
..Aortic aneurysm (441)	3	.	.	0	0
Pneumonia & influenza (480-487)	32	7	10	155	242	40.8	15.2	0	68.8	17.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	31	12	18	217	367	59.8	48.2	0	108.2	79.5	0
..COPD-related (490-496)	65	24	35	372	675	108.2	108.3	0	210.1	195.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	12	9	10	170	262
Chronic liver disease and cirrhosis (571)	22	12	18	190	340	55.6	.	0	105.5	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	20	8	15	120	238	33.1	.	0	74.1	.	0
..Nephritis-related (580-589)	77	33	54	548	985	165.0	118.2	0	310.6	263.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	22	9	17	128	263	36.2	.	0	84.1	.	0
Unintentional injuries (E800-E949)	48	44	45	1,425	1,868	349.9	202.7	0	448.3	249.3	0
..Motor vehicle accidents (E810-E825)	21	21	21	650	860	169.1	.	0	216.4	.	0
..Falls and fall related injuries (E880-E888)	3	1	1	65	75
..Drowning (E830,E832,E910)	2	2	2	102	122
..Residential fires (E890-E899)	4	4	4	182	222
Suicide (E950-E959)	5	5	5	168	218
Homicide and legal intervention (E960-E978)	9	9	9	357	447
..Homicide (E960-E969)	9	9	9	357	447
All injury (E800-E999)	64	60	61	2,019	2,622	499.8	425.7	0	630.9	523.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	20	20	20	612	812	159.8	.	0	205.2	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	65	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	4	4	4	165	205
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	4	4	4	165	205
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	15	15	15	428	578	106.8	.	.	138.1	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	10	9	10	183	280
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	15	15	15	428	578	106.8	.	.	138.1	.	.

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	2,285	1,398	1,729	37,409	53,007	4676.1	4484.7	0	6988.1	6658.5	0
Infectious diseases and parasitic disease (1-139)	258	233	246	6,009	8,406	700.8	678.4	0	971.3	899.1	0
..Septicemia (038)	33	13	23	215	395	31.4	76.3	0	69.2	111.3	0
...Septicemia-related (038)	125	68	90	1,159	1,954	166.6	201.3	0	314.0	338.5	0
..HIV infection (042-044)	182	180	182	4,612	6,427	537.1	533.7	0	729.3	693.8	0
All cancer (140-208)	389	200	287	3,092	5,540	476.6	450.5	0	960.2	901.2	0
..Oral cavity or pharynx (140.0-149.9)	8	2	5	35	78
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	24	29	285	548	44.0	26.8	0	97.8	55.2	0
...Colon cancer (153)	31	17	20	203	390	32.7	23.2	0	71.1	49.6	0
...Rectal cancer (154)	9	7	9	83	158
..Pancreatic cancer (157)	15	2	7	25	78	5.0	.	0	18.3	.	0
..Lung and other respiratory cancer (160-165)	65	28	49	255	643	51.4	56.5	0	143.5	156.6	0
...Lung cancer (162.2-.9)	61	25	46	243	600	48.1	55.6	0	132.5	152.1	0
..Malignant melanoma of skin (172)	5	3	3	58	88
..Female breast cancer (174)	33	27	30	423	710
..Cervical cancer (180)	11	7	8	163	240
..Endometrial cancer (182)	2	1	1	13	23
..Ovarian cancer (183)	10	6	8	80	150
..Prostate cancer (185)	15	2	7	10	58
..Bladder cancer (188)	6	.	2	0	5
..Brain & other CNS cancer (191-192)	6	4	4	110	150
..Leukemia (204-208)	24	14	19	387	555	55.6	.	0	81.9	.	0
Diabetes mellitus (250)	75	30	54	320	745	55.6	28.8	0	153.7	80.4	0
..Diabetes-related (250)	266	110	170	1,120	2,530	207.1	147.0	0	524.9	405.4	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	8	1	4	3	20
Cardiovascular disease (390-459)	640	250	375	4,219	7,282	607.0	568.6	0	1206.1	1181.3	0
..Diseases of the heart (390-398,402,404-429)	499	191	290	3,320	5,682	468.6	402.4	0	931.3	868.0	0
...Heart disease-related (390-398,402,404-429)	973	439	628	8,507	13,804	1170.6	974.7	0	2140.7	1836.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	320	112	184	1,265	2,720	221.8	224.1	0	546.4	547.7	0
....Congestive heart failure (CHF) (428.0)	20	3	4	95	132	9.8	.	0	16.0	.	0
..Hypertension with or without renal disease (401,403)	5	1	4	8	25
...Hypertension-related (401,403)	113	36	59	355	813	68.9	101.1	0	172.8	214.9	0
..Cerebrovascular disease (430-438)	114	46	65	712	1,260	109.8	114.6	0	216.3	214.5	0
..Atherosclerosis (440)	3	1	1	23	33
...Atherosclerosis-related (440)	28	8	11	100	193	16.9	10.5	0	36.4	38.3	0
..Aortic aneurysm (441)	9	3	6	28	65
Pneumonia & influenza (480-487)	62	17	26	474	691	63.0	26.5	0	101.9	49.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	63	30	38	704	1,044	94.7	46.9	0	148.9	85.1	0
..COPD-related (490-496)	144	54	75	954	1,602	137.8	100.5	0	261.9	204.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	24	20	22	502	707	65.9	.	0	94.5	.	0
Chronic liver disease and cirrhosis (571)	77	60	71	915	1,573	141.3	142.6	0	257.3	259.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	37	17	27	243	458	36.0	46.2	0	80.6	86.6	0
..Nephritis-related (580-589)	160	81	117	1,240	2,230	193.8	187.8	0	387.1	386.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	21	33	298	568	44.3	48.7	0	101.4	98.0	0
Unintentional injuries (E800-E949)	212	198	204	6,436	8,441	781.7	585.4	0	985.5	715.3	0
..Motor vehicle accidents (E810-E825)	76	74	75	2,344	3,087	306.6	281.3	0	387.2	334.1	0
..Falls and fall related injuries (E880-E888)	11	6	6	232	292
..Drowning (E830,E832,E910)	9	9	9	454	544
..Residential fires (E890-E899)	13	11	13	504	624
Suicide (E950-E959)	39	38	39	1,205	1,593	142.1	247.4	0	178.1	312.3	0
Homicide and legal intervention (E960-E978)	69	66	69	2,574	3,252	334.7	473.4	0	399.5	563.1	0
..Homicide (E960-E969)	69	66	69	2,574	3,252	334.7	473.4	0	399.5	563.1	0
All injury (E800-E999)	329	311	321	10,550	13,710	1292.7	1347.9	0	1603.5	1641.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	73	71	72	2,242	2,954	293.9	277.8	0	372.0	329.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	10	8	8	287	367
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	63	63	63	2,458	3,088	314.5	516.5	1	368.4	613.1	1
...Suicide (E955.0-.4)	11	11	11	353	463	.	113.6	.	.	140.6	.
...Homicide (E965.0-.4)	51	51	51	2,058	2,568	271.4	370.8	0	316.3	435.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	88	88	88	2,540	3,420	286.2	112.9	1	366.2	143.8	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	44	42	44	695	1,130	106.9	122.7	0	175.9	211.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	87	87	87	2,488	3,358	280.5	108.5	1	360.4	138.5	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	1,351	926	1,104	24,965	35,140	6322.6	6484.7	0	9459.6	9479.3	0
Infectious diseases and parasitic disease (1-139)	175	165	170	4,086	5,763	976.4	1042.3	0	1369.7	1401.8	0
..Septicemia (038)	15	8	11	132	225	41.1	120.6	0	82.5	179.9	0
...Septicemia-related (038)	74	45	57	832	1,347	235.4	290.9	0	433.1	490.2	0
..HIV infection (042-044)	131	129	131	3,168	4,473	758.9	802.5	0	1055.0	1064.7	0
All cancer (140-208)	208	103	149	1,585	2,860	522.0	478.3	0	1093.5	1009.0	0
..Oral cavity or pharynx (140.0-149.9)	7	2	4	35	70
..Colorectal cancer (153.0-154.3,154.8,159.0)	25	16	17	170	338	56.3	.	0	133.5	.	0
...Colon cancer (153)	22	13	14	138	275	48.0	.	0	111.8	.	0
...Rectal cancer (154)	3	3	3	33	63
..Pancreatic cancer (157)	8	.	4	0	25
..Lung and other respiratory cancer (160-165)	40	20	32	180	440	77.1	90.5	0	212.9	233.5	0
...Lung cancer (162.2-.9)	36	17	29	168	398	69.7	88.5	0	188.7	223.9	0
..Malignant melanoma of skin (172)	3	2	2	30	50
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	15	2	7	10	58	5.8	.	0	36.4	.	0
..Bladder cancer (188)	2	.	.	0	0
..Brain & other CNS cancer (191-192)	4	3	3	98	128
..Leukemia (204-208)	18	9	13	315	425	84.9	.	.	120.0	.	.
Diabetes mellitus (250)	42	19	32	208	465	76.5	.	0	206.8	.	0
..Diabetes-related (250)	133	65	92	743	1,525	282.9	183.9	0	649.5	482.6	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	2	.	.	0	0
Cardiovascular disease (390-459)	321	152	223	2,542	4,405	774.1	720.5	0	1581.0	1480.9	0
..Diseases of the heart (390-398,402,404-429)	251	115	170	1,993	3,415	595.8	529.2	0	1207.9	1101.9	0
...Heart disease-related (390-398,402,404-429)	519	276	378	5,390	8,665	1532.0	1286.5	0	2825.8	2391.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	163	62	101	760	1,588	275.5	319.6	0	681.3	723.4	0
....Congestive heart failure (CHF) (428.0)	7	2	2	30	50
..Hypertension with or without renal disease (401,403)	3	1	3	8	23
...Hypertension-related (401,403)	51	21	32	248	505	94.5	109.4	0	215.7	217.6	0
..Cerebrovascular disease (430-438)	55	28	38	442	772	137.9	133.2	0	280.8	263.2	0
..Atherosclerosis (440)	1	1	1	23	33
...Atherosclerosis-related (440)	15	6	9	90	163	30.4	.	0	62.9	.	0
..Aortic aneurysm (441)	6	3	6	28	65
Pneumonia & influenza (480-487)	30	10	16	319	449	84.3	38.5	0	133.8	85.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	32	18	20	487	677	128.7	46.3	0	182.7	92.9	0
..COPD-related (490-496)	79	30	40	582	927	167.7	93.7	0	305.7	216.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	12	11	12	333	445
Chronic liver disease and cirrhosis (571)	55	48	53	725	1,233	242.1	280.1	0	429.2	513.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	17	9	12	123	220	42.4	64.1	0	83.9	119.0	0
..Nephritis-related (580-589)	83	48	63	692	1,245	237.2	261.0	0	471.5	498.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	25	12	16	170	305	55.9	64.1	0	115.0	125.8	0
Unintentional injuries (E800-E949)	164	154	159	5,011	6,574	1226.5	967.9	0	1552.3	1188.3	0
..Motor vehicle accidents (E810-E825)	55	53	54	1,695	2,227	450.9	497.8	0	572.6	588.6	0
..Falls and fall related injuries (E880-E888)	8	5	5	168	218
..Drowning (E830,E832,E910)	7	7	7	352	422
..Residential fires (E890-E899)	9	7	9	322	402
Suicide (E950-E959)	34	33	34	1,038	1,375	242.5	444.2	0	307.6	559.9	0
Homicide and legal intervention (E960-E978)	60	57	60	2,218	2,805	574.2	807.8	0	688.8	965.2	0
..Homicide (E960-E969)	60	57	60	2,218	2,805	574.2	807.8	0	688.8	965.2	0
All injury (E800-E999)	265	251	260	8,531	11,088	2098.5	2296.2	0	2614.0	2806.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	53	51	52	1,630	2,142	433.4	490.7	0	551.1	580.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	7	7	223	293
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	59	59	59	2,293	2,883	577.3	907.4	0	677.8	1081.3	0
....Suicide (E955.0-.4)	11	11	11	353	463	.	186.9	.	.	234.6	.
....Homicide (E965.0-.4)	47	47	47	1,893	2,363	490.7	657.0	0	572.8	773.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	73	73	73	2,113	2,843	488.8	204.7	1	627.5	263.9	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	34	33	34	513	850	173.0	230.0	0	291.9	413.7	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	72	72	72	2,060	2,780	478.1	203.0	1	616.7	261.9	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	934	472	625	12,444	17,867	3079.1	2566.5	0	4672.4	4010.9	0
Infectious diseases and parasitic disease (1-139)	83	68	76	1,923	2,643	450.7	340.6	0	610.9	435.7	0
..Septicemia (038)	18	5	12	83	170	22.2	.	0	56.2	.	0
...Septicemia-related (038)	51	23	33	328	608	103.0	119.5	0	208.1	204.0	0
..HIV infection (042-044)	51	51	51	1,445	1,955	335.8	285.6	0	435.4	352.9	0
All cancer (140-208)	181	97	138	1,508	2,680	432.6	427.2	0	845.8	810.8	0
..Oral cavity or pharynx (140.0-149.9)	1	.	1	0	8
..Colorectal cancer (153.0-154.3,154.8,159.0)	15	8	12	115	210	32.8	23.9	0	66.5	55.6	0
...Colon cancer (153)	9	4	6	65	115
...Rectal cancer (154)	6	4	6	50	95
..Pancreatic cancer (157)	7	2	3	25	53
..Lung and other respiratory cancer (160-165)	25	8	17	75	203	29.0	26.2	0	84.9	89.4	0
...Lung cancer (162.2-.9)	25	8	17	75	203	29.0	26.2	0	84.9	89.4	0
..Malignant melanoma of skin (172)	2	1	1	28	38
..Female breast cancer (174)	33	27	30	423	710	116.9	71.4	0	207.1	125.1	0
..Cervical cancer (180)	11	7	8	163	240
..Endometrial cancer (182)	2	1	1	13	23
..Ovarian cancer (183)	10	6	8	80	150
..Prostate cancer (185)
..Bladder cancer (188)	4	.	2	0	5
..Brain & other CNS cancer (191-192)	2	1	1	13	23
..Leukemia (204-208)	6	5	6	73	130
Diabetes mellitus (250)	33	11	22	113	280	37.3	22.3	0	109.3	72.7	0
..Diabetes-related (250)	133	45	78	378	1,005	139.5	113.6	0	415.1	339.0	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	6	1	4	3	20
Cardiovascular disease (390-459)	319	98	152	1,677	2,877	453.5	433.1	0	882.2	922.0	0
..Diseases of the heart (390-398,402,404-429)	248	76	120	1,327	2,267	351.5	288.1	0	691.5	663.6	0
...Heart disease-related (390-398,402,404-429)	454	163	250	3,117	5,139	835.4	687.8	0	1535.4	1344.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	157	50	83	505	1,133	172.4	138.0	0	432.0	394.1	0
....Congestive heart failure (CHF) (428.0)	13	1	2	65	82
..Hypertension with or without renal disease (401,403)	2	.	1	0	3
...Hypertension-related (401,403)	62	15	27	108	308	45.6	92.9	0	135.0	212.4	0
..Cerebrovascular disease (430-438)	59	18	27	270	488	83.5	98.5	0	159.9	173.5	0
..Atherosclerosis (440)	2	.	.	0	0
...Atherosclerosis-related (440)	13	2	2	10	30	.	16.1	.	.	48.7	.
..Aortic aneurysm (441)	3	.	.	0	0
Pneumonia & influenza (480-487)	32	7	10	155	242	41.1	16.5	0	71.6	19.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	31	12	18	217	367	60.0	46.0	0	112.8	78.0	0
..COPD-related (490-496)	65	24	35	372	675	107.3	104.0	0	219.0	195.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	12	9	10	170	262
Chronic liver disease and cirrhosis (571)	22	12	18	190	340	51.5	.	0	105.5	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	20	8	15	120	238	30.4	.	0	76.7	.	0
..Nephritis-related (580-589)	77	33	54	548	985	156.2	120.3	0	314.3	284.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	22	9	17	128	263	33.9	.	0	88.3	.	0
Unintentional injuries (E800-E949)	48	44	45	1,425	1,868	338.1	208.9	0	427.6	253.6	0
..Motor vehicle accidents (E810-E825)	21	21	21	650	860	160.7	.	0	202.8	.	0
..Falls and fall related injuries (E880-E888)	3	1	1	65	75
..Drowning (E830,E832,E910)	2	2	2	102	122
..Residential fires (E890-E899)	4	4	4	182	222
Suicide (E950-E959)	5	5	5	168	218
Homicide and legal intervention (E960-E978)	9	9	9	357	447
..Homicide (E960-E969)	9	9	9	357	447
All injury (E800-E999)	64	60	61	2,019	2,622	480.5	412.1	0	597.5	499.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	20	20	20	612	812	153.2	.	0	193.8	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	65	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	4	4	4	165	205
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	4	4	4	165	205
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	15	15	15	428	578	89.4	.	.	114.5	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	10	9	10	183	280
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	15	15	15	428	578	89.4	.	.	114.5	.	.

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	2,285	1,398	1,729	37,409	53,007	4976.8	4835.6	0	7459.4	7176.0	0
Infectious diseases and parasitic disease (1-139)	258	233	246	6,009	8,406	858.7	833.6	0	1179.3	1098.4	0
..Septicemia (038)	33	13	23	215	395	36.3	95.0	0	76.8	136.6	0
...Septicemia-related (038)	125	68	90	1,159	1,954	194.3	250.4	0	352.6	403.4	0
..HIV infection (042-044)	182	180	182	4,612	6,427	665.0	659.9	0	896.0	853.9	0
All cancer (140-208)	389	200	287	3,092	5,540	547.6	521.1	0	1063.4	1000.5	0
..Oral cavity or pharynx (140.0-149.9)	8	2	5	35	78
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	24	29	285	548	51.8	31.4	0	107.6	61.1	0
...Colon cancer (153)	31	17	20	203	390	38.5	25.9	0	78.4	52.9	0
...Rectal cancer (154)	9	7	9	83	158
..Pancreatic cancer (157)	15	2	7	25	78	5.9	.	0	20.2	.	0
..Lung and other respiratory cancer (160-165)	65	28	49	255	643	58.6	67.2	0	154.5	172.3	0
...Lung cancer (162.2-.9)	61	25	46	243	600	55.2	66.3	0	143.8	168.2	0
..Malignant melanoma of skin (172)	5	3	3	58	88
..Female breast cancer (174)	33	27	30	423	710
..Cervical cancer (180)	11	7	8	163	240
..Endometrial cancer (182)	2	1	1	13	23
..Ovarian cancer (183)	10	6	8	80	150
..Prostate cancer (185)	15	2	7	10	58
..Bladder cancer (188)	6	.	2	0	5
..Brain & other CNS cancer (191-192)	6	4	4	110	150
..Leukemia (204-208)	24	14	19	387	555	55.8	.	0	84.2	.	0
Diabetes mellitus (250)	75	30	54	320	745	66.6	32.4	0	169.6	85.1	0
..Diabetes-related (250)	266	110	170	1,120	2,530	244.8	171.5	0	578.2	439.9	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	8	1	4	3	20
Cardiovascular disease (390-459)	640	250	375	4,219	7,282	691.5	663.0	0	1331.3	1317.4	0
..Diseases of the heart (390-398,402,404-429)	499	191	290	3,320	5,682	531.3	466.6	0	1024.6	960.6	0
...Heart disease-related (390-398,402,404-429)	973	439	628	8,507	13,804	1319.8	1153.2	0	2360.7	2083.4	0
....Coronary heart disease (CHD) (402,410-414,429.2)	320	112	184	1,265	2,720	256.1	265.3	0	597.9	607.9	0
....Congestive heart failure (CHF) (428.0)	20	3	4	95	132	10.1	.	0	16.4	.	0
..Hypertension with or without renal disease (401,403)	5	1	4	8	25
...Hypertension-related (401,403)	113	36	59	355	813	79.2	121.7	0	188.9	245.4	0
..Cerebrovascular disease (430-438)	114	46	65	712	1,260	125.9	134.1	0	240.0	243.4	0
..Atherosclerosis (440)	3	1	1	23	33
...Atherosclerosis-related (440)	28	8	11	100	193	18.3	11.3	0	38.5	39.4	0
..Aortic aneurysm (441)	9	3	6	28	65
Pneumonia & influenza (480-487)	62	17	26	474	691	60.2	30.0	0	100.6	54.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	63	30	38	704	1,044	104.2	54.4	0	162.9	96.3	0
..COPD-related (490-496)	144	54	75	954	1,602	154.2	115.8	0	285.2	228.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	24	20	22	502	707	70.5	.	0	101.0	.	0
Chronic liver disease and cirrhosis (571)	77	60	71	915	1,573	174.8	180.1	0	303.0	310.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	37	17	27	243	458	41.6	53.4	0	88.6	96.3	0
..Nephritis-related (580-589)	160	81	117	1,240	2,230	229.0	224.5	0	438.1	436.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	21	33	298	568	50.0	55.9	0	109.4	107.9	0
Unintentional injuries (E800-E949)	212	198	204	6,436	8,441	814.0	564.4	1	1036.2	697.5	1
..Motor vehicle accidents (E810-E825)	76	74	75	2,344	3,087	305.9	257.5	0	390.8	308.3	0
..Falls and fall related injuries (E880-E888)	11	6	6	232	292
..Drowning (E830,E832,E910)	9	9	9	454	544
..Residential fires (E890-E899)	13	11	13	504	624
Suicide (E950-E959)	39	38	39	1,205	1,593	156.6	268.8	0	197.4	341.4	0
Homicide and legal intervention (E960-E978)	69	66	69	2,574	3,252	306.4	447.4	0	367.6	535.9	0
..Homicide (E960-E969)	69	66	69	2,574	3,252	306.4	447.4	0	367.6	535.9	0
All injury (E800-E999)	329	311	321	10,550	13,710	1314.2	1327.1	0	1645.4	1631.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	73	71	72	2,242	2,954	292.9	253.0	0	375.0	302.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	10	8	8	287	367
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	63	63	63	2,458	3,088	291.3	479.3	1	341.6	572.5	1
....Suicide (E955.0-.4)	11	11	11	353	463	.	113.9	.	.	142.4	.
....Homicide (E965.0-.4)	51	51	51	2,058	2,568	242.5	338.4	0	282.2	399.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	88	88	88	2,540	3,420	342.7	127.0	1	438.9	162.1	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	44	42	44	695	1,130	132.8	157.3	0	211.3	257.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	87	87	87	2,488	3,358	337.1	121.4	1	433.3	155.3	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	1,351	926	1,104	24,965	35,140	6820.4	7090.3	0	10202.2	10340.0	0
Infectious diseases and parasitic disease (1-139)	175	165	170	4,086	5,763	1242.2	1319.0	0	1716.1	1755.1	0
..Septicemia (038)	15	8	11	132	225	43.7	148.3	0	87.2	218.0	0
...Septicemia-related (038)	74	45	57	832	1,347	277.9	361.8	0	491.7	584.9	0
..HIV infection (042-044)	131	129	131	3,168	4,473	973.7	1031.8	0	1333.7	1353.1	0
All cancer (140-208)	208	103	149	1,585	2,860	584.1	546.9	0	1186.9	1104.8	0
..Oral cavity or pharynx (140.0-149.9)	7	2	4	35	70
..Colorectal cancer (153.0-154.3,154.8,159.0)	25	16	17	170	338	64.8	.	0	142.2	.	0
...Colon cancer (153)	22	13	14	138	275	53.9	.	0	118.1	.	0
...Rectal cancer (154)	3	3	3	33	63
..Pancreatic cancer (157)	8	.	4	0	25
..Lung and other respiratory cancer (160-165)	40	20	32	180	440	88.2	107.9	0	229.4	257.2	0
...Lung cancer (162.2-.9)	36	17	29	168	398	81.0	106.0	0	206.2	248.2	0
..Malignant melanoma of skin (172)	3	2	2	30	50
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	15	2	7	10	58	5.8	.	0	37.2	.	0
..Bladder cancer (188)	2	.	.	0	0
..Brain & other CNS cancer (191-192)	4	3	3	98	128
..Leukemia (204-208)	18	9	13	315	425	79.8	.	.	116.2	.	.
Diabetes mellitus (250)	42	19	32	208	465	91.1	.	0	227.8	.	0
..Diabetes-related (250)	133	65	92	743	1,525	339.2	215.1	0	729.2	526.5	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	2	.	.	0	0
Cardiovascular disease (390-459)	321	152	223	2,542	4,405	884.6	863.4	0	1743.7	1680.7	0
..Diseases of the heart (390-398,402,404-429)	251	115	170	1,993	3,415	680.9	627.7	0	1333.2	1240.5	0
...Heart disease-related (390-398,402,404-429)	519	276	378	5,390	8,665	1750.5	1539.5	0	3142.6	2736.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	163	62	101	760	1,588	320.2	385.6	0	747.9	818.0	0
....Congestive heart failure (CHF) (428.0)	7	2	2	30	50
..Hypertension with or without renal disease (401,403)	3	1	3	8	23
...Hypertension-related (401,403)	51	21	32	248	505	111.5	136.1	0	241.2	257.2	0
..Cerebrovascular disease (430-438)	55	28	38	442	772	154.9	157.2	0	305.3	297.9	0
..Atherosclerosis (440)	1	1	1	23	33
...Atherosclerosis-related (440)	15	6	9	90	163	33.4	.	0	67.7	.	0
..Aortic aneurysm (441)	6	3	6	28	65
Pneumonia & influenza (480-487)	30	10	16	319	449	78.2	48.5	0	129.8	98.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	32	18	20	487	677	138.9	47.4	0	197.5	95.5	0
..COPD-related (490-496)	79	30	40	582	927	182.8	95.8	0	327.6	222.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	12	11	12	333	445
Chronic liver disease and cirrhosis (571)	55	48	53	725	1,233	302.9	352.8	0	511.8	612.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	17	9	12	123	220	48.6	69.3	0	93.2	126.1	0
..Nephritis-related (580-589)	83	48	63	692	1,245	281.4	324.2	0	534.8	583.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	25	12	16	170	305	62.1	69.3	0	124.0	133.1	0
Unintentional injuries (E800-E949)	164	154	159	5,011	6,574	1286.9	950.3	0	1643.7	1179.6	0
..Motor vehicle accidents (E810-E825)	55	53	54	1,695	2,227	444.3	459.1	0	571.0	546.5	0
..Falls and fall related injuries (E880-E888)	8	5	5	168	218
..Drowning (E830,E832,E910)	7	7	7	352	422
..Residential fires (E890-E899)	9	7	9	322	402
Suicide (E950-E959)	34	33	34	1,038	1,375	271.9	488.6	0	346.1	620.8	0
Homicide and legal intervention (E960-E978)	60	57	60	2,218	2,805	525.6	762.3	0	633.5	917.8	0
..Homicide (E960-E969)	60	57	60	2,218	2,805	525.6	762.3	0	633.5	917.8	0
All injury (E800-E999)	265	251	260	8,531	11,088	2144.1	2287.7	0	2694.4	2824.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	53	51	52	1,630	2,142	425.9	449.9	0	548.1	535.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	7	7	223	293
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	59	59	59	2,293	2,883	538.9	838.1	0	633.6	1005.6	0
....Suicide (E955.0-.4)	11	11	11	353	463	.	189.0	.	.	239.6	.
....Homicide (E965.0-.4)	47	47	47	1,893	2,363	439.9	595.7	0	513.1	705.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	73	73	73	2,113	2,843	583.2	234.0	1	749.2	302.2	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	34	33	34	513	850	212.7	290.4	0	345.9	496.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	72	72	72	2,060	2,780	572.6	231.9	1	738.5	299.6	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	934	472	625	12,444	17,867	3211.5	2695.3	0	4910.9	4228.1	0
Infectious diseases and parasitic disease (1-139)	83	68	76	1,923	2,643	508.0	382.5	0	690.1	491.8	0
..Septicemia (038)	18	5	12	83	170	29.3	.	0	66.7	.	0
...Septicemia-related (038)	51	23	33	328	608	117.2	148.7	0	228.5	241.9	0
..HIV infection (042-044)	51	51	51	1,445	1,955	382.6	314.9	0	498.0	392.6	0
All cancer (140-208)	181	97	138	1,508	2,680	512.8	499.4	0	959.3	913.1	0
..Oral cavity or pharynx (140.0-149.9)	1	.	1	0	8
..Colorectal cancer (153.0-154.3,154.8,159.0)	15	8	12	115	210	40.2	28.6	0	76.9	60.8	0
...Colon cancer (153)	9	4	6	65	115
...Rectal cancer (154)	6	4	6	50	95
..Pancreatic cancer (157)	7	2	3	25	53
..Lung and other respiratory cancer (160-165)	25	8	17	75	203	32.4	30.8	0	91.0	97.8	0
...Lung cancer (162.2-.9)	25	8	17	75	203	32.4	30.8	0	91.0	97.8	0
..Malignant melanoma of skin (172)	2	1	1	28	38
..Female breast cancer (174)	33	27	30	423	710	152.0	86.8	0	252.9	145.2	0
..Cervical cancer (180)	11	7	8	163	240
..Endometrial cancer (182)	2	1	1	13	23
..Ovarian cancer (183)	10	6	8	80	150
..Prostate cancer (185)
..Bladder cancer (188)	4	.	2	0	5
..Brain & other CNS cancer (191-192)	2	1	1	13	23
..Leukemia (204-208)	6	5	6	73	130
Diabetes mellitus (250)	33	11	22	113	280	44.9	25.3	0	120.6	77.3	0
..Diabetes-related (250)	133	45	78	378	1,005	160.3	132.2	0	444.6	365.1	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	6	1	4	3	20
Cardiovascular disease (390-459)	319	98	152	1,677	2,877	514.9	482.7	0	974.7	1000.0	0
..Diseases of the heart (390-398,402,404-429)	248	76	120	1,327	2,267	394.3	321.1	0	756.4	714.6	0
...Heart disease-related (390-398,402,404-429)	454	163	250	3,117	5,139	922.8	798.2	0	1669.6	1502.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	157	50	83	505	1,133	197.4	156.9	0	470.1	423.5	0
....Congestive heart failure (CHF) (428.0)	13	1	2	65	82
..Hypertension with or without renal disease (401,403)	2	.	1	0	3
...Hypertension-related (401,403)	62	15	27	108	308	49.8	108.1	0	142.5	234.7	0
..Cerebrovascular disease (430-438)	59	18	27	270	488	98.7	113.6	0	183.1	197.0	0
..Atherosclerosis (440)	2	.	.	0	0
...Atherosclerosis-related (440)	13	2	2	10	30	.	17.9	.	.	50.7	.
..Aortic aneurysm (441)	3	.	.	0	0
Pneumonia & influenza (480-487)	32	7	10	155	242	41.9	14.0	0	73.4	17.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	31	12	18	217	367	69.5	59.5	0	126.5	97.2	0
..COPD-related (490-496)	65	24	35	372	675	125.3	132.0	0	244.2	235.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Asthma (493)	12	9	10	170	262
Chronic liver disease and cirrhosis (571)	22	12	18	190	340	60.1	.	0	117.6	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	20	8	15	120	238	35.6	.	0	83.7	.	0
..Nephritis-related (580-589)	77	33	54	548	985	183.5	132.7	0	354.1	302.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	22	9	17	128	263	39.1	.	0	95.4	.	0
Unintentional injuries (E800-E949)	48	44	45	1,425	1,868	349.1	188.9	0	446.6	232.2	0
..Motor vehicle accidents (E810-E825)	21	21	21	650	860	167.8	.	0	214.0	.	0
..Falls and fall related injuries (E880-E888)	3	1	1	65	75
..Drowning (E830,E832,E910)	2	2	2	102	122
..Residential fires (E890-E899)	4	4	4	182	222
Suicide (E950-E959)	5	5	5	168	218
Homicide and legal intervention (E960-E978)	9	9	9	357	447
..Homicide (E960-E969)	9	9	9	357	447
All injury (E800-E999)	64	60	61	2,019	2,622	489.5	390.5	0	615.8	477.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	20	20	20	612	812	160.2	.	0	205.1	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	65	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	4	4	4	165	205
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	4	4	4	165	205
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	15	15	15	428	578	111.8	.	.	143.1	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	10	9	10	183	280
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	15	15	15	428	578	111.8	.	.	143.1	.	.

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).