

# Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Hispanic Residents, 1997

Page

## Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Hispanic Residents, 1997

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

## Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Hispanic Residents, 1997

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

|  | Both Sexes       |               |       |                   |              | Male             |               |       |                   |              | Female           |               |       |                   |              |
|--|------------------|---------------|-------|-------------------|--------------|------------------|---------------|-------|-------------------|--------------|------------------|---------------|-------|-------------------|--------------|
|  | *****1997*****   |               |       |                   |              | *****1997*****   |               |       |                   |              | *****1997*****   |               |       |                   |              |
|  | No. of<br>deaths | Crude<br>rate | AAMR  | Signif-<br>icance | 1996<br>AAMR | No. of<br>deaths | Crude<br>rate | AAMR  | Signif-<br>icance | 1996<br>AAMR | No. of<br>deaths | Crude<br>rate | AAMR  | Signif-<br>icance | 1996<br>AAMR |
| *****Causes of Death*****                              |                  |               |       |                   |              |                  |               |       |                   |              |                  |               |       |                   |              |
| All causes   | 774              | 298.7         | 372.9 | 0                 | 352.6        | 449              | 348.9         | 492.6 | 0                 | 488.8        | 325              | 249.1         | 278.1 | 0                 | 238.3        |
| Infectious diseases and parasitic disease (1-139)      | 80               | 30.9          | 34.9  | 0                 | 43.5         | 47               | 36.5          | 42.8  | 0                 | 65.8         | 33               | 25.3          | 27.6  | 0                 | 23.0         |
| ..Septicemia (038)                                     | 16               | 6.2           | 8.5   | 0                 | .            | 5                | 3.9           | .     | .                 | .            | 11               | 8.4           | .     | .                 | .            |
| ....Septicemia-related (038)                           | 40               | 15.4          | 21.0  | 0                 | 23.5         | 19               | 14.8          | 23.8  | 0                 | 35.7         | 21               | 16.1          | 18.8  | 0                 | 14.8         |
| ..HIV infection (042-044)                              | 48               | 18.5          | 20.6  | 0                 | 33.0         | 32               | 24.9          | 29.8  | 0                 | 50.2         | 16               | 12.3          | 12.8  | 0                 | 17.0         |
| All cancer (140-208)                                   | 134              | 51.7          | 74.4  | 0                 | 64.7         | 66               | 51.3          | 88.2  | 0                 | 82.2         | 68               | 52.1          | 67.2  | 0                 | 52.9         |
| ..Oral cavity or pharynx (140.0-149.9)                 | 2                | 0.8           | .     | .                 | .            | 2                | 1.6           | .     | .                 | .            | .                | .             | .     | .                 | .            |
| ..Colorectal cancer (153.0-154.3,154.8,159.0)          | 13               | 5.0           | .     | .                 | .            | 8                | 6.2           | .     | .                 | .            | 5                | 3.8           | .     | .                 | .            |
| ....Colon cancer (153)                                 | 8                | 3.1           | .     | .                 | .            | 6                | 4.7           | .     | .                 | .            | 2                | 1.5           | .     | .                 | .            |
| ....Rectal cancer (154)                                | 5                | 1.9           | .     | .                 | .            | 2                | 1.6           | .     | .                 | .            | 3                | 2.3           | .     | .                 | .            |
| ..Pancreatic cancer (157)                              | 6                | 2.3           | .     | .                 | .            | 4                | 3.1           | .     | .                 | .            | 2                | 1.5           | .     | .                 | .            |
| ..Lung and other respiratory cancer (160-165)          | 22               | 8.5           | 13.9  | 0                 | 10.2         | 13               | 10.1          | .     | .                 | .            | 9                | 6.9           | .     | .                 | .            |
| ....Lung cancer (162.2-.9)                             | 21               | 8.1           | 13.2  | 0                 | 8.8          | 12               | 9.3           | .     | .                 | .            | 9                | 6.9           | .     | .                 | .            |
| ..Malignant melanoma of skin (172)                     | 3                | 1.2           | .     | .                 | .            | 2                | 1.6           | .     | .                 | .            | 1                | 0.8           | .     | .                 | .            |
| ..Female breast cancer (174)                           | 16               | .             | .     | .                 | .            | .                | .             | .     | .                 | .            | 16               | 12.3          | 16.1  | 0                 | .            |
| ..Cervical cancer (180)                                | 3                | .             | .     | .                 | .            | .                | .             | .     | .                 | .            | 3                | 2.3           | .     | .                 | .            |
| ..Ovarian cancer (183)                                 | 4                | .             | .     | .                 | .            | .                | .             | .     | .                 | .            | 4                | 3.1           | .     | .                 | .            |
| ..Prostate cancer (185)                                | 6                | .             | .     | .                 | .            | 6                | 4.7           | .     | .                 | .            | .                | .             | .     | .                 | .            |
| ..Bladder cancer (188)                                 | 1                | 0.4           | .     | .                 | .            | 1                | 0.8           | .     | .                 | .            | .                | .             | .     | .                 | .            |
| ..Brain & other CNS cancer (191-192)                   | 3                | 1.2           | .     | .                 | .            | 3                | 2.3           | .     | .                 | .            | .                | .             | .     | .                 | .            |
| ..Leukemia (204-208)                                   | 9                | 3.5           | .     | .                 | .            | 5                | 3.9           | .     | .                 | .            | 4                | 3.1           | .     | .                 | .            |
| Diabetes mellitus (250)                                | 25               | 9.6           | 14.3  | 0                 | 17.5         | 17               | 13.2          | 22.5  | 0                 | 23.0         | 8                | 6.1           | .     | .                 | .            |
| ..Diabetes-related (250)                               | 91               | 35.1          | 50.7  | 0                 | 49.6         | 45               | 35.0          | 57.2  | 0                 | 64.0         | 46               | 35.3          | 45.5  | 0                 | 38.9         |
| Alzheimer's diseases (331.0)                           | 3                | 1.2           | .     | .                 | .            | .                | .             | .     | .                 | .            | 3                | 2.3           | .     | .                 | .            |
| Cardiovascular disease (390-459)                       | 228              | 88.0          | 115.9 | 0                 | 101.8        | 117              | 90.9          | 149.4 | 0                 | 128.5        | 111              | 85.1          | 90.4  | 0                 | 79.7         |
| ..Diseases of the heart (390-398,402,404-429)          | 181              | 69.8          | 91.2  | 0                 | 82.2         | 97               | 75.4          | 123.4 | 0                 | 102.7        | 84               | 64.4          | 67.7  | 0                 | 64.9         |
| ....Heart disease-related (390-398,402,404-429)        | 352              | 135.8         | 180.1 | 0                 | 155.9        | 192              | 149.2         | 234.4 | 0                 | 203.7        | 160              | 122.6         | 138.9 | 0                 | 118.6        |
| ....Coronary heart disease (CHD) (402,410-414,429.2)   | 123              | 47.5          | 65.0  | 0                 | 52.7         | 68               | 52.8          | 89.4  | 0                 | 63.0         | 55               | 42.2          | 47.4  | 0                 | 44.9         |
| ....Congestive heart failure (CHF) (428.0)             | 7                | 2.7           | .     | .                 | .            | 3                | 2.3           | .     | .                 | .            | 4                | 3.1           | .     | .                 | .            |
| ..Hypertension with or without renal disease (401,403) | 3                | 1.2           | .     | .                 | .            | 1                | 0.8           | .     | .                 | .            | 2                | 1.5           | .     | .                 | .            |
| ....Hypertension-related (401,403)                     | 45               | 17.4          | 24.2  | 0                 | 13.5         | 22               | 17.1          | 28.3  | 0                 | .            | 23               | 17.6          | 21.1  | 0                 | .            |
| ..Cerebrovascular disease (430-438)                    | 39               | 15.0          | 19.8  | 0                 | 14.8         | 15               | 11.7          | 18.9  | 0                 | 19.8         | 24               | 18.4          | 19.8  | 0                 | .            |
| ..Atherosclerosis (440)                                | 1                | 0.4           | .     | .                 | .            | .                | .             | .     | .                 | .            | 1                | 0.8           | .     | .                 | .            |
| ....Atherosclerosis-related (440)                      | 13               | 5.0           | .     | .                 | .            | 6                | 4.7           | .     | .                 | .            | 7                | 5.4           | .     | .                 | .            |
| ..Aortic aneurysm (441)                                | 2                | 0.8           | .     | .                 | .            | 2                | 1.6           | .     | .                 | .            | .                | .             | .     | .                 | .            |
| Pneumonia & influenza (480-487)                        | 21               | 8.1           | 8.6   | 0                 | 8.0          | 13               | 10.1          | .     | .                 | .            | 8                | 6.1           | .     | .                 | .            |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 21               | 8.1           | 9.8   | 0                 | 9.9          | 10               | 7.8           | .     | .                 | .            | 11               | 8.4           | .     | .                 | .            |
| ..COPD-related (490-496)                               | 43               | 16.6          | 20.6  | 0                 | 25.9         | 24               | 18.6          | 26.6  | 0                 | 43.2         | 19               | 14.6          | 17.0  | 0                 | 14.5         |

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.  
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

|   | Both Sexes       |               |                 |                   | Male           |                  |               |                 | Female            |              |                  |               |                 |                   |              |
|---|------------------|---------------|-----------------|-------------------|----------------|------------------|---------------|-----------------|-------------------|--------------|------------------|---------------|-----------------|-------------------|--------------|
|   | *****1997*****   |               |                 |                   | *****1997***** |                  |               |                 | *****1997*****    |              |                  |               |                 |                   |              |
|   | No. of<br>deaths | Crude<br>rate | Signif-<br>AAMR | Signif-<br>icance | 1996<br>AAMR   | No. of<br>deaths | Crude<br>rate | Signif-<br>AAMR | Signif-<br>icance | 1996<br>AAMR | No. of<br>deaths | Crude<br>rate | Signif-<br>AAMR | Signif-<br>icance | 1996<br>AAMR |
| *****Causes of Death*****   |                  |               |                 |                   |                |                  |               |                 |                   |              |                  |               |                 |                   |              |
| ..Asthma (493)  | 9                | 3.5           | .               | .                 | .              | 4                | 3.1           | .               | .                 | .            | 5                | 3.8           | .               | .                 | .            |
| Chronic liver disease and cirrhosis (571)                               | 25               | 9.6           | 14.1            | 0                 | 15.1           | 17               | 13.2          | 19.8            | 0                 | 26.5         | 8                | 6.1           | .               | .                 | .            |
| Nephritis, nephrotic syndrome/nephrosis (580-589)                       | 14               | 5.4           | .               | .                 | .              | 6                | 4.7           | .               | .                 | .            | 8                | 6.1           | .               | .                 | .            |
| ..Nephritis-related (580-589)   | 51               | 19.7          | 27.6            | 0                 | 25.5           | 26               | 20.2          | 32.4            | 0                 | 30.6         | 25               | 19.2          | 24.4            | 0                 | 21.0         |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9)              | 16               | 6.2           | 8.6             | 0                 | 9.3            | 8                | 6.2           | .               | .                 | .            | 8                | 6.1           | .               | .                 | .            |
| Unintentional injuries (E800-E949)                                      | 78               | 30.1          | 32.0            | 0                 | 20.6           | 60               | 46.6          | 50.2            | 0                 | 33.5         | 18               | 13.8          | 15.1            | 0                 | .            |
| ..Motor vehicle accidents (E810-E825)                                   | 29               | 11.2          | 12.3            | 0                 | 8.4            | 20               | 15.5          | 17.4            | 0                 | 14.9         | 9                | 6.9           | .               | .                 | .            |
| ..Falls and fall related injuries (E880-E888)                           | 3                | 1.2           | .               | .                 | .              | 3                | 2.3           | .               | .                 | .            | .                | .             | .               | .                 | .            |
| ..Drowning (E830,E832,E910)   | 4                | 1.5           | .               | .                 | .              | 3                | 2.3           | .               | .                 | .            | 1                | 0.8           | .               | .                 | .            |
| ..Residential fires (E890-E899)   | 1                | 0.4           | .               | .                 | .              | 1                | 0.8           | .               | .                 | .            | .                | .             | .               | .                 | .            |
| Suicide (E950-E959)   | 12               | 4.6           | .               | .                 | .              | 11               | 8.5           | .               | .                 | .            | 1                | 0.8           | .               | .                 | .            |
| Homicide and legal intervention (E960-E978)                             | 19               | 7.3           | 8.2             | 0                 | 12.1           | 17               | 13.2          | 14.8            | 0                 | 21.9         | 2                | 1.5           | .               | .                 | .            |
| ..Homicide (E960-E969)  | 19               | 7.3           | 8.2             | 0                 | 12.1           | 17               | 13.2          | 14.8            | 0                 | 21.9         | 2                | 1.5           | .               | .                 | .            |
| All injury (E800-E999)  | 110              | 42.4          | 45.1            | 0                 | 39.3           | 88               | 68.4          | 73.5            | 0                 | 68.2         | 22               | 16.9          | 18.1            | 0                 | 11.9         |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5)                 | 26               | 10.0          | 11.1            | 0                 | 8.4            | 18               | 14.0          | 15.8            | 0                 | 14.9         | 8                | 6.1           | .               | .                 | .            |
| ..All falls (E880-E886,E888,E957,E968.1,E987)                           | 4                | 1.5           | .               | .                 | .              | 4                | 3.1           | .               | .                 | .            | .                | .             | .               | .                 | .            |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 17               | 6.6           | 6.6             | 0                 | 10.1           | 17               | 13.2          | 13.0            | 0                 | 17.9         | .                | .             | .               | .                 | .            |
| ....Suicide (E955.0-.4)   | 4                | 1.5           | .               | .                 | .              | 4                | 3.1           | .               | .                 | .            | .                | .             | .               | .                 | .            |
| ....Homicide (E965.0-.4)  | 13               | 5.0           | .               | .                 | 9.0            | 13               | 10.1          | .               | .                 | 15.6         | .                | .             | .               | .                 | .            |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)               | 32               | 12.3          | 12.6            | 0                 | 8.0            | 26               | 20.2          | 21.4            | 0                 | 14.4         | 6                | 4.6           | .               | .                 | .            |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)   | 14               | 5.4           | .               | .                 | 8.4            | 10               | 7.8           | .               | .                 | .            | 4                | 3.1           | .               | .                 | .            |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)    | 32               | 12.3          | 12.7            | 0                 | 6.8            | 26               | 20.2          | 21.6            | 0                 | 11.9         | 6                | 4.6           | .               | .                 | .            |

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.  
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

|  | Both Sexes       |               |       |                   |              | Male             |               |       |                   |              | Female           |               |       |                   |              |
|--|------------------|---------------|-------|-------------------|--------------|------------------|---------------|-------|-------------------|--------------|------------------|---------------|-------|-------------------|--------------|
|  | *****1997*****   |               |       |                   |              | *****1997*****   |               |       |                   |              | *****1997*****   |               |       |                   |              |
|  | No. of<br>deaths | Crude<br>rate | AAMR  | Signif-<br>icance | 1996<br>AAMR | No. of<br>deaths | Crude<br>rate | AAMR  | Signif-<br>icance | 1996<br>AAMR | No. of<br>deaths | Crude<br>rate | AAMR  | Signif-<br>icance | 1996<br>AAMR |
| *****Causes of Death*****                              |                  |               |       |                   |              |                  |               |       |                   |              |                  |               |       |                   |              |
| All causes   | 774              | 298.7         | 472.2 | 0                 | 439.5        | 449              | 348.9         | 624.0 | 0                 | 596.0        | 325              | 249.1         | 360.5 | 0                 | 315.6        |
| Infectious diseases and parasitic disease (1-139)      | 80               | 30.9          | 36.5  | 0                 | 40.3         | 47               | 36.5          | 42.3  | 0                 | 60.0         | 33               | 25.3          | 30.7  | 0                 | 22.3         |
| ..Septicemia (038)                                     | 16               | 6.2           | 11.8  | 0                 | .            | 5                | 3.9           | .     | .                 | .            | 11               | 8.4           | .     | .                 | .            |
| ....Septicemia-related (038)                           | 40               | 15.4          | 28.6  | 0                 | 30.5         | 19               | 14.8          | 32.5  | 0                 | 46.8         | 21               | 16.1          | 25.8  | 0                 | 19.5         |
| ..HIV infection (042-044)                              | 48               | 18.5          | 19.2  | 0                 | 28.4         | 32               | 24.9          | 28.0  | 0                 | 43.4         | 16               | 12.3          | 11.8  | 0                 | 14.6         |
| All cancer (140-208)                                   | 134              | 51.7          | 92.7  | 0                 | 87.4         | 66               | 51.3          | 118.4 | 0                 | 115.9        | 68               | 52.1          | 78.5  | 0                 | 69.0         |
| ..Oral cavity or pharynx (140.0-149.9)                 | 2                | 0.8           | .     | .                 | .            | 2                | 1.6           | .     | .                 | .            | .                | .             | .     | .                 | .            |
| ..Colorectal cancer (153.0-154.3,154.8,159.0)          | 13               | 5.0           | .     | .                 | .            | 8                | 6.2           | .     | .                 | .            | 5                | 3.8           | .     | .                 | .            |
| ....Colon cancer (153)                                 | 8                | 3.1           | .     | .                 | .            | 6                | 4.7           | .     | .                 | .            | 2                | 1.5           | .     | .                 | .            |
| ....Rectal cancer (154)                                | 5                | 1.9           | .     | .                 | .            | 2                | 1.6           | .     | .                 | .            | 3                | 2.3           | .     | .                 | .            |
| ..Pancreatic cancer (157)                              | 6                | 2.3           | .     | .                 | .            | 4                | 3.1           | .     | .                 | .            | 2                | 1.5           | .     | .                 | .            |
| ..Lung and other respiratory cancer (160-165)          | 22               | 8.5           | 17.9  | 0                 | 14.3         | 13               | 10.1          | .     | .                 | .            | 9                | 6.9           | .     | .                 | .            |
| ....Lung cancer (162.2-.9)                             | 21               | 8.1           | 17.1  | 0                 | 12.7         | 12               | 9.3           | .     | .                 | .            | 9                | 6.9           | .     | .                 | .            |
| ..Malignant melanoma of skin (172)                     | 3                | 1.2           | .     | .                 | .            | 2                | 1.6           | .     | .                 | .            | 1                | 0.8           | .     | .                 | .            |
| ..Female breast cancer (174)                           | 16               | .             | .     | .                 | .            | .                | .             | .     | .                 | .            | 16               | 12.3          | 17.5  | 0                 | .            |
| ..Cervical cancer (180)                                | 3                | .             | .     | .                 | .            | .                | .             | .     | .                 | .            | 3                | 2.3           | .     | .                 | .            |
| ..Ovarian cancer (183)                                 | 4                | .             | .     | .                 | .            | .                | .             | .     | .                 | .            | 4                | 3.1           | .     | .                 | .            |
| ..Prostate cancer (185)                                | 6                | .             | .     | .                 | .            | 6                | 4.7           | .     | .                 | .            | .                | .             | .     | .                 | .            |
| ..Bladder cancer (188)                                 | 1                | 0.4           | .     | .                 | .            | 1                | 0.8           | .     | .                 | .            | .                | .             | .     | .                 | .            |
| ..Brain & other CNS cancer (191-192)                   | 3                | 1.2           | .     | .                 | .            | 3                | 2.3           | .     | .                 | .            | .                | .             | .     | .                 | .            |
| ..Leukemia (204-208)                                   | 9                | 3.5           | .     | .                 | .            | 5                | 3.9           | .     | .                 | .            | 4                | 3.1           | .     | .                 | .            |
| Diabetes mellitus (250)                                | 25               | 9.6           | 18.3  | 0                 | 23.4         | 17               | 13.2          | 28.3  | 0                 | 30.3         | 8                | 6.1           | .     | .                 | .            |
| ..Diabetes-related (250)                               | 91               | 35.1          | 67.5  | 0                 | 68.5         | 45               | 35.0          | 75.8  | 0                 | 86.5         | 46               | 35.3          | 61.3  | 0                 | 55.3         |
| Alzheimer's diseases (331.0)                           | 3                | 1.2           | .     | .                 | .            | .                | .             | .     | .                 | .            | 3                | 2.3           | .     | .                 | .            |
| Cardiovascular disease (390-459)                       | 228              | 88.0          | 163.5 | 0                 | 143.6        | 117              | 90.9          | 206.4 | 0                 | 173.2        | 111              | 85.1          | 131.9 | 0                 | 119.5        |
| ..Diseases of the heart (390-398,402,404-429)          | 181              | 69.8          | 129.3 | 0                 | 116.5        | 97               | 75.4          | 173.3 | 0                 | 137.7        | 84               | 64.4          | 98.6  | 0                 | 98.6         |
| ....Heart disease-related (390-398,402,404-429)        | 352              | 135.8         | 246.7 | 0                 | 209.9        | 192              | 149.2         | 319.8 | 0                 | 270.6        | 160              | 122.6         | 195.0 | 0                 | 164.9        |
| ....Coronary heart disease (CHD) (402,410-414,429.2)   | 123              | 47.5          | 92.1  | 0                 | 75.1         | 68               | 52.8          | 125.4 | 0                 | 88.2         | 55               | 42.2          | 69.2  | 0                 | 65.4         |
| ....Congestive heart failure (CHF) (428.0)             | 7                | 2.7           | .     | .                 | .            | 3                | 2.3           | .     | .                 | .            | 4                | 3.1           | .     | .                 | .            |
| ..Hypertension with or without renal disease (401,403) | 3                | 1.2           | .     | .                 | .            | 1                | 0.8           | .     | .                 | .            | 2                | 1.5           | .     | .                 | .            |
| ....Hypertension-related (401,403)                     | 45               | 17.4          | 35.2  | 0                 | 19.6         | 22               | 17.1          | 40.8  | 0                 | .            | 23               | 17.6          | 31.3  | 0                 | .            |
| ..Cerebrovascular disease (430-438)                    | 39               | 15.0          | 27.6  | 0                 | 20.9         | 15               | 11.7          | 24.5  | 0                 | 28.1         | 24               | 18.4          | 28.8  | 0                 | .            |
| ..Atherosclerosis (440)                                | 1                | 0.4           | .     | .                 | .            | .                | .             | .     | .                 | .            | 1                | 0.8           | .     | .                 | .            |
| ....Atherosclerosis-related (440)                      | 13               | 5.0           | .     | .                 | .            | 6                | 4.7           | .     | .                 | .            | 7                | 5.4           | .     | .                 | .            |
| ..Aortic aneurysm (441)                                | 2                | 0.8           | .     | .                 | .            | 2                | 1.6           | .     | .                 | .            | .                | .             | .     | .                 | .            |
| Pneumonia & influenza (480-487)                        | 21               | 8.1           | 14.6  | 0                 | 11.4         | 13               | 10.1          | .     | .                 | .            | 8                | 6.1           | .     | .                 | .            |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 21               | 8.1           | 14.2  | 0                 | 13.6         | 10               | 7.8           | .     | .                 | .            | 11               | 8.4           | .     | .                 | .            |
| ..COPD-related (490-496)                               | 43               | 16.6          | 30.5  | 0                 | 39.1         | 24               | 18.6          | 42.5  | 0                 | 67.9         | 19               | 14.6          | 23.9  | 0                 | 21.1         |

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.  
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

|   | Both Sexes       |               |                 |                   | Male           |                  |               |                 | Female            |              |                  |               |                 |                   |              |
|---|------------------|---------------|-----------------|-------------------|----------------|------------------|---------------|-----------------|-------------------|--------------|------------------|---------------|-----------------|-------------------|--------------|
|   | *****1997*****   |               |                 |                   | *****1997***** |                  |               |                 | *****1997*****    |              |                  |               |                 |                   |              |
|   | No. of<br>deaths | Crude<br>rate | Signif-<br>AAMR | Signif-<br>icance | 1996<br>AAMR   | No. of<br>deaths | Crude<br>rate | Signif-<br>AAMR | Signif-<br>icance | 1996<br>AAMR | No. of<br>deaths | Crude<br>rate | Signif-<br>AAMR | Signif-<br>icance | 1996<br>AAMR |
| *****Causes of Death*****   |                  |               |                 |                   |                |                  |               |                 |                   |              |                  |               |                 |                   |              |
| ..Asthma (493)  | 9                | 3.5           | .               | .                 | .              | 4                | 3.1           | .               | .                 | .            | 5                | 3.8           | .               | .                 | .            |
| Chronic liver disease and cirrhosis (571)                               | 25               | 9.6           | 15.4            | 0                 | 16.8           | 17               | 13.2          | 20.3            | 0                 | 28.4         | 8                | 6.1           | .               | .                 | .            |
| Nephritis, nephrotic syndrome/nephrosis (580-589)                       | 14               | 5.4           | .               | .                 | .              | 6                | 4.7           | .               | .                 | .            | 8                | 6.1           | .               | .                 | .            |
| ..Nephritis-related (580-589)   | 51               | 19.7          | 35.7            | 0                 | 30.0           | 26               | 20.2          | 43.9            | 0                 | 35.3         | 25               | 19.2          | 30.8            | 0                 | 25.2         |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9)              | 16               | 6.2           | 12.5            | 0                 | 11.7           | 8                | 6.2           | .               | .                 | .            | 8                | 6.1           | .               | .                 | .            |
| Unintentional injuries (E800-E949)                                      | 78               | 30.1          | 30.5            | 0                 | 20.6           | 60               | 46.6          | 47.5            | 0                 | 32.9         | 18               | 13.8          | 15.3            | 0                 | .            |
| ..Motor vehicle accidents (E810-E825)                                   | 29               | 11.2          | 11.7            | 0                 | 8.1            | 20               | 15.5          | 16.3            | 0                 | 14.5         | 9                | 6.9           | .               | .                 | .            |
| ..Falls and fall related injuries (E880-E888)                           | 3                | 1.2           | .               | .                 | .              | 3                | 2.3           | .               | .                 | .            | .                | .             | .               | .                 | .            |
| ..Drowning (E830,E832,E910)   | 4                | 1.5           | .               | .                 | .              | 3                | 2.3           | .               | .                 | .            | 1                | 0.8           | .               | .                 | .            |
| ..Residential fires (E890-E899)   | 1                | 0.4           | .               | .                 | .              | 1                | 0.8           | .               | .                 | .            | .                | .             | .               | .                 | .            |
| Suicide (E950-E959)   | 12               | 4.6           | .               | .                 | .              | 11               | 8.5           | .               | .                 | .            | 1                | 0.8           | .               | .                 | .            |
| Homicide and legal intervention (E960-E978)                             | 19               | 7.3           | 7.8             | 0                 | 11.4           | 17               | 13.2          | 14.3            | 0                 | 20.8         | 2                | 1.5           | .               | .                 | .            |
| ..Homicide (E960-E969)  | 19               | 7.3           | 7.8             | 0                 | 11.4           | 17               | 13.2          | 14.3            | 0                 | 20.8         | 2                | 1.5           | .               | .                 | .            |
| All injury (E800-E999)  | 110              | 42.4          | 42.6            | 0                 | 37.5           | 88               | 68.4          | 69.2            | 0                 | 64.5         | 22               | 16.9          | 17.8            | 0                 | 12.4         |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5)                 | 26               | 10.0          | 10.7            | 0                 | 8.1            | 18               | 14.0          | 14.9            | 0                 | 14.5         | 8                | 6.1           | .               | .                 | .            |
| ..All falls (E880-E886,E888,E957,E968.1,E987)                           | 4                | 1.5           | .               | .                 | .              | 4                | 3.1           | .               | .                 | .            | .                | .             | .               | .                 | .            |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 17               | 6.6           | 5.9             | 0                 | 8.8            | 17               | 13.2          | 11.6            | 0                 | 15.5         | .                | .             | .               | .                 | .            |
| ....Suicide (E955.0-.4)   | 4                | 1.5           | .               | .                 | .              | 4                | 3.1           | .               | .                 | .            | .                | .             | .               | .                 | .            |
| ....Homicide (E965.0-.4)  | 13               | 5.0           | .               | .                 | 7.9            | 13               | 10.1          | .               | .                 | 13.6         | .                | .             | .               | .                 | .            |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)               | 32               | 12.3          | 10.9            | 0                 | 6.8            | 26               | 20.2          | 18.7            | 0                 | 12.0         | 6                | 4.6           | .               | .                 | .            |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)   | 14               | 5.4           | .               | .                 | 8.6            | 10               | 7.8           | .               | .                 | .            | 4                | 3.1           | .               | .                 | .            |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)    | 32               | 12.3          | 11.1            | 0                 | 5.6            | 26               | 20.2          | 19.0            | 0                 | 9.7          | 6                | 4.6           | .               | .                 | .            |

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.  
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

|  | Both Sexes     |            |       |              | Male           |               |            |       | Female         |           |               |            |       |              |           |
|--|----------------|------------|-------|--------------|----------------|---------------|------------|-------|----------------|-----------|---------------|------------|-------|--------------|-----------|
|  | *****1997***** |            |       |              | *****1997***** |               |            |       | *****1997***** |           |               |            |       |              |           |
|  | No. of deaths  | Crude rate | AAMR  | Significance | 1996 AAMR      | No. of deaths | Crude rate | AAMR  | Significance   | 1996 AAMR | No. of deaths | Crude rate | AAMR  | Significance | 1996 AAMR |
| *****Causes of Death*****                              |                |            |       |              |                |               |            |       |                |           |               |            |       |              |           |
| All causes   | 774            | 298.7      | 605.4 | 0            | 564.0          | 449           | 348.9      | 803.9 | 0              | 756.5     | 325           | 249.1      | 467.1 | 0            | 417.3     |
| Infectious diseases and parasitic disease (1-139)      | 80             | 30.9       | 44.9  | 0            | 49.7           | 47            | 36.5       | 51.8  | 0              | 75.1      | 33            | 25.3       | 37.5  | 0            | 26.7      |
| ..Septicemia (038)                                     | 16             | 6.2        | 15.6  | 0            | .              | 5             | 3.9        | .     | 0              | .         | 11            | 8.4        | .     | 0            | .         |
| ....Septicemia-related (038)                           | 40             | 15.4       | 37.7  | 0            | 40.1           | 19            | 14.8       | 42.9  | 0              | 61.7      | 21            | 16.1       | 34.1  | 0            | 26.1      |
| ..HIV infection (042-044)                              | 48             | 18.5       | 22.3  | 0            | 34.9           | 32            | 24.9       | 33.0  | 0              | 54.0      | 16            | 12.3       | 13.2  | 0            | 17.1      |
| All cancer (140-208)                                   | 134            | 51.7       | 112.1 | 0            | 114.5          | 66            | 51.3       | 149.8 | 0              | 154.1     | 68            | 52.1       | 91.8  | 0            | 90.5      |
| ..Oral cavity or pharynx (140.0-149.9)                 | 2              | 0.8        | .     | .            | .              | 2             | 1.6        | .     | .              | .         | .             | .          | .     | .            | .         |
| ..Colorectal cancer (153.0-154.3,154.8,159.0)          | 13             | 5.0        | .     | .            | .              | 8             | 6.2        | .     | .              | .         | 5             | 3.8        | .     | .            | .         |
| ....Colon cancer (153)                                 | 8              | 3.1        | .     | .            | .              | 6             | 4.7        | .     | .              | .         | 2             | 1.5        | .     | .            | .         |
| ....Rectal cancer (154)                                | 5              | 1.9        | .     | .            | .              | 2             | 1.6        | .     | .              | .         | 3             | 2.3        | .     | .            | .         |
| ..Pancreatic cancer (157)                              | 6              | 2.3        | .     | .            | .              | 4             | 3.1        | .     | .              | .         | 2             | 1.5        | .     | .            | .         |
| ..Lung and other respiratory cancer (160-165)          | 22             | 8.5        | 20.8  | 0            | 18.3           | 13            | 10.1       | .     | .              | .         | 9             | 6.9        | .     | .            | .         |
| ....Lung cancer (162.2-.9)                             | 21             | 8.1        | 20.1  | 0            | 16.8           | 12            | 9.3        | .     | .              | .         | 9             | 6.9        | .     | .            | .         |
| ..Malignant melanoma of skin (172)                     | 3              | 1.2        | .     | .            | .              | 2             | 1.6        | .     | .              | .         | 1             | 0.8        | .     | .            | .         |
| ..Female breast cancer (174)                           | 16             | .          | .     | .            | .              | .             | .          | .     | .              | .         | 16            | 12.3       | 19.7  | 0            | .         |
| ..Cervical cancer (180)                                | 3              | .          | .     | .            | .              | .             | .          | .     | .              | .         | 3             | 2.3        | .     | .            | .         |
| ..Ovarian cancer (183)                                 | 4              | .          | .     | .            | .              | .             | .          | .     | .              | .         | 4             | 3.1        | .     | .            | .         |
| ..Prostate cancer (185)                                | 6              | .          | .     | .            | .              | 6             | 4.7        | .     | .              | .         | .             | .          | .     | .            | .         |
| ..Bladder cancer (188)                                 | 1              | 0.4        | .     | .            | .              | 1             | 0.8        | .     | .              | .         | .             | .          | .     | .            | .         |
| ..Brain & other CNS cancer (191-192)                   | 3              | 1.2        | .     | .            | .              | 3             | 2.3        | .     | .              | .         | .             | .          | .     | .            | .         |
| ..Leukemia (204-208)                                   | 9              | 3.5        | .     | .            | .              | 5             | 3.9        | .     | .              | .         | 4             | 3.1        | .     | .            | .         |
| Diabetes mellitus (250)                                | 25             | 9.6        | 22.5  | 0            | 28.9           | 17            | 13.2       | 33.9  | 0              | 35.8      | 8             | 6.1        | .     | .            | .         |
| ..Diabetes-related (250)                               | 91             | 35.1       | 85.5  | 0            | 87.3           | 45            | 35.0       | 97.9  | 0              | 107.1     | 46            | 35.3       | 76.8  | 0            | 72.8      |
| Alzheimer's diseases (331.0)                           | 3              | 1.2        | .     | .            | .              | .             | .          | .     | .              | .         | 3             | 2.3        | .     | .            | .         |
| Cardiovascular disease (390-459)                       | 228            | 88.0       | 223.7 | 0            | 196.2          | 117           | 90.9       | 274.1 | 0              | 227.6     | 111           | 85.1       | 187.7 | 0            | 170.6     |
| ..Diseases of the heart (390-398,402,404-429)          | 181            | 69.8       | 177.4 | 0            | 160.4          | 97            | 75.4       | 233.0 | 0              | 181.5     | 84            | 64.4       | 140.2 | 0            | 141.9     |
| ....Heart disease-related (390-398,402,404-429)        | 352            | 135.8      | 329.8 | 0            | 278.7          | 192           | 149.2      | 428.0 | 0              | 353.8     | 160           | 122.6      | 264.3 | 0            | 224.9     |
| ....Coronary heart disease (CHD) (402,410-414,429.2)   | 123            | 47.5       | 124.5 | 0            | 101.2          | 68            | 52.8       | 167.6 | 0              | 117.0     | 55            | 42.2       | 96.2  | 0            | 90.1      |
| ....Congestive heart failure (CHF) (428.0)             | 7              | 2.7        | .     | .            | .              | 3             | 2.3        | .     | .              | .         | 4             | 3.1        | .     | .            | .         |
| ..Hypertension with or without renal disease (401,403) | 3              | 1.2        | .     | .            | .              | 1             | 0.8        | .     | .              | .         | 2             | 1.5        | .     | .            | .         |
| ....Hypertension-related (401,403)                     | 45             | 17.4       | 48.2  | 0            | 26.1           | 22            | 17.1       | 56.9  | 0              | .         | 23            | 17.6       | 42.5  | 0            | .         |
| ..Cerebrovascular disease (430-438)                    | 39             | 15.0       | 38.4  | 0            | 28.3           | 15            | 11.7       | 31.6  | 0              | 37.7      | 24            | 18.4       | 41.5  | 0            | .         |
| ..Atherosclerosis (440)                                | 1              | 0.4        | .     | .            | .              | .             | .          | .     | .              | .         | 1             | 0.8        | .     | .            | .         |
| ....Atherosclerosis-related (440)                      | 13             | 5.0        | .     | .            | .              | 6             | 4.7        | .     | .              | .         | 7             | 5.4        | .     | .            | .         |
| ..Aortic aneurysm (441)                                | 2              | 0.8        | .     | .            | .              | 2             | 1.6        | .     | .              | .         | .             | .          | .     | .            | .         |
| Pneumonia & influenza (480-487)                        | 21             | 8.1        | 22.7  | 0            | 16.2           | 13            | 10.1       | .     | .              | .         | 8             | 6.1        | .     | .            | .         |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 21             | 8.1        | 20.4  | 0            | 18.5           | 10            | 7.8        | .     | .              | .         | 11            | 8.4        | .     | .            | .         |
| ..COPD-related (490-496)                               | 43             | 16.6       | 43.8  | 0            | 55.1           | 24            | 18.6       | 66.1  | 0              | 98.4      | 19            | 14.6       | 32.0  | 0            | 29.3      |

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.  
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

|   | Both Sexes       |               |                   |              | Male             |               |                   |              | Female           |               |                   |              |
|---|------------------|---------------|-------------------|--------------|------------------|---------------|-------------------|--------------|------------------|---------------|-------------------|--------------|
|   | *****1997*****   |               |                   |              | *****1997*****   |               |                   |              | *****1997*****   |               |                   |              |
|   | No. of<br>deaths | Crude<br>rate | Signif-<br>icance | 1996<br>AAMR | No. of<br>deaths | Crude<br>rate | Signif-<br>icance | 1996<br>AAMR | No. of<br>deaths | Crude<br>rate | Signif-<br>icance | 1996<br>AAMR |
| *****Causes of Death*****   |                  |               |                   |              |                  |               |                   |              |                  |               |                   |              |
| ..Asthma (493)  | 9                | 3.5           | .                 | .            | 4                | 3.1           | .                 | .            | 5                | 3.8           | .                 | .            |
| Chronic liver disease and cirrhosis (571)                               | 25               | 9.6           | 17.3              | 0            | 19.3             | 17            | 13.2              | 22.7         | 0                | 32.5          | 8                 | 6.1          |
| Nephritis, nephrotic syndrome/nephrosis (580-589)                       | 14               | 5.4           | .                 | .            | 6                | 4.7           | .                 | .            | 8                | 6.1           | .                 | .            |
| ..Nephritis-related (580-589)   | 51               | 19.7          | 44.9              | 0            | 35.5             | 26            | 20.2              | 57.3         | 0                | 40.1          | 25                | 19.2         |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9)              | 16               | 6.2           | 16.9              | 0            | 14.1             | 8             | 6.2               | .            | .                | 8             | 6.1               | .            |
| Unintentional injuries (E800-E949)                                      | 78               | 30.1          | 34.0              | 0            | 22.8             | 60            | 46.6              | 54.9         | 0                | 36.1          | 18                | 13.8         |
| ..Motor vehicle accidents (E810-E825)                                   | 29               | 11.2          | 12.1              | 0            | 8.2              | 20            | 15.5              | 17.7         | 0                | 14.8          | 9                 | 6.9          |
| ..Falls and fall related injuries (E880-E888)                           | 3                | 1.2           | .                 | .            | 3                | 2.3           | .                 | .            | .                | .             | .                 | .            |
| ..Drowning (E830,E832,E910)   | 4                | 1.5           | .                 | .            | 3                | 2.3           | .                 | .            | 1                | 0.8           | .                 | .            |
| ..Residential fires (E890-E899)   | 1                | 0.4           | .                 | .            | 1                | 0.8           | .                 | .            | .                | .             | .                 | .            |
| Suicide (E950-E959)   | 12               | 4.6           | .                 | .            | 11               | 8.5           | .                 | .            | 1                | 0.8           | .                 | .            |
| Homicide and legal intervention (E960-E978)                             | 19               | 7.3           | 7.2               | 0            | 10.8             | 17            | 13.2              | 12.9         | 0                | 20.1          | 2                 | 1.5          |
| ..Homicide (E960-E969)  | 19               | 7.3           | 7.2               | 0            | 10.8             | 17            | 13.2              | 12.9         | 0                | 20.1          | 2                 | 1.5          |
| All injury (E800-E999)  | 110              | 42.4          | 45.9              | 0            | 40.3             | 88            | 68.4              | 75.9         | 0                | 69.3          | 22                | 16.9         |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5)                 | 26               | 10.0          | 11.1              | 0            | 8.2              | 18            | 14.0              | 16.1         | 0                | 14.8          | 8                 | 6.1          |
| ..All falls (E880-E886,E888,E957,E968.1,E987)                           | 4                | 1.5           | .                 | .            | 4                | 3.1           | .                 | .            | .                | .             | .                 | .            |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 17               | 6.6           | 5.5               | 0            | 8.4              | 17            | 13.2              | 10.8         | 0                | 14.8          | .                 | .            |
| ....Suicide (E955.0-.4)   | 4                | 1.5           | .                 | .            | 4                | 3.1           | .                 | .            | .                | .             | .                 | .            |
| ....Homicide (E965.0-.4)  | 13               | 5.0           | .                 | .            | 7.2              | 13            | 10.1              | .            | .                | 12.4          | .                 | .            |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)               | 32               | 12.3          | 13.1              | 0            | 8.2              | 26            | 20.2              | 22.4         | 0                | 14.4          | 6                 | 4.6          |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)   | 14               | 5.4           | .                 | .            | 9.5              | 10            | 7.8               | .            | .                | 4             | 3.1               | .            |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)    | 32               | 12.3          | 13.3              | 0            | 6.9              | 26            | 20.2              | 22.9         | 0                | 11.8          | 6                 | 4.6          |

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.  
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

|  | Both Sexes             |      |      |                          |        |                    |        |                   |                    |        |                   |
|--|------------------------|------|------|--------------------------|--------|--------------------|--------|-------------------|--------------------|--------|-------------------|
|  | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |        | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |        |                   |
|  | All                    | < 65 | < 75 | < 65                     | < 75   | 1997               | 1996   | Signif-<br>icance | 1997               | 1996   | Signif-<br>icance |
| *****Causes of Death*****                              |                        |      |      |                          |        |                    |        |                   |                    |        |                   |
| All causes   | 774                    | 468  | 581  | 11,983                   | 17,206 | 4716.4             | 4903.8 | 0                 | 7071.0             | 7120.5 | 0                 |
| Infectious diseases and parasitic disease (1-139)      | 80                     | 67   | 73   | 1,754                    | 2,459  | 687.4              | 1060.3 | 0                 | 959.8              | 1431.9 | 0                 |
| ..Septicemia (038)                                     | 16                     | 6    | 10   | 90                       | 170    | 39.7               | .      | 0                 | 83.8               | .      | 0                 |
| ...Septicemia-related (038)                            | 40                     | 19   | 26   | 258                      | 485    | 123.2              | 194.0  | 0                 | 251.4              | 344.7  | 0                 |
| ..HIV infection (042-044)                              | 48                     | 46   | 48   | 1,155                    | 1,630  | 468.7              | 894.5  | 1                 | 652.0              | 1187.6 | 1                 |
| All cancer (140-208)                                   | 134                    | 74   | 106  | 1,200                    | 2,100  | 560.6              | 423.6  | 0                 | 1048.2             | 790.8  | 0                 |
| ..Oral cavity or pharynx (140.0-149.9)                 | 2                      | 1    | 1    | 28                       | 38     | .                  | .      | .                 | .                  | .      | .                 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0)          | 13                     | 8    | 11   | 140                      | 233    | .                  | .      | .                 | .                  | .      | .                 |
| ...Colon cancer (153)                                  | 8                      | 4    | 6    | 70                       | 120    | .                  | .      | .                 | .                  | .      | .                 |
| ...Rectal cancer (154)                                 | 5                      | 4    | 5    | 70                       | 113    | .                  | .      | .                 | .                  | .      | .                 |
| ..Pancreatic cancer (157)                              | 6                      | .    | 3    | 0                        | 23     | .                  | .      | .                 | .                  | .      | .                 |
| ..Lung and other respiratory cancer (160-165)          | 22                     | 8    | 17   | 75                       | 203    | 43.2               | 25.9   | 0                 | 125.4              | 81.4   | 0                 |
| ...Lung cancer (162.2-.9)                              | 21                     | 7    | 16   | 73                       | 190    | 41.4               | 18.6   | 0                 | 116.6              | 60.2   | 0                 |
| ..Malignant melanoma of skin (172)                     | 3                      | 2    | 2    | 30                       | 50     | .                  | .      | .                 | .                  | .      | .                 |
| ..Female breast cancer (174)                           | 16                     | 14   | 15   | 195                      | 338    | .                  | .      | .                 | .                  | .      | .                 |
| ..Cervical cancer (180)                                | 3                      | 3    | 3    | 98                       | 128    | .                  | .      | .                 | .                  | .      | .                 |
| ..Ovarian cancer (183)                                 | 4                      | 4    | 4    | 65                       | 105    | .                  | .      | .                 | .                  | .      | .                 |
| ..Prostate cancer (185)                                | 6                      | .    | 3    | 0                        | 13     | .                  | .      | .                 | .                  | .      | .                 |
| ..Bladder cancer (188)                                 | 1                      | .    | .    | 0                        | 0      | .                  | .      | .                 | .                  | .      | .                 |
| ..Brain & other CNS cancer (191-192)                   | 3                      | 2    | 2    | 40                       | 60     | .                  | .      | .                 | .                  | .      | .                 |
| ..Leukemia (204-208)                                   | 9                      | 6    | 7    | 145                      | 213    | .                  | .      | .                 | .                  | .      | .                 |
| Diabetes mellitus (250)                                | 25                     | 11   | 19   | 153                      | 308    | 72.9               | 69.0   | 0                 | 162.8              | 174.0  | 0                 |
| ..Diabetes-related (250)                               | 91                     | 44   | 62   | 490                      | 1,020  | 257.0              | 172.6  | 0                 | 567.7              | 430.1  | 0                 |
| Alzheimer's diseases (331.0)                           | 3                      | .    | 2    | 0                        | 5      | .                  | .      | .                 | .                  | .      | .                 |
| Cardiovascular disease (390-459)                       | 228                    | 98   | 134  | 1,575                    | 2,710  | 719.7              | 652.3  | 0                 | 1331.4             | 1145.7 | 0                 |
| ..Diseases of the heart (390-398,402,404-429)          | 181                    | 77   | 106  | 1,303                    | 2,205  | 577.1              | 525.3  | 0                 | 1062.6             | 925.3  | 0                 |
| ...Heart disease-related (390-398,402,404-429)         | 352                    | 161  | 225  | 2,901                    | 4,816  | 1269.1             | 1299.0 | 0                 | 2278.3             | 2168.0 | 0                 |
| ...Coronary heart disease (CHD) (402,410-414,429.2)    | 123                    | 50   | 70   | 590                      | 1,185  | 319.7              | 218.9  | 0                 | 668.0              | 478.5  | 0                 |
| ...Congestive heart failure (CHF) (428.0)              | 7                      | 1    | 2    | 65                       | 82     | .                  | .      | .                 | .                  | .      | .                 |
| ..Hypertension with or without renal disease (401,403) | 3                      | .    | 2    | 0                        | 5      | .                  | .      | .                 | .                  | .      | .                 |
| ...Hypertension-related (401,403)                      | 45                     | 13   | 25   | 158                      | 333    | 86.1               | 29.8   | 0                 | 189.3              | 92.1   | 0                 |
| ..Cerebrovascular disease (430-438)                    | 39                     | 18   | 22   | 240                      | 435    | 126.1              | 102.9  | 0                 | 230.3              | 171.2  | 0                 |
| ..Atherosclerosis (440)                                | 1                      | .    | .    | 0                        | 0      | .                  | .      | .                 | .                  | .      | .                 |
| ...Atherosclerosis-related (440)                       | 13                     | 2    | 4    | 15                       | 40     | .                  | .      | .                 | .                  | .      | .                 |
| ..Aortic aneurysm (441)                                | 2                      | 1    | 2    | 8                        | 20     | .                  | .      | .                 | .                  | .      | .                 |
| Pneumonia & influenza (480-487)                        | 21                     | 6    | 7    | 217                      | 285    | 79.3               | 66.0   | 0                 | 107.5              | 110.7  | 0                 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 21                     | 9    | 12   | 205                      | 302    | 81.1               | 75.9   | 0                 | 124.8              | 133.9  | 0                 |
| ..COPD-related (490-496)                               | 43                     | 16   | 22   | 297                      | 487    | 127.8              | 97.1   | 0                 | 226.8              | 215.8  | 0                 |
| ..Asthma (493)   | 9                      | 6    | 8    | 100                      | 165    | .                  | .      | .                 | .                  | .      | .                 |
| Chronic liver disease and cirrhosis (571)              | 25                     | 20   | 24   | 275                      | 500    | 143.3              | 164.8  | 0                 | 264.7              | 286.1  | 0                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

|   | Both Sexes             |      |      |                          |       |                    |        |                   |                    |        |                   |
|---|------------------------|------|------|--------------------------|-------|--------------------|--------|-------------------|--------------------|--------|-------------------|
|   | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |       | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |        |                   |
|   | All                    | < 65 | < 75 | < 65                     | < 75  | 1997               | 1996   | Signif-<br>icance | 1997               | 1996   | Signif-<br>icance |
| *****Causes of Death*****   |                        |      |      |                          |       |                    |        |                   |                    |        |                   |
| Nephritis, nephrotic syndrome/nephrosis (580-589)                       | 14                     | 5    | 9    | 43                       | 108   | .                  | .      | .                 | .                  | .      | .                 |
| ..Nephritis-related (580-589)   | 51                     | 28   | 37   | 447                      | 765   | 210.0              | 218.4  | 0                 | 381.0              | 400.4  | 0                 |
| ...End stage renal disease (ESRD) (581-588,591,593.8,593.9)             | 16                     | 5    | 10   | 43                       | 115   | 23.4               | 60.9   | 0                 | 70.1               | 118.5  | 0                 |
| Unintentional injuries (E800-E949)                                      | 78                     | 73   | 77   | 2,301                    | 3,046 | 899.7              | 628.6  | 0                 | 1159.8             | 793.7  | 0                 |
| ..Motor vehicle accidents (E810-E825)                                   | 29                     | 28   | 29   | 900                      | 1,183 | 377.5              | 255.3  | 0                 | 479.1              | 328.2  | 0                 |
| ..Falls and fall related injuries (E880-E888)                           | 3                      | 2    | 2    | 85                       | 105   | .                  | .      | .                 | .                  | .      | .                 |
| ..Drowning (E830,E832,E910)   | 4                      | 4    | 4    | 182                      | 222   | .                  | .      | .                 | .                  | .      | .                 |
| ..Residential fires (E890-E899)   | 1                      | 1    | 1    | 65                       | 75    | .                  | .      | .                 | .                  | .      | .                 |
| Suicide (E950-E959)   | 12                     | 12   | 12   | 375                      | 495   | .                  | .      | .                 | .                  | .      | .                 |
| Homicide and legal intervention (E960-E978)                             | 19                     | 18   | 19   | 685                      | 873   | 297.9              | 456.9  | 0                 | 365.1              | 550.8  | 0                 |
| ..Homicide (E960-E969)  | 19                     | 18   | 19   | 685                      | 873   | 297.9              | 456.9  | 0                 | 365.1              | 550.8  | 0                 |
| All injury (E800-E999)  | 110                    | 104  | 109  | 3,398                    | 4,461 | 1359.7             | 1300.0 | 0                 | 1729.4             | 1616.1 | 0                 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5)                 | 26                     | 25   | 26   | 798                      | 1,050 | 335.5              | 255.3  | 0                 | 427.5              | 328.2  | 0                 |
| ..All falls (E880-E886,E888,E957,E968.1,E987)                           | 4                      | 3    | 3    | 128                      | 158   | .                  | .      | .                 | .                  | .      | .                 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 17                     | 17   | 17   | 658                      | 828   | 273.9              | 429.0  | 0                 | 328.1              | 511.3  | 0                 |
| ...Suicide (E955.0-.4)  | 4                      | 4    | 4    | 130                      | 170   | .                  | .      | .                 | .                  | .      | .                 |
| ...Homicide (E965.0-.4)   | 13                     | 13   | 13   | 528                      | 658   | .                  | 395.0  | .                 | .                  | 467.8  | .                 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)               | 32                     | 32   | 32   | 850                      | 1,170 | 335.5              | 261.6  | 0                 | 447.8              | 330.8  | 0                 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)   | 14                     | 13   | 14   | 208                      | 345   | .                  | 109.0  | .                 | .                  | 187.5  | .                 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)    | 32                     | 32   | 32   | 840                      | 1,160 | 334.2              | 212.4  | 0                 | 447.4              | 271.2  | 0                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

|  | Male                   |      |      |                          |        |                    |        |                   |                    |         |                   |
|--|------------------------|------|------|--------------------------|--------|--------------------|--------|-------------------|--------------------|---------|-------------------|
|  | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |        | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |         |                   |
|  | All                    | < 65 | < 75 | < 65                     | < 75   | 1997               | 1996   | Signif-<br>icance | 1997               | 1996    | Signif-<br>icance |
| *****Causes of Death*****                              |                        |      |      |                          |        |                    |        |                   |                    |         |                   |
| All causes   | 449                    | 294  | 359  | 7,667                    | 10,950 | 6133.5             | 7099.8 | 0                 | 9271.2             | 10275.4 | 0                 |
| Infectious diseases and parasitic disease (1-139)      | 47                     | 43   | 45   | 1,067                    | 1,512  | 846.5              | 1558.9 | 1                 | 1204.8             | 2140.5  | 1                 |
| ..Septicemia (038)                                     | 5                      | 3    | 3    | 38                       | 68     | .                  | .      | .                 | .                  | .       | .                 |
| ...Septicemia-related (038)                            | 19                     | 11   | 13   | 123                      | 248    | 133.8              | 258.5  | 0                 | 291.5              | 472.6   | 0                 |
| ..HIV infection (042-044)                              | 32                     | 30   | 32   | 690                      | 1,005  | 576.5              | 1327.5 | 1                 | 843.1              | 1775.0  | 1                 |
| All cancer (140-208)                                   | 66                     | 28   | 48   | 470                      | 865    | 459.5              | 468.9  | 0                 | 962.3              | 888.6   | 0                 |
| ..Oral cavity or pharynx (140.0-149.9)                 | 2                      | 1    | 1    | 28                       | 38     | .                  | .      | .                 | .                  | .       | .                 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0)          | 8                      | 6    | 7    | 100                      | 168    | .                  | .      | .                 | .                  | .       | .                 |
| ...Colon cancer (153)                                  | 6                      | 4    | 5    | 70                       | 118    | .                  | .      | .                 | .                  | .       | .                 |
| ...Rectal cancer (154)                                 | 2                      | 2    | 2    | 30                       | 50     | .                  | .      | .                 | .                  | .       | .                 |
| ..Pancreatic cancer (157)                              | 4                      | .    | 3    | 0                        | 23     | .                  | .      | .                 | .                  | .       | .                 |
| ..Lung and other respiratory cancer (160-165)          | 13                     | 4    | 11   | 25                       | 108    | .                  | .      | .                 | .                  | .       | .                 |
| ...Lung cancer (162.2-.9)                              | 12                     | 3    | 10   | 23                       | 95     | .                  | .      | .                 | .                  | .       | .                 |
| ..Malignant melanoma of skin (172)                     | 2                      | 2    | 2    | 30                       | 50     | .                  | .      | .                 | .                  | .       | .                 |
| ..Female breast cancer (174)                           | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .       | .                 |
| ..Cervical cancer (180)                                | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .       | .                 |
| ..Ovarian cancer (183)                                 | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .       | .                 |
| ..Prostate cancer (185)                                | 6                      | .    | 3    | 0                        | 13     | .                  | .      | .                 | .                  | .       | .                 |
| ..Bladder cancer (188)                                 | 1                      | .    | .    | 0                        | 0      | .                  | .      | .                 | .                  | .       | .                 |
| ..Brain & other CNS cancer (191-192)                   | 3                      | 2    | 2    | 40                       | 60     | .                  | .      | .                 | .                  | .       | .                 |
| ..Leukemia (204-208)                                   | 5                      | 2    | 3    | 85                       | 113    | .                  | .      | .                 | .                  | .       | .                 |
| Diabetes mellitus (250)                                | 17                     | 9    | 15   | 128                      | 248    | 122.3              | 72.9   | 0                 | 273.2              | 207.6   | 0                 |
| ..Diabetes-related (250)                               | 45                     | 26   | 33   | 335                      | 628    | 357.3              | 221.3  | 0                 | 708.9              | 562.5   | 0                 |
| Alzheimer's diseases (331.0)                           | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .       | .                 |
| Cardiovascular disease (390-459)                       | 117                    | 59   | 80   | 857                      | 1,539  | 863.8              | 927.1  | 0                 | 1694.9             | 1624.8  | 0                 |
| ..Diseases of the heart (390-398,402,404-429)          | 97                     | 46   | 64   | 704                      | 1,249  | 692.3              | 745.9  | 0                 | 1357.2             | 1318.0  | 0                 |
| ...Heart disease-related (390-398,402,404-429)         | 192                    | 101  | 136  | 1,820                    | 3,012  | 1656.6             | 1703.2 | 0                 | 3027.9             | 2882.4  | 0                 |
| ...Coronary heart disease (CHD) (402,410-414,429.2)    | 68                     | 31   | 43   | 383                      | 758    | 434.9              | 270.2  | 0                 | 916.2              | 604.4   | 0                 |
| ...Congestive heart failure (CHF) (428.0)              | 3                      | .    | .    | 0                        | 0      | .                  | .      | .                 | .                  | .       | .                 |
| ..Hypertension with or without renal disease (401,403) | 1                      | .    | 1    | 0                        | 3      | .                  | .      | .                 | .                  | .       | .                 |
| ...Hypertension-related (401,403)                      | 22                     | 8    | 14   | 120                      | 225    | 132.6              | .      | 0                 | 261.4              | .       | 0                 |
| ..Cerebrovascular disease (430-438)                    | 15                     | 10   | 11   | 120                      | 223    | 136.2              | 156.1  | 0                 | 257.5              | 248.9   | 0                 |
| ..Atherosclerosis (440)                                | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .       | .                 |
| ...Atherosclerosis-related (440)                       | 6                      | 2    | 4    | 15                       | 40     | .                  | .      | .                 | .                  | .       | .                 |
| ..Aortic aneurysm (441)                                | 2                      | 1    | 2    | 8                        | 20     | .                  | .      | .                 | .                  | .       | .                 |
| Pneumonia & influenza (480-487)                        | 13                     | 4    | 5    | 115                      | 163    | .                  | .      | .                 | .                  | .       | .                 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 10                     | 5    | 6    | 155                      | 207    | .                  | .      | .                 | .                  | .       | .                 |
| ..COPD-related (490-496)                               | 24                     | 9    | 12   | 195                      | 302    | 162.1              | 138.2  | 0                 | 278.5              | 306.1   | 0                 |
| ..Asthma (493)   | 4                      | 3    | 4    | 73                       | 105    | .                  | .      | .                 | .                  | .       | .                 |
| Chronic liver disease and cirrhosis (571)              | 17                     | 15   | 17   | 233                      | 398    | 247.8              | 324.1  | 0                 | 428.5              | 548.7   | 0                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

|   | Male                   |      |      |                          |       |                    |        |                   |                    |        |                   |
|---|------------------------|------|------|--------------------------|-------|--------------------|--------|-------------------|--------------------|--------|-------------------|
|   | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |       | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |        |                   |
|   | All                    | < 65 | < 75 | < 65                     | < 75  | 1997               | 1996   | Signif-<br>icance | 1997               | 1996   | Signif-<br>icance |
| *****Causes of Death*****   |                        |      |      |                          |       |                    |        |                   |                    |        |                   |
| Nephritis, nephrotic syndrome/nephrosis (580-589)                       | 6                      | 2    | 4    | 30                       | 55    | .                  | .      | .                 | .                  | .      | .                 |
| ..Nephritis-related (580-589)   | 26                     | 14   | 19   | 237                      | 400   | 220.0              | 268.4  | 0                 | 410.4              | 499.5  | 0                 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9)              | 8                      | 2    | 5    | 30                       | 63    | .                  | .      | .                 | .                  | .      | .                 |
| Unintentional injuries (E800-E949)                                      | 60                     | 56   | 59   | 1,749                    | 2,322 | 1377.7             | 987.3  | 0                 | 1780.2             | 1250.8 | 0                 |
| ..Motor vehicle accidents (E810-E825)                                   | 20                     | 19   | 20   | 603                      | 795   | 506.9              | 415.2  | 0                 | 646.5              | 547.1  | 0                 |
| ..Falls and fall related injuries (E880-E888)                           | 3                      | 2    | 2    | 85                       | 105   | .                  | .      | .                 | .                  | .      | .                 |
| ..Drowning (E830,E832,E910)   | 3                      | 3    | 3    | 118                      | 148   | .                  | .      | .                 | .                  | .      | .                 |
| ..Residential fires (E890-E899)   | 1                      | 1    | 1    | 65                       | 75    | .                  | .      | .                 | .                  | .      | .                 |
| Suicide (E950-E959)   | 11                     | 11   | 11   | 353                      | 463   | .                  | .      | .                 | .                  | .      | .                 |
| Homicide and legal intervention (E960-E978)                             | 17                     | 16   | 17   | 635                      | 803   | 538.2              | 764.6  | 0                 | 658.2              | 932.8  | 0                 |
| ..Homicide (E960-E969)  | 17                     | 16   | 17   | 635                      | 803   | 538.2              | 764.6  | 0                 | 658.2              | 932.8  | 0                 |
| All injury (E800-E999)  | 88                     | 83   | 87   | 2,737                    | 3,587 | 2191.7             | 2163.3 | 0                 | 2787.4             | 2706.1 | 0                 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5)                 | 18                     | 17   | 18   | 538                      | 710   | 451.4              | 415.2  | 0                 | 577.3              | 547.1  | 0                 |
| ..All falls (E880-E886,E888,E957,E968.1,E987)                           | 4                      | 3    | 3    | 128                      | 158   | .                  | .      | .                 | .                  | .      | .                 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 17                     | 17   | 17   | 658                      | 828   | 533.3              | 748.3  | 0                 | 639.9              | 893.9  | 0                 |
| ....Suicide (E955.0-.4)   | 4                      | 4    | 4    | 130                      | 170   | .                  | .      | .                 | .                  | .      | .                 |
| ....Homicide (E965.0-.4)  | 13                     | 13   | 13   | 528                      | 658   | .                  | 678.8  | .                 | .                  | 804.7  | .                 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)               | 26                     | 26   | 26   | 680                      | 940   | 546.9              | 485.1  | 0                 | 738.2              | 608.3  | 0                 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)   | 10                     | 9    | 10   | 133                      | 230   | .                  | .      | .                 | .                  | .      | .                 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)    | 26                     | 26   | 26   | 670                      | 930   | 545.1              | 389.2  | 0                 | 738.5              | 491.7  | 0                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

|  | Female                 |      |      |                          |       |                    |        |                   |                    |        |                   |
|--|------------------------|------|------|--------------------------|-------|--------------------|--------|-------------------|--------------------|--------|-------------------|
|  | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |       | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |        |                   |
|  | All                    | < 65 | < 75 | < 65                     | < 75  | 1997               | 1996   | Signif-<br>icance | 1997               | 1996   | Signif-<br>icance |
| *****Causes of Death*****                              |                        |      |      |                          |       |                    |        |                   |                    |        |                   |
| All causes   | 325                    | 174  | 222  | 4,316                    | 6,256 | 3323.6             | 2753.2 | 0                 | 4998.1             | 4103.1 | 0                 |
| Infectious diseases and parasitic disease (1-139)      | 33                     | 24   | 28   | 687                      | 947   | 546.2              | 596.0  | 0                 | 742.0              | 775.5  | 0                 |
| ..Septicemia (038)                                     | 11                     | 3    | 7    | 53                       | 103   | .                  | .      | 0                 | .                  | .      | 0                 |
| ...Septicemia-related (038)                            | 21                     | 8    | 13   | 135                      | 238   | 118.0              | 135.2  | 0                 | 221.2              | 234.3  | 0                 |
| ..HIV infection (042-044)                              | 16                     | 16   | 16   | 465                      | 625   | 375.2              | 485.8  | 0                 | 487.1              | 635.1  | 0                 |
| All cancer (140-208)                                   | 68                     | 46   | 58   | 730                      | 1,235 | 651.9              | 377.0  | 0                 | 1139.6             | 698.8  | 0                 |
| ..Oral cavity or pharynx (140.0-149.9)                 | .                      | .    | .    | .                        | .     | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0)          | 5                      | 2    | 4    | 40                       | 65    | .                  | .      | 0                 | .                  | .      | 0                 |
| ...Colon cancer (153)                                  | 2                      | .    | 1    | 0                        | 3     | .                  | .      | 0                 | .                  | .      | 0                 |
| ...Rectal cancer (154)                                 | 3                      | 2    | 3    | 40                       | 63    | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Pancreatic cancer (157)                              | 2                      | .    | .    | 0                        | 0     | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Lung and other respiratory cancer (160-165)          | 9                      | 4    | 6    | 50                       | 95    | .                  | .      | 0                 | .                  | .      | 0                 |
| ...Lung cancer (162.2-.9)                              | 9                      | 4    | 6    | 50                       | 95    | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Malignant melanoma of skin (172)                     | 1                      | .    | .    | 0                        | 0     | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Female breast cancer (174)                           | 16                     | 14   | 15   | 195                      | 338   | 180.6              | .      | 0                 | 318.4              | .      | 0                 |
| ..Cervical cancer (180)                                | 3                      | 3    | 3    | 98                       | 128   | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Ovarian cancer (183)                                 | 4                      | 4    | 4    | 65                       | 105   | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Prostate cancer (185)                                | .                      | .    | .    | .                        | .     | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Bladder cancer (188)                                 | .                      | .    | .    | .                        | .     | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Brain & other CNS cancer (191-192)                   | .                      | .    | .    | .                        | .     | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Leukemia (204-208)                                   | 4                      | 4    | 4    | 60                       | 100   | .                  | .      | 0                 | .                  | .      | 0                 |
| Diabetes mellitus (250)                                | 8                      | 2    | 4    | 25                       | 60    | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Diabetes-related (250)                               | 46                     | 18   | 29   | 155                      | 393   | 165.4              | 130.1  | 0                 | 438.2              | 319.1  | 0                 |
| Alzheimer's diseases (331.0)                           | 3                      | .    | 2    | 0                        | 5     | .                  | .      | 0                 | .                  | .      | 0                 |
| Cardiovascular disease (390-459)                       | 111                    | 39   | 54   | 719                      | 1,171 | 596.3              | 389.5  | 0                 | 1027.2             | 708.2  | 0                 |
| ..Diseases of the heart (390-398,402,404-429)          | 84                     | 31   | 42   | 599                      | 956   | 477.9              | 318.0  | 0                 | 816.3              | 570.6  | 0                 |
| ...Heart disease-related (390-398,402,404-429)         | 160                    | 60   | 89   | 1,081                    | 1,804 | 913.7              | 919.5  | 0                 | 1620.8             | 1521.1 | 0                 |
| ...Coronary heart disease (CHD) (402,410-414,429.2)    | 55                     | 19   | 27   | 208                      | 428   | 214.8              | 172.4  | 0                 | 453.3              | 370.3  | 0                 |
| ...Congestive heart failure (CHF) (428.0)              | 4                      | 1    | 2    | 65                       | 82    | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Hypertension with or without renal disease (401,403) | 2                      | .    | 1    | 0                        | 3     | .                  | .      | 0                 | .                  | .      | 0                 |
| ...Hypertension-related (401,403)                      | 23                     | 5    | 11   | 38                       | 108   | 43.8               | .      | 0                 | 125.6              | .      | 0                 |
| ..Cerebrovascular disease (430-438)                    | 24                     | 8    | 11   | 120                      | 213   | 118.4              | .      | 0                 | 207.9              | .      | 0                 |
| ..Atherosclerosis (440)                                | 1                      | .    | .    | 0                        | 0     | .                  | .      | 0                 | .                  | .      | 0                 |
| ...Atherosclerosis-related (440)                       | 7                      | .    | .    | 0                        | 0     | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Aortic aneurysm (441)                                | .                      | .    | .    | .                        | .     | .                  | .      | 0                 | .                  | .      | 0                 |
| Pneumonia & influenza (480-487)                        | 8                      | 2    | 2    | 102                      | 122   | .                  | .      | 0                 | .                  | .      | 0                 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 11                     | 4    | 6    | 50                       | 95    | .                  | .      | 0                 | .                  | .      | 0                 |
| ..COPD-related (490-496)                               | 19                     | 7    | 10   | 103                      | 185   | 94.1               | 56.4   | 0                 | 178.3              | 134.0  | 0                 |
| ..Asthma (493)   | 5                      | 3    | 4    | 28                       | 60    | .                  | .      | 0                 | .                  | .      | 0                 |
| Chronic liver disease and cirrhosis (571)              | 8                      | 5    | 7    | 43                       | 103   | .                  | .      | 0                 | .                  | .      | 0                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

|   | Female                 |      |      |                          |      |                    |       |                   |                    |       |                   |
|---|------------------------|------|------|--------------------------|------|--------------------|-------|-------------------|--------------------|-------|-------------------|
|   | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |      | Adjusted YPLL < 65 |       |                   | Adjusted YPLL < 75 |       |                   |
|   | All                    | < 65 | < 75 | < 65                     | < 75 | 1997               | 1996  | Signif-<br>icance | 1997               | 1996  | Signif-<br>icance |
| *****Causes of Death*****   |                        |      |      |                          |      |                    |       |                   |                    |       |                   |
| Nephritis, nephrotic syndrome/nephrosis (580-589)                       | 8                      | 3    | 5    | 13                       | 53   | .                  | .     | .                 | .                  | .     | .                 |
| ..Nephritis-related (580-589)   | 25                     | 14   | 18   | 210                      | 365  | 203.1              | 175.0 | 0                 | 360.3              | 313.0 | 0                 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9)              | 8                      | 3    | 5    | 13                       | 53   | .                  | .     | .                 | .                  | .     | .                 |
| Unintentional injuries (E800-E949)                                      | 18                     | 17   | 18   | 552                      | 724  | 424.5              | .     | 0                 | 549.0              | .     | 0                 |
| ..Motor vehicle accidents (E810-E825)                                   | 9                      | 9    | 9    | 298                      | 388  | .                  | .     | .                 | .                  | .     | .                 |
| ..Falls and fall related injuries (E880-E888)                           | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ..Drowning (E830,E832,E910)   | 1                      | 1    | 1    | 65                       | 75   | .                  | .     | .                 | .                  | .     | .                 |
| ..Residential fires (E890-E899)   | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| Suicide (E950-E959)   | 1                      | 1    | 1    | 23                       | 33   | .                  | .     | .                 | .                  | .     | .                 |
| Homicide and legal intervention (E960-E978)                             | 2                      | 2    | 2    | 50                       | 70   | .                  | .     | .                 | .                  | .     | .                 |
| ..Homicide (E960-E969)  | 2                      | 2    | 2    | 50                       | 70   | .                  | .     | .                 | .                  | .     | .                 |
| All injury (E800-E999)  | 22                     | 21   | 22   | 662                      | 874  | 510.3              | 425.2 | 0                 | 661.4              | 521.9 | 0                 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5)                 | 8                      | 8    | 8    | 260                      | 340  | .                  | .     | .                 | .                  | .     | .                 |
| ..All falls (E880-E886,E888,E957,E968.1,E987)                           | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ...Suicide (E955.0-.4)  | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ...Homicide (E965.0-.4)   | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)               | 6                      | 6    | 6    | 170                      | 230  | .                  | .     | .                 | .                  | .     | .                 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)   | 4                      | 4    | 4    | 75                       | 115  | .                  | .     | .                 | .                  | .     | .                 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)    | 6                      | 6    | 6    | 170                      | 230  | .                  | .     | .                 | .                  | .     | .                 |

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

|  | Both Sexes             |      |      |                          |        |                    |        |                   |                    |        |                   |
|--|------------------------|------|------|--------------------------|--------|--------------------|--------|-------------------|--------------------|--------|-------------------|
|  | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |        | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |        |                   |
|  | All                    | < 65 | < 75 | < 65                     | < 75   | 1997               | 1996   | Signif-<br>icance | 1997               | 1996   | Signif-<br>icance |
| *****Causes of Death*****                              |                        |      |      |                          |        |                    |        |                   |                    |        |                   |
| All causes   | 774                    | 468  | 581  | 11,983                   | 17,206 | 4595.0             | 4695.1 | 0                 | 7018.0             | 6926.5 | 0                 |
| Infectious diseases and parasitic disease (1-139)      | 80                     | 67   | 73   | 1,754                    | 2,459  | 629.2              | 930.0  | 0                 | 882.8              | 1252.9 | 0                 |
| ..Septicemia (038)                                     | 16                     | 6    | 10   | 90                       | 170    | 36.9               | .      | 0                 | 85.8               | .      | 0                 |
| ...Septicemia-related (038)                            | 40                     | 19   | 26   | 258                      | 485    | 119.5              | 183.2  | 0                 | 260.9              | 341.4  | 0                 |
| ..HIV infection (042-044)                              | 48                     | 46   | 48   | 1,155                    | 1,630  | 425.0              | 773.9  | 1                 | 592.3              | 1020.2 | 1                 |
| All cancer (140-208)                                   | 134                    | 74   | 106  | 1,200                    | 2,100  | 533.7              | 422.1  | 0                 | 1061.8             | 821.2  | 0                 |
| ..Oral cavity or pharynx (140.0-149.9)                 | 2                      | 1    | 1    | 28                       | 38     | .                  | .      | .                 | .                  | .      | .                 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0)          | 13                     | 8    | 11   | 140                      | 233    | .                  | .      | .                 | .                  | .      | .                 |
| ...Colon cancer (153)                                  | 8                      | 4    | 6    | 70                       | 120    | .                  | .      | .                 | .                  | .      | .                 |
| ...Rectal cancer (154)                                 | 5                      | 4    | 5    | 70                       | 113    | .                  | .      | .                 | .                  | .      | .                 |
| ..Pancreatic cancer (157)                              | 6                      | .    | 3    | 0                        | 23     | .                  | .      | .                 | .                  | .      | .                 |
| ..Lung and other respiratory cancer (160-165)          | 22                     | 8    | 17   | 75                       | 203    | 45.7               | 28.7   | 0                 | 141.2              | 93.8   | 0                 |
| ...Lung cancer (162.2-.9)                              | 21                     | 7    | 16   | 73                       | 190    | 43.4               | 20.3   | 0                 | 130.7              | 69.3   | 0                 |
| ..Malignant melanoma of skin (172)                     | 3                      | 2    | 2    | 30                       | 50     | .                  | .      | .                 | .                  | .      | .                 |
| ..Female breast cancer (174)                           | 16                     | 14   | 15   | 195                      | 338    | .                  | .      | .                 | .                  | .      | .                 |
| ..Cervical cancer (180)                                | 3                      | 3    | 3    | 98                       | 128    | .                  | .      | .                 | .                  | .      | .                 |
| ..Ovarian cancer (183)                                 | 4                      | 4    | 4    | 65                       | 105    | .                  | .      | .                 | .                  | .      | .                 |
| ..Prostate cancer (185)                                | 6                      | .    | 3    | 0                        | 13     | .                  | .      | .                 | .                  | .      | .                 |
| ..Bladder cancer (188)                                 | 1                      | .    | .    | 0                        | 0      | .                  | .      | .                 | .                  | .      | .                 |
| ..Brain & other CNS cancer (191-192)                   | 3                      | 2    | 2    | 40                       | 60     | .                  | .      | .                 | .                  | .      | .                 |
| ..Leukemia (204-208)                                   | 9                      | 6    | 7    | 145                      | 213    | .                  | .      | .                 | .                  | .      | .                 |
| Diabetes mellitus (250)                                | 25                     | 11   | 19   | 153                      | 308    | 69.8               | 70.5   | 0                 | 170.2              | 190.5  | 0                 |
| ..Diabetes-related (250)                               | 91                     | 44   | 62   | 490                      | 1,020  | 258.7              | 178.6  | 0                 | 604.5              | 471.4  | 0                 |
| Alzheimer's diseases (331.0)                           | 3                      | .    | 2    | 0                        | 5      | .                  | .      | .                 | .                  | .      | .                 |
| Cardiovascular disease (390-459)                       | 228                    | 98   | 134  | 1,575                    | 2,710  | 720.4              | 623.7  | 0                 | 1384.5             | 1156.0 | 0                 |
| ..Diseases of the heart (390-398,402,404-429)          | 181                    | 77   | 106  | 1,303                    | 2,205  | 576.9              | 501.0  | 0                 | 1105.6             | 931.4  | 0                 |
| ...Heart disease-related (390-398,402,404-429)         | 352                    | 161  | 225  | 2,901                    | 4,816  | 1257.2             | 1257.9 | 0                 | 2348.8             | 2180.6 | 0                 |
| ...Coronary heart disease (CHD) (402,410-414,429.2)    | 123                    | 50   | 70   | 590                      | 1,185  | 327.5              | 215.7  | 0                 | 712.7              | 506.5  | 0                 |
| ...Congestive heart failure (CHF) (428.0)              | 7                      | 1    | 2    | 65                       | 82     | .                  | .      | .                 | .                  | .      | .                 |
| ..Hypertension with or without renal disease (401,403) | 3                      | .    | 2    | 0                        | 5      | .                  | .      | .                 | .                  | .      | .                 |
| ...Hypertension-related (401,403)                      | 45                     | 13   | 25   | 158                      | 333    | 87.2               | 33.5   | 0                 | 203.3              | 106.9  | 0                 |
| ..Cerebrovascular disease (430-438)                    | 39                     | 18   | 22   | 240                      | 435    | 126.8              | 100.8  | 0                 | 236.6              | 174.8  | 0                 |
| ..Atherosclerosis (440)                                | 1                      | .    | .    | 0                        | 0      | .                  | .      | .                 | .                  | .      | .                 |
| ...Atherosclerosis-related (440)                       | 13                     | 2    | 4    | 15                       | 40     | .                  | .      | .                 | .                  | .      | .                 |
| ..Aortic aneurysm (441)                                | 2                      | 1    | 2    | 8                        | 20     | .                  | .      | .                 | .                  | .      | .                 |
| Pneumonia & influenza (480-487)                        | 21                     | 6    | 7    | 217                      | 285    | 83.5               | 69.6   | 0                 | 113.1              | 116.9  | 0                 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 21                     | 9    | 12   | 205                      | 302    | 78.0               | 74.1   | 0                 | 122.9              | 135.9  | 0                 |
| ..COPD-related (490-496)                               | 43                     | 16   | 22   | 297                      | 487    | 123.8              | 97.9   | 0                 | 230.1              | 232.2  | 0                 |
| ..Asthma (493)   | 9                      | 6    | 8    | 100                      | 165    | .                  | .      | .                 | .                  | .      | .                 |
| Chronic liver disease and cirrhosis (571)              | 25                     | 20   | 24   | 275                      | 500    | 141.7              | 157.6  | 0                 | 269.5              | 283.0  | 0                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

|   | Both Sexes             |      |      |                          |       |                    |        |                   |                    |        |                   |
|---|------------------------|------|------|--------------------------|-------|--------------------|--------|-------------------|--------------------|--------|-------------------|
|   | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |       | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |        |                   |
|   | All                    | < 65 | < 75 | < 65                     | < 75  | 1997               | 1996   | Signif-<br>icance | 1997               | 1996   | Signif-<br>icance |
| *****Causes of Death*****   |                        |      |      |                          |       |                    |        |                   |                    |        |                   |
| Nephritis, nephrotic syndrome/nephrosis (580-589)                       | 14                     | 5    | 9    | 43                       | 108   | .                  | .      | .                 | .                  | .      | .                 |
| ..Nephritis-related (580-589)   | 51                     | 28   | 37   | 447                      | 765   | 208.9              | 207.2  | 0                 | 393.8              | 401.4  | 0                 |
| ...End stage renal disease (ESRD) (581-588,591,593.8,593.9)             | 16                     | 5    | 10   | 43                       | 115   | 24.8               | 55.4   | 0                 | 79.6               | 118.7  | 0                 |
| Unintentional injuries (E800-E949)                                      | 78                     | 73   | 77   | 2,301                    | 3,046 | 829.0              | 614.4  | 0                 | 1059.9             | 764.6  | 0                 |
| ..Motor vehicle accidents (E810-E825)                                   | 29                     | 28   | 29   | 900                      | 1,183 | 356.5              | 249.6  | 0                 | 447.9              | 317.5  | 0                 |
| ..Falls and fall related injuries (E880-E888)                           | 3                      | 2    | 2    | 85                       | 105   | .                  | .      | .                 | .                  | .      | .                 |
| ..Drowning (E830,E832,E910)   | 4                      | 4    | 4    | 182                      | 222   | .                  | .      | .                 | .                  | .      | .                 |
| ..Residential fires (E890-E899)   | 1                      | 1    | 1    | 65                       | 75    | .                  | .      | .                 | .                  | .      | .                 |
| Suicide (E950-E959)   | 12                     | 12   | 12   | 375                      | 495   | .                  | .      | .                 | .                  | .      | .                 |
| Homicide and legal intervention (E960-E978)                             | 19                     | 18   | 19   | 685                      | 873   | 284.9              | 427.3  | 0                 | 345.6              | 508.5  | 0                 |
| ..Homicide (E960-E969)  | 19                     | 18   | 19   | 685                      | 873   | 284.9              | 427.3  | 0                 | 345.6              | 508.5  | 0                 |
| All injury (E800-E999)  | 110                    | 104  | 109  | 3,398                    | 4,461 | 1256.3             | 1227.6 | 0                 | 1583.0             | 1504.4 | 0                 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5)                 | 26                     | 25   | 26   | 798                      | 1,050 | 319.0              | 249.6  | 0                 | 402.4              | 317.5  | 0                 |
| ..All falls (E880-E886,E888,E957,E968.1,E987)                           | 4                      | 3    | 3    | 128                      | 158   | .                  | .      | .                 | .                  | .      | .                 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 17                     | 17   | 17   | 658                      | 828   | 254.0              | 393.8  | 0                 | 299.3              | 460.4  | 0                 |
| ...Suicide (E955.0-.4)  | 4                      | 4    | 4    | 130                      | 170   | .                  | .      | .                 | .                  | .      | .                 |
| ...Homicide (E965.0-.4)   | 13                     | 13   | 13   | 528                      | 658   | .                  | 365.4  | .                 | .                  | 424.5  | .                 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)               | 32                     | 32   | 32   | 850                      | 1,170 | 287.6              | 230.3  | 0                 | 382.8              | 286.5  | 0                 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)   | 14                     | 13   | 14   | 208                      | 345   | .                  | 106.3  | .                 | .                  | 187.0  | .                 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)    | 32                     | 32   | 32   | 840                      | 1,160 | 288.1              | 180.1  | 0                 | 384.6              | 226.9  | 0                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

|  | Male                   |      |      |                          |        |                    |        |                   |                    |        |                   |
|--|------------------------|------|------|--------------------------|--------|--------------------|--------|-------------------|--------------------|--------|-------------------|
|  | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |        | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |        |                   |
|  | All                    | < 65 | < 75 | < 65                     | < 75   | 1997               | 1996   | Signif-<br>icance | 1997               | 1996   | Signif-<br>icance |
| *****Causes of Death*****                              |                        |      |      |                          |        |                    |        |                   |                    |        |                   |
| All causes   | 449                    | 294  | 359  | 7,667                    | 10,950 | 5915.3             | 6710.5 | 0                 | 9140.6             | 9878.3 | 0                 |
| Infectious diseases and parasitic disease (1-139)      | 47                     | 43   | 45   | 1,067                    | 1,512  | 750.7              | 1354.6 | 1                 | 1080.1             | 1862.8 | 1                 |
| ..Septicemia (038)                                     | 5                      | 3    | 3    | 38                       | 68     | .                  | .      | .                 | .                  | .      | .                 |
| ...Septicemia-related (038)                            | 19                     | 11   | 13   | 123                      | 248    | 133.6              | 235.9  | 0                 | 306.8              | 461.7  | 0                 |
| ..HIV infection (042-044)                              | 32                     | 30   | 32   | 690                      | 1,005  | 503.2              | 1149.6 | 1                 | 750.9              | 1527.1 | 1                 |
| All cancer (140-208)                                   | 66                     | 28   | 48   | 470                      | 865    | 443.7              | 487.5  | 0                 | 1006.1             | 952.9  | 0                 |
| ..Oral cavity or pharynx (140.0-149.9)                 | 2                      | 1    | 1    | 28                       | 38     | .                  | .      | .                 | .                  | .      | .                 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0)          | 8                      | 6    | 7    | 100                      | 168    | .                  | .      | .                 | .                  | .      | .                 |
| ...Colon cancer (153)                                  | 6                      | 4    | 5    | 70                       | 118    | .                  | .      | .                 | .                  | .      | .                 |
| ...Rectal cancer (154)                                 | 2                      | 2    | 2    | 30                       | 50     | .                  | .      | .                 | .                  | .      | .                 |
| ..Pancreatic cancer (157)                              | 4                      | .    | 3    | 0                        | 23     | .                  | .      | .                 | .                  | .      | .                 |
| ..Lung and other respiratory cancer (160-165)          | 13                     | 4    | 11   | 25                       | 108    | .                  | .      | .                 | .                  | .      | .                 |
| ...Lung cancer (162.2-.9)                              | 12                     | 3    | 10   | 23                       | 95     | .                  | .      | .                 | .                  | .      | .                 |
| ..Malignant melanoma of skin (172)                     | 2                      | 2    | 2    | 30                       | 50     | .                  | .      | .                 | .                  | .      | .                 |
| ..Female breast cancer (174)                           | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .      | .                 |
| ..Cervical cancer (180)                                | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .      | .                 |
| ..Ovarian cancer (183)                                 | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .      | .                 |
| ..Prostate cancer (185)                                | 6                      | .    | 3    | 0                        | 13     | .                  | .      | .                 | .                  | .      | .                 |
| ..Bladder cancer (188)                                 | 1                      | .    | .    | 0                        | 0      | .                  | .      | .                 | .                  | .      | .                 |
| ..Brain & other CNS cancer (191-192)                   | 3                      | 2    | 2    | 40                       | 60     | .                  | .      | .                 | .                  | .      | .                 |
| ..Leukemia (204-208)                                   | 5                      | 2    | 3    | 85                       | 113    | .                  | .      | .                 | .                  | .      | .                 |
| Diabetes mellitus (250)                                | 17                     | 9    | 15   | 128                      | 248    | 115.2              | 78.9   | 0                 | 285.2              | 234.9  | 0                 |
| ..Diabetes-related (250)                               | 45                     | 26   | 33   | 335                      | 628    | 353.2              | 230.6  | 0                 | 735.4              | 620.0  | 0                 |
| Alzheimer's diseases (331.0)                           | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .      | .                 |
| Cardiovascular disease (390-459)                       | 117                    | 59   | 80   | 857                      | 1,539  | 875.8              | 877.2  | 0                 | 1789.5             | 1628.1 | 0                 |
| ..Diseases of the heart (390-398,402,404-429)          | 97                     | 46   | 64   | 704                      | 1,249  | 701.4              | 701.1  | 0                 | 1434.8             | 1312.9 | 0                 |
| ...Heart disease-related (390-398,402,404-429)         | 192                    | 101  | 136  | 1,820                    | 3,012  | 1645.2             | 1645.8 | 0                 | 3130.3             | 2900.3 | 0                 |
| ...Coronary heart disease (CHD) (402,410-414,429.2)    | 68                     | 31   | 43   | 383                      | 758    | 446.4              | 266.0  | 0                 | 979.3              | 640.8  | 0                 |
| ...Congestive heart failure (CHF) (428.0)              | 3                      | .    | .    | 0                        | 0      | .                  | .      | .                 | .                  | .      | .                 |
| ..Hypertension with or without renal disease (401,403) | 1                      | .    | 1    | 0                        | 3      | .                  | .      | .                 | .                  | .      | .                 |
| ...Hypertension-related (401,403)                      | 22                     | 8    | 14   | 120                      | 225    | 131.1              | .      | 0                 | 272.1              | .      | 0                 |
| ..Cerebrovascular disease (430-438)                    | 15                     | 10   | 11   | 120                      | 223    | 138.4              | 151.8  | 0                 | 267.2              | 252.8  | 0                 |
| ..Atherosclerosis (440)                                | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .      | .                 |
| ...Atherosclerosis-related (440)                       | 6                      | 2    | 4    | 15                       | 40     | .                  | .      | .                 | .                  | .      | .                 |
| ..Aortic aneurysm (441)                                | 2                      | 1    | 2    | 8                        | 20     | .                  | .      | .                 | .                  | .      | .                 |
| Pneumonia & influenza (480-487)                        | 13                     | 4    | 5    | 115                      | 163    | .                  | .      | .                 | .                  | .      | .                 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 10                     | 5    | 6    | 155                      | 207    | .                  | .      | .                 | .                  | .      | .                 |
| ..COPD-related (490-496)                               | 24                     | 9    | 12   | 195                      | 302    | 157.9              | 136.4  | 0                 | 281.5              | 328.6  | 0                 |
| ..Asthma (493)   | 4                      | 3    | 4    | 73                       | 105    | .                  | .      | .                 | .                  | .      | .                 |
| Chronic liver disease and cirrhosis (571)              | 17                     | 15   | 17   | 233                      | 398    | 241.3              | 315.5  | 0                 | 426.1              | 544.4  | 0                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

|   | Male                   |      |      |                          |       |                    |        |                   |                    |        |                   |
|---|------------------------|------|------|--------------------------|-------|--------------------|--------|-------------------|--------------------|--------|-------------------|
|   | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |       | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |        |                   |
|   | All                    | < 65 | < 75 | < 65                     | < 75  | 1997               | 1996   | Signif-<br>icance | 1997               | 1996   | Signif-<br>icance |
| *****Causes of Death*****   |                        |      |      |                          |       |                    |        |                   |                    |        |                   |
| Nephritis, nephrotic syndrome/nephrosis (580-589)                       | 6                      | 2    | 4    | 30                       | 55    | .                  | .      | .                 | .                  | .      | .                 |
| ..Nephritis-related (580-589)   | 26                     | 14   | 19   | 237                      | 400   | 222.3              | 264.1  | 0                 | 430.1              | 511.0  | 0                 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9)              | 8                      | 2    | 5    | 30                       | 63    | .                  | .      | .                 | .                  | .      | .                 |
| Unintentional injuries (E800-E949)                                      | 60                     | 56   | 59   | 1,749                    | 2,322 | 1238.7             | 942.3  | 0                 | 1587.9             | 1178.0 | 0                 |
| ..Motor vehicle accidents (E810-E825)                                   | 20                     | 19   | 20   | 603                      | 795   | 463.7              | 404.1  | 0                 | 586.3              | 528.8  | 0                 |
| ..Falls and fall related injuries (E880-E888)                           | 3                      | 2    | 2    | 85                       | 105   | .                  | .      | .                 | .                  | .      | .                 |
| ..Drowning (E830,E832,E910)   | 3                      | 3    | 3    | 118                      | 148   | .                  | .      | .                 | .                  | .      | .                 |
| ..Residential fires (E890-E899)   | 1                      | 1    | 1    | 65                       | 75    | .                  | .      | .                 | .                  | .      | .                 |
| Suicide (E950-E959)   | 11                     | 11   | 11   | 353                      | 463   | .                  | .      | .                 | .                  | .      | .                 |
| Homicide and legal intervention (E960-E978)                             | 17                     | 16   | 17   | 635                      | 803   | 518.6              | 704.3  | 0                 | 628.4              | 851.2  | 0                 |
| ..Homicide (E960-E969)  | 17                     | 16   | 17   | 635                      | 803   | 518.6              | 704.3  | 0                 | 628.4              | 851.2  | 0                 |
| All injury (E800-E999)  | 88                     | 83   | 87   | 2,737                    | 3,587 | 2000.2             | 2004.9 | 0                 | 2520.9             | 2477.1 | 0                 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5)                 | 18                     | 17   | 18   | 538                      | 710   | 411.8              | 404.1  | 0                 | 522.7              | 528.8  | 0                 |
| ..All falls (E880-E886,E888,E957,E968.1,E987)                           | 4                      | 3    | 3    | 128                      | 158   | .                  | .      | .                 | .                  | .      | .                 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 17                     | 17   | 17   | 658                      | 828   | 494.0              | 679.7  | 0                 | 583.0              | 797.0  | 0                 |
| ....Suicide (E955.0-.4)   | 4                      | 4    | 4    | 130                      | 170   | .                  | .      | .                 | .                  | .      | .                 |
| ....Homicide (E965.0-.4)  | 13                     | 13   | 13   | 528                      | 658   | .                  | 621.8  | .                 | .                  | 723.6  | .                 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)               | 26                     | 26   | 26   | 680                      | 940   | 469.7              | 423.6  | 0                 | 633.9              | 521.8  | 0                 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)   | 10                     | 9    | 10   | 133                      | 230   | .                  | .      | .                 | .                  | .      | .                 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)    | 26                     | 26   | 26   | 670                      | 930   | 471.7              | 325.9  | 0                 | 638.6              | 405.7  | 0                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

|  | Female                 |      |      |                          |       |                    |        |                   |                    |        |                   |
|--|------------------------|------|------|--------------------------|-------|--------------------|--------|-------------------|--------------------|--------|-------------------|
|  | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |       | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |        |                   |
|  | All                    | < 65 | < 75 | < 65                     | < 75  | 1997               | 1996   | Signif-<br>icance | 1997               | 1996   | Signif-<br>icance |
| *****Causes of Death*****                              |                        |      |      |                          |       |                    |        |                   |                    |        |                   |
| All causes   | 325                    | 174  | 222  | 4,316                    | 6,256 | 3298.8             | 2719.9 | 0                 | 5038.8             | 4118.1 | 0                 |
| Infectious diseases and parasitic disease (1-139)      | 33                     | 24   | 28   | 687                      | 947   | 524.8              | 537.1  | 0                 | 711.5              | 691.8  | 0                 |
| ..Septicemia (038)                                     | 11                     | 3    | 7    | 53                       | 103   | .                  | .      | 0                 | .                  | .      | 0                 |
| ...Septicemia-related (038)                            | 21                     | 8    | 13   | 135                      | 238   | 111.2              | 135.9  | 0                 | 225.3              | 240.2  | 0                 |
| ..HIV infection (042-044)                              | 16                     | 16   | 16   | 465                      | 625   | 360.9              | 419.9  | 0                 | 460.6              | 544.7  | 0                 |
| All cancer (140-208)                                   | 68                     | 46   | 58   | 730                      | 1,235 | 613.8              | 355.9  | 0                 | 1127.5             | 697.7  | 0                 |
| ..Oral cavity or pharynx (140.0-149.9)                 | .                      | .    | .    | .                        | .     | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0)          | 5                      | 2    | 4    | 40                       | 65    | .                  | .      | 0                 | .                  | .      | 0                 |
| ...Colon cancer (153)                                  | 2                      | .    | 1    | 0                        | 3     | .                  | .      | 0                 | .                  | .      | 0                 |
| ...Rectal cancer (154)                                 | 3                      | 2    | 3    | 40                       | 63    | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Pancreatic cancer (157)                              | 2                      | .    | .    | 0                        | 0     | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Lung and other respiratory cancer (160-165)          | 9                      | 4    | 6    | 50                       | 95    | .                  | .      | 0                 | .                  | .      | 0                 |
| ...Lung cancer (162.2-.9)                              | 9                      | 4    | 6    | 50                       | 95    | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Malignant melanoma of skin (172)                     | 1                      | .    | .    | 0                        | 0     | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Female breast cancer (174)                           | 16                     | 14   | 15   | 195                      | 338   | 174.4              | .      | 0                 | 318.1              | .      | 0                 |
| ..Cervical cancer (180)                                | 3                      | 3    | 3    | 98                       | 128   | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Ovarian cancer (183)                                 | 4                      | 4    | 4    | 65                       | 105   | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Prostate cancer (185)                                | .                      | .    | .    | .                        | .     | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Bladder cancer (188)                                 | .                      | .    | .    | .                        | .     | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Brain & other CNS cancer (191-192)                   | .                      | .    | .    | .                        | .     | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Leukemia (204-208)                                   | 4                      | 4    | 4    | 60                       | 100   | .                  | .      | 0                 | .                  | .      | 0                 |
| Diabetes mellitus (250)                                | 8                      | 2    | 4    | 25                       | 60    | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Diabetes-related (250)                               | 46                     | 18   | 29   | 155                      | 393   | 172.8              | 133.1  | 0                 | 484.5              | 347.6  | 0                 |
| Alzheimer's diseases (331.0)                           | 3                      | .    | 2    | 0                        | 5     | .                  | .      | 0                 | .                  | .      | 0                 |
| Cardiovascular disease (390-459)                       | 111                    | 39   | 54   | 719                      | 1,171 | 587.7              | 382.5  | 0                 | 1047.2             | 731.1  | 0                 |
| ..Diseases of the heart (390-398,402,404-429)          | 84                     | 31   | 42   | 599                      | 956   | 469.7              | 314.2  | 0                 | 831.7              | 591.7  | 0                 |
| ...Heart disease-related (390-398,402,404-429)         | 160                    | 60   | 89   | 1,081                    | 1,804 | 902.0              | 894.7  | 0                 | 1668.5             | 1534.9 | 0                 |
| ...Coronary heart disease (CHD) (402,410-414,429.2)    | 55                     | 19   | 27   | 208                      | 428   | 219.3              | 170.6  | 0                 | 483.7              | 392.4  | 0                 |
| ...Congestive heart failure (CHF) (428.0)              | 4                      | 1    | 2    | 65                       | 82    | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Hypertension with or without renal disease (401,403) | 2                      | .    | 1    | 0                        | 3     | .                  | .      | 0                 | .                  | .      | 0                 |
| ...Hypertension-related (401,403)                      | 23                     | 5    | 11   | 38                       | 108   | 47.3               | .      | 0                 | 143.1              | .      | 0                 |
| ..Cerebrovascular disease (430-438)                    | 24                     | 8    | 11   | 120                      | 213   | 117.9              | .      | 0                 | 211.3              | .      | 0                 |
| ..Atherosclerosis (440)                                | 1                      | .    | .    | 0                        | 0     | .                  | .      | 0                 | .                  | .      | 0                 |
| ...Atherosclerosis-related (440)                       | 7                      | .    | .    | 0                        | 0     | .                  | .      | 0                 | .                  | .      | 0                 |
| ..Aortic aneurysm (441)                                | .                      | .    | .    | .                        | .     | .                  | .      | 0                 | .                  | .      | 0                 |
| Pneumonia & influenza (480-487)                        | 8                      | 2    | 2    | 102                      | 122   | .                  | .      | 0                 | .                  | .      | 0                 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 11                     | 4    | 6    | 50                       | 95    | .                  | .      | 0                 | .                  | .      | 0                 |
| ..COPD-related (490-496)                               | 19                     | 7    | 10   | 103                      | 185   | 90.1               | 60.0   | 0                 | 182.0              | 146.7  | 0                 |
| ..Asthma (493)   | 5                      | 3    | 4    | 28                       | 60    | .                  | .      | 0                 | .                  | .      | 0                 |
| Chronic liver disease and cirrhosis (571)              | 8                      | 5    | 7    | 43                       | 103   | .                  | .      | 0                 | .                  | .      | 0                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

|   | Female                 |      |      |                          |      |                    |       |                   |                    |       |                   |
|---|------------------------|------|------|--------------------------|------|--------------------|-------|-------------------|--------------------|-------|-------------------|
|   | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |      | Adjusted YPLL < 65 |       |                   | Adjusted YPLL < 75 |       |                   |
|   | All                    | < 65 | < 75 | < 65                     | < 75 | 1997               | 1996  | Signif-<br>icance | 1997               | 1996  | Signif-<br>icance |
| *****Causes of Death*****   |                        |      |      |                          |      |                    |       |                   |                    |       |                   |
| Nephritis, nephrotic syndrome/nephrosis (580-589)                       | 8                      | 3    | 5    | 13                       | 53   | .                  | .     | .                 | .                  | .     | .                 |
| ..Nephritis-related (580-589)   | 25                     | 14   | 18   | 210                      | 365  | 198.6              | 157.4 | 0                 | 367.2              | 303.9 | 0                 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9)              | 8                      | 3    | 5    | 13                       | 53   | .                  | .     | .                 | .                  | .     | .                 |
| Unintentional injuries (E800-E949)                                      | 18                     | 17   | 18   | 552                      | 724  | 421.5              | .     | 0                 | 540.8              | .     | 0                 |
| ..Motor vehicle accidents (E810-E825)                                   | 9                      | 9    | 9    | 298                      | 388  | .                  | .     | .                 | .                  | .     | .                 |
| ..Falls and fall related injuries (E880-E888)                           | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ..Drowning (E830,E832,E910)   | 1                      | 1    | 1    | 65                       | 75   | .                  | .     | .                 | .                  | .     | .                 |
| ..Residential fires (E890-E899)   | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| Suicide (E950-E959)   | 1                      | 1    | 1    | 23                       | 33   | .                  | .     | .                 | .                  | .     | .                 |
| Homicide and legal intervention (E960-E978)                             | 2                      | 2    | 2    | 50                       | 70   | .                  | .     | .                 | .                  | .     | .                 |
| ..Homicide (E960-E969)  | 2                      | 2    | 2    | 50                       | 70   | .                  | .     | .                 | .                  | .     | .                 |
| All injury (E800-E999)  | 22                     | 21   | 22   | 662                      | 874  | 494.7              | 436.7 | 0                 | 636.0              | 526.6 | 0                 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5)                 | 8                      | 8    | 8    | 260                      | 340  | .                  | .     | .                 | .                  | .     | .                 |
| ..All falls (E880-E886,E888,E957,E968.1,E987)                           | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ...Suicide (E955.0-.4)  | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ...Homicide (E965.0-.4)   | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)               | 6                      | 6    | 6    | 170                      | 230  | .                  | .     | .                 | .                  | .     | .                 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)   | 4                      | 4    | 4    | 75                       | 115  | .                  | .     | .                 | .                  | .     | .                 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)    | 6                      | 6    | 6    | 170                      | 230  | .                  | .     | .                 | .                  | .     | .                 |

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

|  | Both Sexes             |      |      |                          |        |                    |        |                   |                    |        |                   |
|--|------------------------|------|------|--------------------------|--------|--------------------|--------|-------------------|--------------------|--------|-------------------|
|  | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |        | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |        |                   |
|  | All                    | < 65 | < 75 | < 65                     | < 75   | 1997               | 1996   | Signif-<br>icance | 1997               | 1996   | Signif-<br>icance |
| *****Causes of Death*****                              |                        |      |      |                          |        |                    |        |                   |                    |        |                   |
| All causes   | 774                    | 468  | 581  | 11,983                   | 17,206 | 4922.0             | 5094.6 | 0                 | 7531.2             | 7516.8 | 0                 |
| Infectious diseases and parasitic disease (1-139)      | 80                     | 67   | 73   | 1,754                    | 2,459  | 758.0              | 1156.2 | 0                 | 1054.9             | 1547.2 | 0                 |
| ..Septicemia (038)                                     | 16                     | 6    | 10   | 90                       | 170    | 49.5               | .      | 0                 | 102.9              | .      | 0                 |
| ...Septicemia-related (038)                            | 40                     | 19   | 26   | 258                      | 485    | 143.1              | 214.8  | 0                 | 292.3              | 385.9  | 0                 |
| ..HIV infection (042-044)                              | 48                     | 46   | 48   | 1,155                    | 1,630  | 513.6              | 969.2  | 1                 | 710.1              | 1272.5 | 1                 |
| All cancer (140-208)                                   | 134                    | 74   | 106  | 1,200                    | 2,100  | 617.4              | 483.2  | 0                 | 1181.9             | 913.0  | 0                 |
| ..Oral cavity or pharynx (140.0-149.9)                 | 2                      | 1    | 1    | 28                       | 38     | .                  | .      | .                 | .                  | .      | .                 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0)          | 13                     | 8    | 11   | 140                      | 233    | .                  | .      | .                 | .                  | .      | .                 |
| ...Colon cancer (153)                                  | 8                      | 4    | 6    | 70                       | 120    | .                  | .      | .                 | .                  | .      | .                 |
| ...Rectal cancer (154)                                 | 5                      | 4    | 5    | 70                       | 113    | .                  | .      | .                 | .                  | .      | .                 |
| ..Pancreatic cancer (157)                              | 6                      | .    | 3    | 0                        | 23     | .                  | .      | .                 | .                  | .      | .                 |
| ..Lung and other respiratory cancer (160-165)          | 22                     | 8    | 17   | 75                       | 203    | 52.3               | 30.4   | 0                 | 152.5              | 98.0   | 0                 |
| ...Lung cancer (162.2-.9)                              | 21                     | 7    | 16   | 73                       | 190    | 50.2               | 22.0   | 0                 | 142.7              | 74.1   | 0                 |
| ..Malignant melanoma of skin (172)                     | 3                      | 2    | 2    | 30                       | 50     | .                  | .      | .                 | .                  | .      | .                 |
| ..Female breast cancer (174)                           | 16                     | 14   | 15   | 195                      | 338    | .                  | .      | .                 | .                  | .      | .                 |
| ..Cervical cancer (180)                                | 3                      | 3    | 3    | 98                       | 128    | .                  | .      | .                 | .                  | .      | .                 |
| ..Ovarian cancer (183)                                 | 4                      | 4    | 4    | 65                       | 105    | .                  | .      | .                 | .                  | .      | .                 |
| ..Prostate cancer (185)                                | 6                      | .    | 3    | 0                        | 13     | .                  | .      | .                 | .                  | .      | .                 |
| ..Bladder cancer (188)                                 | 1                      | .    | .    | 0                        | 0      | .                  | .      | .                 | .                  | .      | .                 |
| ..Brain & other CNS cancer (191-192)                   | 3                      | 2    | 2    | 40                       | 60     | .                  | .      | .                 | .                  | .      | .                 |
| ..Leukemia (204-208)                                   | 9                      | 6    | 7    | 145                      | 213    | .                  | .      | .                 | .                  | .      | .                 |
| Diabetes mellitus (250)                                | 25                     | 11   | 19   | 153                      | 308    | 88.5               | 82.5   | 0                 | 196.4              | 206.6  | 0                 |
| ..Diabetes-related (250)                               | 91                     | 44   | 62   | 490                      | 1,020  | 314.0              | 208.3  | 0                 | 680.5              | 514.8  | 0                 |
| Alzheimer's diseases (331.0)                           | 3                      | .    | 2    | 0                        | 5      | .                  | .      | .                 | .                  | .      | .                 |
| Cardiovascular disease (390-459)                       | 228                    | 98   | 134  | 1,575                    | 2,710  | 824.6              | 722.5  | 0                 | 1538.6             | 1300.7 | 0                 |
| ..Diseases of the heart (390-398,402,404-429)          | 181                    | 77   | 106  | 1,303                    | 2,205  | 650.1              | 587.3  | 0                 | 1214.3             | 1056.0 | 0                 |
| ...Heart disease-related (390-398,402,404-429)         | 352                    | 161  | 225  | 2,901                    | 4,816  | 1425.4             | 1422.8 | 0                 | 2599.3             | 2420.7 | 0                 |
| ...Coronary heart disease (CHD) (402,410-414,429.2)    | 123                    | 50   | 70   | 590                      | 1,185  | 372.9              | 259.7  | 0                 | 780.6              | 570.6  | 0                 |
| ...Congestive heart failure (CHF) (428.0)              | 7                      | 1    | 2    | 65                       | 82     | .                  | .      | .                 | .                  | .      | .                 |
| ..Hypertension with or without renal disease (401,403) | 3                      | .    | 2    | 0                        | 5      | .                  | .      | .                 | .                  | .      | .                 |
| ...Hypertension-related (401,403)                      | 45                     | 13   | 25   | 158                      | 333    | 103.6              | 34.9   | 0                 | 231.1              | 110.5  | 0                 |
| ..Cerebrovascular disease (430-438)                    | 39                     | 18   | 22   | 240                      | 435    | 154.0              | 105.6  | 0                 | 275.9              | 184.7  | 0                 |
| ..Atherosclerosis (440)                                | 1                      | .    | .    | 0                        | 0      | .                  | .      | .                 | .                  | .      | .                 |
| ...Atherosclerosis-related (440)                       | 13                     | 2    | 4    | 15                       | 40     | .                  | .      | .                 | .                  | .      | .                 |
| ..Aortic aneurysm (441)                                | 2                      | 1    | 2    | 8                        | 20     | .                  | .      | .                 | .                  | .      | .                 |
| Pneumonia & influenza (480-487)                        | 21                     | 6    | 7    | 217                      | 285    | 72.5               | 74.2   | 0                 | 100.6              | 124.9  | 0                 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 21                     | 9    | 12   | 205                      | 302    | 91.0               | 84.4   | 0                 | 142.1              | 149.7  | 0                 |
| ..COPD-related (490-496)                               | 43                     | 16   | 22   | 297                      | 487    | 141.8              | 109.2  | 0                 | 256.1              | 248.1  | 0                 |
| ..Asthma (493)   | 9                      | 6    | 8    | 100                      | 165    | .                  | .      | .                 | .                  | .      | .                 |
| Chronic liver disease and cirrhosis (571)              | 25                     | 20   | 24   | 275                      | 500    | 175.6              | 197.6  | 0                 | 316.6              | 337.1  | 0                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

|   | Both Sexes             |      |      |                          |       |                    |        |                   |                    |        |                   |
|---|------------------------|------|------|--------------------------|-------|--------------------|--------|-------------------|--------------------|--------|-------------------|
|   | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |       | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |        |                   |
|   | All                    | < 65 | < 75 | < 65                     | < 75  | 1997               | 1996   | Signif-<br>icance | 1997               | 1996   | Signif-<br>icance |
| *****Causes of Death*****   |                        |      |      |                          |       |                    |        |                   |                    |        |                   |
| Nephritis, nephrotic syndrome/nephrosis (580-589)                       | 14                     | 5    | 9    | 43                       | 108   | .                  | .      | .                 | .                  | .      | .                 |
| ..Nephritis-related (580-589)   | 51                     | 28   | 37   | 447                      | 765   | 235.1              | 255.3  | 0                 | 432.6              | 469.5  | 0                 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9)              | 16                     | 5    | 10   | 43                       | 115   | 28.5               | 67.4   | 0                 | 85.4               | 135.3  | 0                 |
| Unintentional injuries (E800-E949)                                      | 78                     | 73   | 77   | 2,301                    | 3,046 | 883.1              | 613.9  | 0                 | 1139.0             | 773.6  | 0                 |
| ..Motor vehicle accidents (E810-E825)                                   | 29                     | 28   | 29   | 900                      | 1,183 | 351.0              | 243.5  | 0                 | 446.4              | 313.7  | 0                 |
| ..Falls and fall related injuries (E880-E888)                           | 3                      | 2    | 2    | 85                       | 105   | .                  | .      | .                 | .                  | .      | .                 |
| ..Drowning (E830,E832,E910)   | 4                      | 4    | 4    | 182                      | 222   | .                  | .      | .                 | .                  | .      | .                 |
| ..Residential fires (E890-E899)   | 1                      | 1    | 1    | 65                       | 75    | .                  | .      | .                 | .                  | .      | .                 |
| Suicide (E950-E959)   | 12                     | 12   | 12   | 375                      | 495   | .                  | .      | .                 | .                  | .      | .                 |
| Homicide and legal intervention (E960-E978)                             | 19                     | 18   | 19   | 685                      | 873   | 254.4              | 389.7  | 0                 | 310.9              | 465.5  | 0                 |
| ..Homicide (E960-E969)  | 19                     | 18   | 19   | 685                      | 873   | 254.4              | 389.7  | 0                 | 310.9              | 465.5  | 0                 |
| All injury (E800-E999)  | 110                    | 104  | 109  | 3,398                    | 4,461 | 1293.0             | 1225.8 | 0                 | 1644.6             | 1517.4 | 0                 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5)                 | 26                     | 25   | 26   | 798                      | 1,050 | 312.2              | 243.5  | 0                 | 399.1              | 313.7  | 0                 |
| ..All falls (E880-E886,E888,E957,E968.1,E987)                           | 4                      | 3    | 3    | 128                      | 158   | .                  | .      | .                 | .                  | .      | .                 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 17                     | 17   | 17   | 658                      | 828   | 232.5              | 370.4  | 0                 | 274.3              | 433.6  | 0                 |
| ....Suicide (E955.0-.4)   | 4                      | 4    | 4    | 130                      | 170   | .                  | .      | .                 | .                  | .      | .                 |
| ....Homicide (E965.0-.4)  | 13                     | 13   | 13   | 528                      | 658   | .                  | 334.0  | .                 | .                  | 387.4  | .                 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)               | 32                     | 32   | 32   | 850                      | 1,170 | 356.0              | 268.7  | 0                 | 470.9              | 336.7  | 0                 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)   | 14                     | 13   | 14   | 208                      | 345   | .                  | 131.2  | .                 | .                  | 220.6  | .                 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)    | 32                     | 32   | 32   | 840                      | 1,160 | 357.8              | 219.6  | 0                 | 474.7              | 277.5  | 0                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

|  | Male                   |      |      |                          |        |                    |        |                   |                    |         |                   |
|--|------------------------|------|------|--------------------------|--------|--------------------|--------|-------------------|--------------------|---------|-------------------|
|  | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |        | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |         |                   |
|  | All                    | < 65 | < 75 | < 65                     | < 75   | 1997               | 1996   | Signif-<br>icance | 1997               | 1996    | Signif-<br>icance |
| *****Causes of Death*****                              |                        |      |      |                          |        |                    |        |                   |                    |         |                   |
| All causes   | 449                    | 294  | 359  | 7,667                    | 10,950 | 6399.0             | 7380.8 | 0                 | 9876.3             | 10827.3 | 0                 |
| Infectious diseases and parasitic disease (1-139)      | 47                     | 43   | 45   | 1,067                    | 1,512  | 964.2              | 1745.3 | 1                 | 1357.9             | 2366.7  | 1                 |
| ..Septicemia (038)                                     | 5                      | 3    | 3    | 38                       | 68     | .                  | .      | .                 | .                  | .       | .                 |
| ...Septicemia-related (038)                            | 19                     | 11   | 13   | 123                      | 248    | 162.3              | 286.8  | 0                 | 343.6              | 532.0   | 0                 |
| ..HIV infection (042-044)                              | 32                     | 30   | 32   | 690                      | 1,005  | 656.8              | 1471.4 | 1                 | 950.5              | 1942.7  | 1                 |
| All cancer (140-208)                                   | 66                     | 28   | 48   | 470                      | 865    | 499.2              | 521.5  | 0                 | 1093.4             | 1010.6  | 0                 |
| ..Oral cavity or pharynx (140.0-149.9)                 | 2                      | 1    | 1    | 28                       | 38     | .                  | .      | .                 | .                  | .       | .                 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0)          | 8                      | 6    | 7    | 100                      | 168    | .                  | .      | .                 | .                  | .       | .                 |
| ...Colon cancer (153)                                  | 6                      | 4    | 5    | 70                       | 118    | .                  | .      | .                 | .                  | .       | .                 |
| ...Rectal cancer (154)                                 | 2                      | 2    | 2    | 30                       | 50     | .                  | .      | .                 | .                  | .       | .                 |
| ..Pancreatic cancer (157)                              | 4                      | .    | 3    | 0                        | 23     | .                  | .      | .                 | .                  | .       | .                 |
| ..Lung and other respiratory cancer (160-165)          | 13                     | 4    | 11   | 25                       | 108    | .                  | .      | .                 | .                  | .       | .                 |
| ...Lung cancer (162.2-.9)                              | 12                     | 3    | 10   | 23                       | 95     | .                  | .      | .                 | .                  | .       | .                 |
| ..Malignant melanoma of skin (172)                     | 2                      | 2    | 2    | 30                       | 50     | .                  | .      | .                 | .                  | .       | .                 |
| ..Female breast cancer (174)                           | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .       | .                 |
| ..Cervical cancer (180)                                | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .       | .                 |
| ..Ovarian cancer (183)                                 | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .       | .                 |
| ..Prostate cancer (185)                                | 6                      | .    | 3    | 0                        | 13     | .                  | .      | .                 | .                  | .       | .                 |
| ..Bladder cancer (188)                                 | 1                      | .    | .    | 0                        | 0      | .                  | .      | .                 | .                  | .       | .                 |
| ..Brain & other CNS cancer (191-192)                   | 3                      | 2    | 2    | 40                       | 60     | .                  | .      | .                 | .                  | .       | .                 |
| ..Leukemia (204-208)                                   | 5                      | 2    | 3    | 85                       | 113    | .                  | .      | .                 | .                  | .       | .                 |
| Diabetes mellitus (250)                                | 17                     | 9    | 15   | 128                      | 248    | 148.3              | 86.6   | 0                 | 330.3              | 246.4   | 0                 |
| ..Diabetes-related (250)                               | 45                     | 26   | 33   | 335                      | 628    | 437.4              | 268.8  | 0                 | 849.4              | 677.0   | 0                 |
| Alzheimer's diseases (331.0)                           | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .       | .                 |
| Cardiovascular disease (390-459)                       | 117                    | 59   | 80   | 857                      | 1,539  | 998.3              | 1014.4 | 0                 | 1971.8             | 1824.7  | 0                 |
| ..Diseases of the heart (390-398,402,404-429)          | 97                     | 46   | 64   | 704                      | 1,249  | 790.5              | 831.0  | 0                 | 1569.4             | 1494.8  | 0                 |
| ...Heart disease-related (390-398,402,404-429)         | 192                    | 101  | 136  | 1,820                    | 3,012  | 1881.9             | 1873.2 | 0                 | 3477.3             | 3222.3  | 0                 |
| ...Coronary heart disease (CHD) (402,410-414,429.2)    | 68                     | 31   | 43   | 383                      | 758    | 510.6              | 319.4  | 0                 | 1074.8             | 715.2   | 0                 |
| ...Congestive heart failure (CHF) (428.0)              | 3                      | .    | .    | 0                        | 0      | .                  | .      | .                 | .                  | .       | .                 |
| ..Hypertension with or without renal disease (401,403) | 1                      | .    | 1    | 0                        | 3      | .                  | .      | .                 | .                  | .       | .                 |
| ...Hypertension-related (401,403)                      | 22                     | 8    | 14   | 120                      | 225    | 160.0              | .      | 0                 | 318.5              | .       | 0                 |
| ..Cerebrovascular disease (430-438)                    | 15                     | 10   | 11   | 120                      | 223    | 163.9              | 151.3  | 0                 | 303.1              | 255.5   | 0                 |
| ..Atherosclerosis (440)                                | .                      | .    | .    | .                        | .      | .                  | .      | .                 | .                  | .       | .                 |
| ...Atherosclerosis-related (440)                       | 6                      | 2    | 4    | 15                       | 40     | .                  | .      | .                 | .                  | .       | .                 |
| ..Aortic aneurysm (441)                                | 2                      | 1    | 2    | 8                        | 20     | .                  | .      | .                 | .                  | .       | .                 |
| Pneumonia & influenza (480-487)                        | 13                     | 4    | 5    | 115                      | 163    | .                  | .      | .                 | .                  | .       | .                 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 10                     | 5    | 6    | 155                      | 207    | .                  | .      | .                 | .                  | .       | .                 |
| ..COPD-related (490-496)                               | 24                     | 9    | 12   | 195                      | 302    | 180.5              | 152.2  | 0                 | 314.8              | 351.4   | 0                 |
| ..Asthma (493)   | 4                      | 3    | 4    | 73                       | 105    | .                  | .      | .                 | .                  | .       | .                 |
| Chronic liver disease and cirrhosis (571)              | 17                     | 15   | 17   | 233                      | 398    | 305.1              | 393.6  | 0                 | 514.4              | 649.5   | 0                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

|   | Male                   |      |      |                          |       |                    |        |                   |                    |        |                   |
|---|------------------------|------|------|--------------------------|-------|--------------------|--------|-------------------|--------------------|--------|-------------------|
|   | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |       | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |        |                   |
|   | All                    | < 65 | < 75 | < 65                     | < 75  | 1997               | 1996   | Signif-<br>icance | 1997               | 1996   | Signif-<br>icance |
| *****Causes of Death*****   |                        |      |      |                          |       |                    |        |                   |                    |        |                   |
| Nephritis, nephrotic syndrome/nephrosis (580-589)                       | 6                      | 2    | 4    | 30                       | 55    | .                  | .      | .                 | .                  | .      | .                 |
| ..Nephritis-related (580-589)   | 26                     | 14   | 19   | 237                      | 400   | 253.0              | 318.5  | 0                 | 476.1              | 586.9  | 0                 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9)              | 8                      | 2    | 5    | 30                       | 63    | .                  | .      | .                 | .                  | .      | .                 |
| Unintentional injuries (E800-E949)                                      | 60                     | 56   | 59   | 1,749                    | 2,322 | 1370.3             | 960.4  | 0                 | 1769.3             | 1214.3 | 0                 |
| ..Motor vehicle accidents (E810-E825)                                   | 20                     | 19   | 20   | 603                      | 795   | 477.5              | 398.4  | 0                 | 611.1              | 527.5  | 0                 |
| ..Falls and fall related injuries (E880-E888)                           | 3                      | 2    | 2    | 85                       | 105   | .                  | .      | .                 | .                  | .      | .                 |
| ..Drowning (E830,E832,E910)   | 3                      | 3    | 3    | 118                      | 148   | .                  | .      | .                 | .                  | .      | .                 |
| ..Residential fires (E890-E899)   | 1                      | 1    | 1    | 65                       | 75    | .                  | .      | .                 | .                  | .      | .                 |
| Suicide (E950-E959)   | 11                     | 11   | 11   | 353                      | 463   | .                  | .      | .                 | .                  | .      | .                 |
| Homicide and legal intervention (E960-E978)                             | 17                     | 16   | 17   | 635                      | 803   | 451.5              | 648.5  | 0                 | 551.2              | 787.8  | 0                 |
| ..Homicide (E960-E969)  | 17                     | 16   | 17   | 635                      | 803   | 451.5              | 648.5  | 0                 | 551.2              | 787.8  | 0                 |
| All injury (E800-E999)  | 88                     | 83   | 87   | 2,737                    | 3,587 | 2085.2             | 2038.0 | 0                 | 2651.4             | 2541.8 | 0                 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5)                 | 18                     | 17   | 18   | 538                      | 710   | 422.8              | 398.4  | 0                 | 543.2              | 527.5  | 0                 |
| ..All falls (E880-E886,E888,E957,E968.1,E987)                           | 4                      | 3    | 3    | 128                      | 158   | .                  | .      | .                 | .                  | .      | .                 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 17                     | 17   | 17   | 658                      | 828   | 453.9              | 646.2  | 0                 | 536.6              | 758.5  | 0                 |
| ....Suicide (E955.0-.4)   | 4                      | 4    | 4    | 130                      | 170   | .                  | .      | .                 | .                  | .      | .                 |
| ....Homicide (E965.0-.4)  | 13                     | 13   | 13   | 528                      | 658   | .                  | 571.4  | .                 | .                  | 663.7  | .                 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)               | 26                     | 26   | 26   | 680                      | 940   | 586.0              | 491.7  | 0                 | 783.5              | 610.2  | 0                 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)   | 10                     | 9    | 10   | 133                      | 230   | .                  | .      | .                 | .                  | .      | .                 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)    | 26                     | 26   | 26   | 670                      | 930   | 590.9              | 395.0  | 0                 | 792.7              | 493.0  | 0                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

|  | Female                 |      |      |                          |       |                    |        |                   |                    |        |                   |
|--|------------------------|------|------|--------------------------|-------|--------------------|--------|-------------------|--------------------|--------|-------------------|
|  | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |       | Adjusted YPLL < 65 |        |                   | Adjusted YPLL < 75 |        |                   |
|  | All                    | < 65 | < 75 | < 65                     | < 75  | 1997               | 1996   | Signif-<br>icance | 1997               | 1996   | Signif-<br>icance |
| *****Causes of Death*****                              |                        |      |      |                          |       |                    |        |                   |                    |        |                   |
| All causes   | 325                    | 174  | 222  | 4,316                    | 6,256 | 3491.9             | 2880.2 | 0                 | 5361.4             | 4391.3 | 0                 |
| Infectious diseases and parasitic disease (1-139)      | 33                     | 24   | 28   | 687                      | 947   | 572.3              | 608.2  | 0                 | 782.4              | 788.5  | 0                 |
| ..Septicemia (038)                                     | 11                     | 3    | 7    | 53                       | 103   | .                  | .      | 0                 | .                  | .      | 0                 |
| ...Septicemia-related (038)                            | 21                     | 8    | 13   | 135                      | 238   | 129.7              | 148.8  | 0                 | 251.0              | 260.2  | 0                 |
| ..HIV infection (042-044)                              | 16                     | 16   | 16   | 465                      | 625   | 387.0              | 496.9  | 0                 | 499.9              | 644.3  | 0                 |
| All cancer (140-208)                                   | 68                     | 46   | 58   | 730                      | 1,235 | 724.5              | 443.8  | 0                 | 1279.6             | 823.6  | 0                 |
| ..Oral cavity or pharynx (140.0-149.9)                 | .                      | .    | .    | .                        | .     | .                  | .      | .                 | .                  | .      | .                 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0)          | 5                      | 2    | 4    | 40                       | 65    | .                  | .      | .                 | .                  | .      | .                 |
| ...Colon cancer (153)                                  | 2                      | .    | 1    | 0                        | 3     | .                  | .      | .                 | .                  | .      | .                 |
| ...Rectal cancer (154)                                 | 3                      | 2    | 3    | 40                       | 63    | .                  | .      | .                 | .                  | .      | .                 |
| ..Pancreatic cancer (157)                              | 2                      | .    | .    | 0                        | 0     | .                  | .      | .                 | .                  | .      | .                 |
| ..Lung and other respiratory cancer (160-165)          | 9                      | 4    | 6    | 50                       | 95    | .                  | .      | .                 | .                  | .      | .                 |
| ...Lung cancer (162.2-.9)                              | 9                      | 4    | 6    | 50                       | 95    | .                  | .      | .                 | .                  | .      | .                 |
| ..Malignant melanoma of skin (172)                     | 1                      | .    | .    | 0                        | 0     | .                  | .      | .                 | .                  | .      | .                 |
| ..Female breast cancer (174)                           | 16                     | 14   | 15   | 195                      | 338   | 218.4              | .      | 0                 | 375.6              | .      | 0                 |
| ..Cervical cancer (180)                                | 3                      | 3    | 3    | 98                       | 128   | .                  | .      | .                 | .                  | .      | .                 |
| ..Ovarian cancer (183)                                 | 4                      | 4    | 4    | 65                       | 105   | .                  | .      | .                 | .                  | .      | .                 |
| ..Prostate cancer (185)                                | .                      | .    | .    | .                        | .     | .                  | .      | .                 | .                  | .      | .                 |
| ..Bladder cancer (188)                                 | .                      | .    | .    | .                        | .     | .                  | .      | .                 | .                  | .      | .                 |
| ..Brain & other CNS cancer (191-192)                   | .                      | .    | .    | .                        | .     | .                  | .      | .                 | .                  | .      | .                 |
| ..Leukemia (204-208)                                   | 4                      | 4    | 4    | 60                       | 100   | .                  | .      | .                 | .                  | .      | .                 |
| Diabetes mellitus (250)                                | 8                      | 2    | 4    | 25                       | 60    | .                  | .      | .                 | .                  | .      | .                 |
| ..Diabetes-related (250)                               | 46                     | 18   | 29   | 155                      | 393   | 201.3              | 155.3  | 0                 | 525.3              | 379.5  | 0                 |
| Alzheimer's diseases (331.0)                           | 3                      | .    | 2    | 0                        | 5     | .                  | .      | .                 | .                  | .      | .                 |
| Cardiovascular disease (390-459)                       | 111                    | 39   | 54   | 719                      | 1,171 | 675.7              | 446.4  | 0                 | 1177.0             | 829.3  | 0                 |
| ..Diseases of the heart (390-398,402,404-429)          | 84                     | 31   | 42   | 599                      | 956   | 529.1              | 360.2  | 0                 | 918.3              | 663.8  | 0                 |
| ...Heart disease-related (390-398,402,404-429)         | 160                    | 60   | 89   | 1,081                    | 1,804 | 1008.9             | 1002.7 | 0                 | 1833.1             | 1701.0 | 0                 |
| ...Coronary heart disease (CHD) (402,410-414,429.2)    | 55                     | 19   | 27   | 208                      | 428   | 248.1              | 205.7  | 0                 | 527.4              | 446.5  | 0                 |
| ...Congestive heart failure (CHF) (428.0)              | 4                      | 1    | 2    | 65                       | 82    | .                  | .      | .                 | .                  | .      | .                 |
| ..Hypertension with or without renal disease (401,403) | 2                      | .    | 1    | 0                        | 3     | .                  | .      | .                 | .                  | .      | .                 |
| ...Hypertension-related (401,403)                      | 23                     | 5    | 11   | 38                       | 108   | 52.2               | .      | 0                 | 154.1              | .      | 0                 |
| ..Cerebrovascular disease (430-438)                    | 24                     | 8    | 11   | 120                      | 213   | 146.6              | .      | 0                 | 253.6              | .      | 0                 |
| ..Atherosclerosis (440)                                | 1                      | .    | .    | 0                        | 0     | .                  | .      | .                 | .                  | .      | .                 |
| ...Atherosclerosis-related (440)                       | 7                      | .    | .    | 0                        | 0     | .                  | .      | .                 | .                  | .      | .                 |
| ..Aortic aneurysm (441)                                | .                      | .    | .    | .                        | .     | .                  | .      | .                 | .                  | .      | .                 |
| Pneumonia & influenza (480-487)                        | 8                      | 2    | 2    | 102                      | 122   | .                  | .      | .                 | .                  | .      | .                 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 11                     | 4    | 6    | 50                       | 95    | .                  | .      | .                 | .                  | .      | .                 |
| ..COPD-related (490-496)                               | 19                     | 7    | 10   | 103                      | 185   | 104.0              | 67.3   | 0                 | 201.6              | 157.3  | 0                 |
| ..Asthma (493)   | 5                      | 3    | 4    | 28                       | 60    | .                  | .      | .                 | .                  | .      | .                 |
| Chronic liver disease and cirrhosis (571)              | 8                      | 5    | 7    | 43                       | 103   | .                  | .      | .                 | .                  | .      | .                 |

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Hispanic Resident DEATHS, 1997  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

|   | Female                 |      |      |                          |      |                    |       |                   |                    |       |                   |
|---|------------------------|------|------|--------------------------|------|--------------------|-------|-------------------|--------------------|-------|-------------------|
|   | Number of Deaths, 1997 |      |      | Years of life lost, 1997 |      | Adjusted YPLL < 65 |       |                   | Adjusted YPLL < 75 |       |                   |
|   | All                    | < 65 | < 75 | < 65                     | < 75 | 1997               | 1996  | Signif-<br>icance | 1997               | 1996  | Signif-<br>icance |
| *****Causes of Death*****   |                        |      |      |                          |      |                    |       |                   |                    |       |                   |
| Nephritis, nephrotic syndrome/nephrosis (580-589)                       | 8                      | 3    | 5    | 13                       | 53   | .                  | .     | .                 | .                  | .     | .                 |
| ..Nephritis-related (580-589)   | 25                     | 14   | 18   | 210                      | 365  | 220.6              | 200.4 | 0                 | 399.5              | 365.3 | 0                 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9)              | 8                      | 3    | 5    | 13                       | 53   | .                  | .     | .                 | .                  | .     | .                 |
| Unintentional injuries (E800-E949)                                      | 18                     | 17   | 18   | 552                      | 724  | 405.1              | .     | 0                 | 527.2              | .     | 0                 |
| ..Motor vehicle accidents (E810-E825)                                   | 9                      | 9    | 9    | 298                      | 388  | .                  | .     | .                 | .                  | .     | .                 |
| ..Falls and fall related injuries (E880-E888)                           | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ..Drowning (E830,E832,E910)   | 1                      | 1    | 1    | 65                       | 75   | .                  | .     | .                 | .                  | .     | .                 |
| ..Residential fires (E890-E899)   | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| Suicide (E950-E959)   | 1                      | 1    | 1    | 23                       | 33   | .                  | .     | .                 | .                  | .     | .                 |
| Homicide and legal intervention (E960-E978)                             | 2                      | 2    | 2    | 50                       | 70   | .                  | .     | .                 | .                  | .     | .                 |
| ..Homicide (E960-E969)  | 2                      | 2    | 2    | 50                       | 70   | .                  | .     | .                 | .                  | .     | .                 |
| All injury (E800-E999)  | 22                     | 21   | 22   | 662                      | 874  | 494.8              | 411.2 | 0                 | 643.9              | 502.3 | 0                 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5)                 | 8                      | 8    | 8    | 260                      | 340  | .                  | .     | .                 | .                  | .     | .                 |
| ..All falls (E880-E886,E888,E957,E968.1,E987)                           | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ...Suicide (E955.0-.4)  | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ...Homicide (E965.0-.4)   | .                      | .    | .    | .                        | .    | .                  | .     | .                 | .                  | .     | .                 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)               | 6                      | 6    | 6    | 170                      | 230  | .                  | .     | .                 | .                  | .     | .                 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)   | 4                      | 4    | 4    | 75                       | 115  | .                  | .     | .                 | .                  | .     | .                 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)    | 6                      | 6    | 6    | 170                      | 230  | .                  | .     | .                 | .                  | .     | .                 |

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).