

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex White Residents, 1993-1994

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, White Residents, 1993-1994

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, White Residents, 1993-1994

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT White Resident DEATHS, 1993-1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1993-1994*****				*****1993-1994*****				*****1993-1994*****						
	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR
*****Causes of Death*****															
All causes	53,635	922.6	427.6	0	422.5	25,930	918.1	548.6	0	551.1	27,705	926.8	330.0	0	321.3
Infectious diseases and parasitic disease (1-139)	1,604	27.6	17.4	1	14.1	938	33.2	24.9	1	20.3	666	22.3	10.4	1	8.2
..Septicemia (038)	733	12.6	4.9	0	5.0	314	11.1	5.9	0	5.8	419	14.0	4.2	0	4.3
....Septicemia-related (038)	2,509	43.2	17.9	0	19.4	1,076	38.1	20.8	1	23.9	1,433	47.9	15.8	0	16.0
..HIV infection (042-044)	632	10.9	10.0	1	7.5	501	17.7	15.9	1	12.3	131	4.4	4.2	1	2.8
All cancer (140-208)	13,194	227.0	120.9	0	123.6	6,633	234.9	142.4	0	148.3	6,561	219.5	106.3	0	106.6
..Oral cavity or pharynx (140.0-149.9)	204	3.5	2.1	0	2.4	121	4.3	3.0	0	3.6	83	2.8	1.3	0	1.4
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,568	27.0	12.6	0	12.9	775	27.4	15.9	0	16.3	793	26.5	10.1	0	10.5
....Colon cancer (153)	1,243	21.4	9.8	0	10.6	604	21.4	12.1	0	13.3	639	21.4	8.0	0	8.6
....Rectal cancer (154)	298	5.1	2.7	0	2.1	162	5.7	3.6	0	2.7	136	4.5	1.9	0	1.7
..Pancreatic cancer (157)	712	12.2	6.3	0	6.0	356	12.6	7.9	0	6.5	356	11.9	4.9	0	5.5
..Lung and other respiratory cancer (160-165)	3,506	60.3	34.1	0	35.7	2,022	71.6	44.4	0	48.2	1,484	49.6	26.6	0	26.5
....Lung cancer (162.2-.9)	3,394	58.4	33.0	0	34.4	1,944	68.8	42.7	0	46.0	1,450	48.5	26.0	0	26.0
..Malignant melanoma of skin (172)	176	3.0	2.0	0	2.1	104	3.7	2.6	0	2.7	72	2.4	1.5	0	1.6
..Female breast cancer (174)	1,111	1,111	37.2	20.5	0	21.3
..Cervical cancer (180)	65	65	2.2	1.6	0	1.8
..Endometrial cancer (182)	77	77	2.6	1.1	0	1.2
..Ovarian cancer (183)	361	361	12.1	6.1	0	6.2
..Prostate cancer (185)	748	748	26.5	12.5	1	15.2
..Bladder cancer (188)	317	5.5	2.4	0	2.4	208	7.4	3.8	0	3.9	109	3.6	1.4	0	1.4
..Brain & other CNS cancer (191-192)	293	5.0	3.4	0	3.7	154	5.5	4.0	0	4.8	139	4.6	2.9	0	2.7
..Leukemia (204-208)	500	8.6	4.8	0	4.5	259	9.2	5.9	0	5.7	241	8.1	4.0	0	3.6
Diabetes mellitus (250)	1,073	18.5	9.0	1	7.3	470	16.6	10.1	0	8.6	603	20.2	8.1	1	6.1
..Diabetes-related (250)	4,485	77.1	34.8	1	32.4	2,039	72.2	41.1	0	39.1	2,446	81.8	29.9	0	27.3
..Diabetic ketoacidosis (DKA) (250.1)	18	0.3	0.2	0	.	6	0.2	.	.	.	12	0.4	.	.	.
Alzheimer's diseases (331.0)	494	8.5	2.5	0	2.0	156	5.5	2.4	0	2.3	338	11.3	2.5	1	1.8
Cardiovascular disease (390-459)	23,135	397.9	151.9	0	155.0	10,549	373.5	201.8	0	208.0	12,586	421.0	111.8	0	113.7
..Diseases of the heart (390-398,402,404-429)	18,394	316.4	123.5	0	126.3	8,685	307.5	168.9	0	173.9	9,709	324.8	87.0	0	89.1
....Heart disease-related (390-398,402,404-429)	30,602	526.4	211.4	0	212.6	14,471	512.4	280.5	0	285.0	16,131	539.6	157.5	0	157.3
....Coronary heart disease (CHD) (402,410-414,429.2)	13,390	230.3	89.8	1	93.8	6,481	229.5	126.9	0	133.5	6,909	231.1	59.8	0	62.5
....Congestive heart failure (CHF) (428.0)	949	16.3	4.6	0	4.3	357	12.6	5.4	0	4.8	592	19.8	4.1	0	4.0
..Hypertension with or without renal disease (401,403)	263	4.5	1.7	0	1.6	109	3.9	2.1	0	1.9	154	5.2	1.4	0	1.3
....Hypertension-related (401,403)	3,158	54.3	21.3	0	20.4	1,248	44.2	24.3	0	23.5	1,910	63.9	18.4	0	17.5
..Cerebrovascular disease (430-438)	3,412	58.7	20.0	0	19.6	1,268	44.9	22.0	0	22.0	2,144	71.7	18.4	0	17.8
..Atherosclerosis (440)	368	6.3	1.6	0	2.0	123	4.4	1.9	0	2.2	245	8.2	1.4	0	1.8
....Atherosclerosis-related (440)	1,704	29.3	8.7	1	10.4	642	22.7	10.4	1	13.1	1,062	35.5	7.4	0	8.4
..Aortic aneurysm (441)	354	6.1	2.7	0	3.0	215	7.6	4.2	0	4.7	139	4.6	1.5	0	1.8
Pneumonia & influenza (480-487)	2,248	38.7	12.0	0	11.5	985	34.9	15.8	0	15.6	1,263	42.3	9.6	0	8.9

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT White Resident DEATHS, 1993-1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1993-1994*****					*****1993-1994*****					*****1993-1994*****				
	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	2,184	37.6	15.4	0	14.8	1,035	36.6	18.4	0	19.6	1,149	38.4	13.7	0	11.9
..COPD-related (490-496)	5,315	91.4	37.0	1	34.0	2,747	97.3	48.8	0	46.7	2,568	85.9	29.6	1	26.1
..Asthma (493)	79	1.4	0.9	0	0.7	26	0.9	0.7	0	0.6	53	1.8	1.0	0	0.7
Chronic liver disease and cirrhosis (571)	547	9.4	6.7	0	6.6	364	12.9	10.0	0	9.4	183	6.1	3.8	0	4.2
Nephritis, nephrotic syndrome/nephrosis (580-589)	543	9.3	3.7	0	3.9	283	10.0	5.0	0	5.4	260	8.7	2.8	0	3.0
..Nephritis-related (580-589)	2,740	47.1	19.7	1	21.6	1,478	52.3	27.6	0	29.4	1,262	42.2	14.3	1	16.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	639	11.0	4.3	0	4.4	333	11.8	5.9	0	6.0	306	10.2	3.3	0	3.4
Unintentional injuries (E800-E949)	1,743	30.0	23.3	1	20.4	1,123	39.8	34.4	0	30.3	620	20.7	12.5	0	10.9
..Motor vehicle accidents (E810-E825)	619	10.6	10.6	0	9.8	420	14.9	15.1	0	14.1	199	6.7	6.1	0	5.5
..Falls and fall related injuries (E880-E888)	342	5.9	2.3	0	2.3	155	5.5	3.2	0	3.3	187	6.3	1.6	0	1.5
..Drowning (E830,E832,E910)	52	0.9	0.9	0	1.0	44	1.6	1.4	0	1.8	8	0.3	.	.	.
..Residential fires (E890-E899)	48	0.8	0.7	0	0.8	28	1.0	0.9	0	0.8	20	0.7	0.6	0	0.8
Suicide (E950-E959)	572	9.8	9.0	0	9.5	444	15.7	14.4	0	16.1	128	4.3	3.8	0	3.3
Homicide and legal intervention (E960-E978)	221	3.8	4.4	0	3.7	159	5.6	6.5	0	5.7	62	2.1	2.3	0	1.7
..Homicide (E960-E969)	219	3.8	4.4	0	3.7	157	5.6	6.4	0	5.7	62	2.1	2.3	0	1.7
All injury (E800-E999)	2,586	44.5	37.4	0	34.8	1,768	62.6	56.6	0	53.7	818	27.4	18.8	0	16.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	602	10.4	10.3	0	9.6	405	14.3	14.6	0	13.7	197	6.6	6.0	0	5.4
..All falls (E880-E886,E888,E957,E968.1,E987)	254	4.4	2.1	0	2.2	142	5.0	3.2	0	3.1	112	3.7	1.2	0	1.4
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	421	7.2	7.5	0	7.1	352	12.5	12.7	0	12.7	69	2.3	2.5	0	1.7
....Suicide (E955.0-.4)	265	4.6	4.3	0	4.2	226	8.0	7.4	0	7.8	39	1.3	1.3	0	0.8
....Homicide (E965.0-.4)	146	2.5	3.1	0	2.6	117	4.1	4.9	0	4.5	29	1.0	1.2	0	0.7
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	460	7.9	7.2	1	5.6	351	12.4	11.3	1	8.5	109	3.6	3.2	0	2.7
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	309	5.3	4.3	0	4.3	237	8.4	7.0	0	6.6	72	2.4	1.9	0	2.2
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	386	6.6	6.1	1	3.8	294	10.4	9.5	1	5.7	92	3.1	2.7	0	2.0

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT White Resident DEATHS, 1993-1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1993-1994*****				*****1993-1994*****				*****1993-1994*****						
	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR
*****Causes of Death*****															
All causes	53,635	922.6	599.7	0	595.8	25,930	918.1	761.2	0	771.8	27,705	926.8	479.7	0	469.5
Infectious diseases and parasitic disease (1-139)	1,604	27.6	19.1	1	15.8	938	33.2	26.2	1	21.8	666	22.3	12.5	0	10.5
..Septicemia (038)	733	12.6	7.6	0	7.5	314	11.1	8.9	0	8.7	419	14.0	6.6	0	6.7
....Septicemia-related (038)	2,509	43.2	26.7	0	28.2	1,076	38.1	30.8	0	34.6	1,433	47.9	23.8	0	23.8
..HIV infection (042-044)	632	10.9	8.5	1	6.4	501	17.7	13.7	1	10.5	131	4.4	3.4	0	2.4
All cancer (140-208)	13,194	227.0	160.5	0	163.5	6,633	234.9	195.7	0	203.3	6,561	219.5	138.2	0	138.3
..Oral cavity or pharynx (140.0-149.9)	204	3.5	2.6	0	3.0	121	4.3	3.7	0	4.4	83	2.8	1.7	0	1.9
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,568	27.0	17.9	0	18.2	775	27.4	22.8	0	23.2	793	26.5	14.5	0	14.8
....Colon cancer (153)	1,243	21.4	14.1	0	15.0	604	21.4	17.7	0	19.0	639	21.4	11.6	0	12.2
....Rectal cancer (154)	298	5.1	3.6	0	2.9	162	5.7	4.8	0	3.8	136	4.5	2.6	0	2.4
..Pancreatic cancer (157)	712	12.2	8.5	0	8.3	356	12.6	10.6	0	8.9	356	11.9	6.9	0	7.7
..Lung and other respiratory cancer (160-165)	3,506	60.3	44.4	0	46.1	2,022	71.6	60.1	0	64.6	1,484	49.6	33.8	0	33.4
....Lung cancer (162.2-.9)	3,394	58.4	43.0	0	44.4	1,944	68.8	57.8	0	61.7	1,450	48.5	33.0	0	32.7
..Malignant melanoma of skin (172)	176	3.0	2.4	0	2.4	104	3.7	3.2	0	3.2	72	2.4	1.7	0	1.8
..Female breast cancer (174)	1,111	1,111	37.2	25.2	0	25.8
..Cervical cancer (180)	65	65	2.2	1.7	0	2.0
..Endometrial cancer (182)	77	77	2.6	1.6	0	1.6
..Ovarian cancer (183)	361	361	12.1	7.8	0	7.8
..Prostate cancer (185)	748	748	26.5	20.9	1	24.9
..Bladder cancer (188)	317	5.5	3.5	0	3.6	208	7.4	5.9	0	6.0	109	3.6	2.0	0	2.1
..Brain & other CNS cancer (191-192)	293	5.0	4.0	0	4.3	154	5.5	4.8	0	5.5	139	4.6	3.4	0	3.2
..Leukemia (204-208)	500	8.6	6.2	0	5.8	259	9.2	7.7	0	7.4	241	8.1	5.2	0	4.6
Diabetes mellitus (250)	1,073	18.5	12.4	1	10.2	470	16.6	13.8	0	11.8	603	20.2	11.2	1	8.9
..Diabetes-related (250)	4,485	77.1	50.2	0	47.6	2,039	72.2	59.3	0	56.9	2,446	81.8	43.6	0	40.9
..Diabetic ketoacidosis (DKA) (250.1)	18	0.3	0.2	0	.	6	0.2	.	.	.	12	0.4	.	.	.
Alzheimer's diseases (331.0)	494	8.5	4.5	1	3.6	156	5.5	4.4	0	4.1	338	11.3	4.6	1	3.3
Cardiovascular disease (390-459)	23,135	397.9	238.2	0	243.1	10,549	373.5	305.2	0	315.8	12,586	421.0	187.3	0	189.9
..Diseases of the heart (390-398,402,404-429)	18,394	316.4	191.4	0	195.5	8,685	307.5	252.3	0	260.4	9,709	324.8	145.2	0	147.9
....Heart disease-related (390-398,402,404-429)	30,602	526.4	322.0	0	324.1	14,471	512.4	418.4	0	426.9	16,131	539.6	252.0	0	251.7
....Coronary heart disease (CHD) (402,410-414,429.2)	13,390	230.3	139.6	1	145.3	6,481	229.5	188.8	1	199.2	6,909	231.1	101.8	0	105.5
....Congestive heart failure (CHF) (428.0)	949	16.3	8.6	0	8.1	357	12.6	10.0	0	8.8	592	19.8	7.8	0	7.6
..Hypertension with or without renal disease (401,403)	263	4.5	2.7	0	2.4	109	3.9	3.1	0	3.0	154	5.2	2.3	0	2.0
....Hypertension-related (401,403)	3,158	54.3	33.1	0	31.9	1,248	44.2	36.1	0	34.5	1,910	63.9	30.0	0	28.8
..Cerebrovascular disease (430-438)	3,412	58.7	33.3	0	32.9	1,268	44.9	35.9	0	36.4	2,144	71.7	31.3	0	30.4
..Atherosclerosis (440)	368	6.3	3.2	0	3.8	123	4.4	3.4	0	4.0	245	8.2	2.9	0	3.5
....Atherosclerosis-related (440)	1,704	29.3	15.8	1	18.9	642	22.7	18.0	1	22.7	1,062	35.5	14.0	1	16.1
..Aortic aneurysm (441)	354	6.1	3.9	0	4.5	215	7.6	6.2	0	7.0	139	4.6	2.4	0	2.8
Pneumonia & influenza (480-487)	2,248	38.7	21.0	0	20.7	985	34.9	27.7	0	28.0	1,263	42.3	17.2	0	16.6

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT White Resident DEATHS, 1993-1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1993-1994*****					*****1993-1994*****					*****1993-1994*****				
	No. of deaths	Crude rate	AAMR	Signif-icance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1991-1992 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	2,184	37.6	23.5	0	22.8	1,035	36.6	29.3	0	31.4	1,149	38.4	20.4	0	18.0
..COPD-related (490-496)	5,315	91.4	56.8	1	52.2	2,747	97.3	77.9	0	74.6	2,568	85.9	44.7	1	39.4
..Asthma (493)	79	1.4	1.0	0	0.9	26	0.9	0.8	0	0.7	53	1.8	1.2	0	1.0
Chronic liver disease and cirrhosis (571)	547	9.4	7.5	0	7.4	364	12.9	11.2	0	10.5	183	6.1	4.3	0	4.8
Nephritis, nephrotic syndrome/nephrosis (580-589)	543	9.3	5.7	0	6.1	283	10.0	8.1	0	8.7	260	8.7	4.3	0	4.6
..Nephritis-related (580-589)	2,740	47.1	29.4	1	32.2	1,478	52.3	42.3	0	45.3	1,262	42.2	21.5	1	24.5
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	639	11.0	6.7	0	6.8	333	11.8	9.5	0	9.6	306	10.2	5.1	0	5.2
Unintentional injuries (E800-E949)	1,743	30.0	24.4	1	21.8	1,123	39.8	35.4	0	31.9	620	20.7	14.3	0	12.7
..Motor vehicle accidents (E810-E825)	619	10.6	10.4	0	9.5	420	14.9	14.7	0	13.6	199	6.7	6.2	0	5.5
..Falls and fall related injuries (E880-E888)	342	5.9	3.5	0	3.6	155	5.5	4.6	0	4.9	187	6.3	2.7	0	2.6
..Drowning (E830,E832,E910)	52	0.9	0.8	0	1.0	44	1.6	1.4	0	1.8	8	0.3	.	.	.
..Residential fires (E890-E899)	48	0.8	0.8	0	0.9	28	1.0	1.0	0	0.9	20	0.7	0.6	0	0.9
Suicide (E950-E959)	572	9.8	8.6	0	9.1	444	15.7	14.0	0	15.6	128	4.3	3.7	0	3.1
Homicide and legal intervention (E960-E978)	221	3.8	4.1	0	3.4	159	5.6	6.0	0	5.2	62	2.1	2.2	0	1.6
..Homicide (E960-E969)	219	3.8	4.1	0	3.4	157	5.6	5.9	0	5.2	62	2.1	2.2	0	1.6
All injury (E800-E999)	2,586	44.5	37.8	0	35.4	1,768	62.6	56.6	0	54.2	818	27.4	20.3	0	18.0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	602	10.4	10.1	0	9.3	405	14.3	14.2	0	13.2	197	6.6	6.1	0	5.5
..All falls (E880-E886,E888,E957,E968.1,E987)	254	4.4	2.8	0	3.1	142	5.0	4.2	0	4.4	112	3.7	1.8	0	2.2
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	421	7.2	7.1	0	6.7	352	12.5	12.2	0	12.2	69	2.3	2.3	0	1.5
....Suicide (E955.0-.4)	265	4.6	4.1	0	4.0	226	8.0	7.3	0	7.7	39	1.3	1.1	0	0.7
....Homicide (E965.0-.4)	146	2.5	2.9	0	2.4	117	4.1	4.6	0	4.1	29	1.0	1.1	0	0.6
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	460	7.9	6.3	1	5.0	351	12.4	9.8	1	7.5	109	3.6	3.0	0	2.6
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	309	5.3	4.5	0	4.4	237	8.4	7.3	0	6.8	72	2.4	1.9	0	2.3
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	386	6.6	5.2	1	3.3	294	10.4	8.0	1	4.8	92	3.1	2.4	0	1.8

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT White Resident DEATHS, 1993-1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1993-1994*****				*****1993-1994*****				*****1993-1994*****						
	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR
*****Causes of Death*****															
All causes	53,635	922.6	822.4	0	817.4	25,930	918.1	1035.8	0	1054.3	27,705	926.8	674.7	0	660.3
Infectious diseases and parasitic disease (1-139)	1,604	27.6	25.3	1	21.3	938	33.2	34.2	1	29.0	666	22.3	17.1	1	14.4
..Septicemia (038)	733	12.6	11.1	0	10.9	314	11.1	12.8	0	12.7	419	14.0	9.9	0	9.8
....Septicemia-related (038)	2,509	43.2	38.2	0	39.6	1,076	38.1	43.9	0	49.0	1,433	47.9	34.4	0	33.8
..HIV infection (042-044)	632	10.9	10.4	1	7.8	501	17.7	16.8	1	13.0	131	4.4	4.2	1	2.8
All cancer (140-208)	13,194	227.0	201.8	0	205.2	6,633	234.9	252.7	0	261.8	6,561	219.5	172.2	0	172.2
..Oral cavity or pharynx (140.0-149.9)	204	3.5	3.1	0	3.7	121	4.3	4.4	0	5.4	83	2.8	2.1	0	2.3
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,568	27.0	23.8	0	24.0	775	27.4	30.3	0	30.9	793	26.5	19.6	0	19.7
....Colon cancer (153)	1,243	21.4	18.8	0	19.8	604	21.4	23.8	0	25.3	639	21.4	15.7	0	16.3
....Rectal cancer (154)	298	5.1	4.6	0	3.9	162	5.7	6.1	0	5.1	136	4.5	3.4	0	3.1
..Pancreatic cancer (157)	712	12.2	10.8	0	10.6	356	12.6	13.3	0	11.3	356	11.9	8.9	0	10.1
..Lung and other respiratory cancer (160-165)	3,506	60.3	53.4	0	55.1	2,022	71.6	74.9	0	79.9	1,484	49.6	39.9	0	39.3
....Lung cancer (162.2-.9)	3,394	58.4	51.7	0	53.1	1,944	68.8	72.0	0	76.4	1,450	48.5	39.0	0	38.5
..Malignant melanoma of skin (172)	176	3.0	2.8	0	2.9	104	3.7	3.8	0	4.0	72	2.4	2.1	0	2.2
..Female breast cancer (174)	1,111	1,111	37.2	30.5	0	31.2	
..Cervical cancer (180)	65	65	2.2	2.0	0	2.4	
..Endometrial cancer (182)	77	77	2.6	2.0	0	2.0	
..Ovarian cancer (183)	361	361	12.1	9.7	0	9.5	
..Prostate cancer (185)	748	748	26.5	31.4	1	36.5
..Bladder cancer (188)	317	5.5	4.8	0	5.0	208	7.4	8.6	0	8.3	109	3.6	2.7	0	3.0
..Brain & other CNS cancer (191-192)	293	5.0	4.7	0	4.9	154	5.5	5.6	0	6.4	139	4.6	4.0	0	3.7
..Leukemia (204-208)	500	8.6	7.7	0	7.3	259	9.2	9.8	0	9.5	241	8.1	6.4	0	5.8
Diabetes mellitus (250)	1,073	18.5	16.4	1	13.7	470	16.6	18.1	0	15.5	603	20.2	15.1	1	12.2
..Diabetes-related (250)	4,485	77.1	67.7	0	65.1	2,039	72.2	79.7	0	77.1	2,446	81.8	59.5	0	56.8
..Diabetic ketoacidosis (DKA) (250.1)	18	0.3	0.3	0	.	6	0.2	.	.	12	0.4
Alzheimer's diseases (331.0)	494	8.5	7.5	1	5.8	156	5.5	6.9	0	6.6	338	11.3	7.6	1	5.4
Cardiovascular disease (390-459)	23,135	397.9	351.2	0	357.5	10,549	373.5	435.8	0	451.7	12,586	421.0	290.3	0	292.6
..Diseases of the heart (390-398,402,404-429)	18,394	316.4	279.5	0	284.3	8,685	307.5	356.4	0	368.3	9,709	324.8	224.2	0	226.4
....Heart disease-related (390-398,402,404-429)	30,602	526.4	464.9	0	466.5	14,471	512.4	592.6	0	605.1	16,131	539.6	378.0	0	375.6
....Coronary heart disease (CHD) (402,410-414,429.2)	13,390	230.3	203.4	1	211.0	6,481	229.5	264.6	1	279.8	6,909	231.1	158.7	0	162.9
....Congestive heart failure (CHF) (428.0)	949	16.3	14.3	0	13.3	357	12.6	16.4	0	14.4	592	19.8	13.2	0	12.6
..Hypertension with or without renal disease (401,403)	263	4.5	4.0	0	3.6	109	3.9	4.5	0	4.3	154	5.2	3.6	0	3.1
....Hypertension-related (401,403)	3,158	54.3	47.6	0	46.1	1,248	44.2	49.8	0	47.3	1,910	63.9	44.6	0	43.5
..Cerebrovascular disease (430-438)	3,412	58.7	51.7	0	51.4	1,268	44.9	54.7	0	55.8	2,144	71.7	49.3	0	48.3
..Atherosclerosis (440)	368	6.3	5.6	0	6.4	123	4.4	5.6	0	6.6	245	8.2	5.3	0	6.1
....Atherosclerosis-related (440)	1,704	29.3	25.7	1	30.8	642	22.7	28.3	1	35.5	1,062	35.5	23.6	1	27.4
..Aortic aneurysm (441)	354	6.1	5.2	0	6.2	215	7.6	8.3	0	9.5	139	4.6	3.3	0	4.1
Pneumonia & influenza (480-487)	2,248	38.7	34.2	0	34.1	985	34.9	44.9	0	46.0	1,263	42.3	28.5	0	28.1

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT White Resident DEATHS, 1993-1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1993-1994*****					*****1993-1994*****					*****1993-1994*****				
	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	2,184	37.6	32.6	0	31.8	1,035	36.6	42.3	0	45.6	1,149	38.4	27.8	0	24.7
..COPD-related (490-496)	5,315	91.4	79.4	1	72.9	2,747	97.3	112.8	0	108.0	2,568	85.9	61.8	1	54.5
..Asthma (493)	79	1.4	1.3	0	1.2	26	0.9	1.0	0	0.8	53	1.8	1.5	0	1.3
Chronic liver disease and cirrhosis (571)	547	9.4	8.9	0	8.7	364	12.9	13.2	0	12.4	183	6.1	5.2	0	5.6
Nephritis, nephrotic syndrome/nephrosis (580-589)	543	9.3	8.2	0	8.9	283	10.0	12.2	0	13.0	260	8.7	6.2	0	6.7
..Nephritis-related (580-589)	2,740	47.1	41.5	1	45.2	1,478	52.3	61.4	0	65.5	1,262	42.2	30.4	1	34.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	639	11.0	9.7	0	9.9	333	11.8	14.3	0	14.4	306	10.2	7.3	0	7.6
Unintentional injuries (E800-E949)	1,743	30.0	28.4	1	25.3	1,123	39.8	41.5	0	36.7	620	20.7	17.1	0	15.5
..Motor vehicle accidents (E810-E825)	619	10.6	10.5	0	9.6	420	14.9	15.0	0	13.7	199	6.7	6.3	0	5.8
..Falls and fall related injuries (E880-E888)	342	5.9	5.3	0	5.4	155	5.5	6.8	0	7.3	187	6.3	4.3	0	4.2
..Drowning (E830,E832,E910)	52	0.9	0.9	0	1.1	44	1.6	1.5	0	1.9	8	0.3	.	.	.
..Residential fires (E890-E899)	48	0.8	0.8	0	0.9	28	1.0	1.1	0	1.0	20	0.7	0.6	0	0.9
Suicide (E950-E959)	572	9.8	9.5	0	10.0	444	15.7	15.7	0	17.3	128	4.3	4.1	0	3.5
Homicide and legal intervention (E960-E978)	221	3.8	3.9	0	3.4	159	5.6	5.7	0	5.2	62	2.1	2.1	0	1.6
..Homicide (E960-E969)	219	3.8	3.9	0	3.4	157	5.6	5.6	0	5.1	62	2.1	2.1	0	1.6
All injury (E800-E999)	2,586	44.5	42.7	0	39.9	1,768	62.6	64.3	0	60.9	818	27.4	23.6	0	21.4
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	602	10.4	10.2	0	9.4	405	14.3	14.4	0	13.3	197	6.6	6.2	0	5.7
..All falls (E880-E886,E888,E957,E968.1,E987)	254	4.4	4.0	0	4.5	142	5.0	5.9	0	6.3	112	3.7	2.7	0	3.3
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	421	7.2	7.3	0	6.9	352	12.5	12.6	0	12.6	69	2.3	2.3	0	1.6
....Suicide (E955.0-.4)	265	4.6	4.5	0	4.4	226	8.0	8.1	0	8.3	39	1.3	1.3	0	0.8
....Homicide (E965.0-.4)	146	2.5	2.6	0	2.3	117	4.1	4.2	0	3.9	29	1.0	1.0	0	0.6
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	460	7.9	7.5	1	5.9	351	12.4	11.8	1	9.0	109	3.6	3.5	0	3.0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	309	5.3	5.2	0	5.2	237	8.4	8.5	0	8.1	72	2.4	2.3	0	2.6
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	386	6.6	6.3	1	3.9	294	10.4	9.7	1	5.7	92	3.1	2.9	0	2.1

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	53,635	11,264	22,278	204,165	367,250	3982.3	3740.8	1	6245.5	5954.6	1
Infectious diseases and parasitic disease (1-139)	1,604	815	989	19,803	28,768	349.3	268.7	1	474.3	366.7	1
..Septicemia (038)	733	93	231	1,549	3,099	28.4	35.5	0	49.0	56.8	0
...Septicemia-related (038)	2,509	391	880	6,203	12,270	115.4	138.1	0	197.6	232.1	0
..HIV infection (042-044)	632	624	630	16,005	22,290	277.3	211.3	1	365.5	276.7	1
All cancer (140-208)	13,194	3,335	7,376	36,909	89,241	664.7	676.5	0	1384.4	1417.9	0
..Oral cavity or pharynx (140.0-149.9)	204	63	133	553	1,528	9.6	14.4	0	23.2	31.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,568	297	724	2,523	7,475	43.5	48.1	0	110.7	114.3	0
...Colon cancer (153)	1,243	226	548	1,795	5,545	30.9	39.4	0	81.7	93.5	0
...Rectal cancer (154)	298	69	169	693	1,848	12.0	8.4	0	27.8	19.9	0
..Pancreatic cancer (157)	712	151	389	1,400	3,985	24.7	20.6	0	59.9	53.2	0
..Lung and other respiratory cancer (160-165)	3,506	933	2,214	7,998	23,590	138.3	153.5	0	351.1	379.9	0
...Lung cancer (162.2-.9)	3,394	906	2,141	7,690	22,768	133.1	146.2	0	339.0	364.4	0
..Malignant melanoma of skin (172)	176	81	123	1,063	2,073	18.1	22.6	0	32.6	37.7	0
..Female breast cancer (174)	1,111	389	692	4,573	9,950
..Cervical cancer (180)	65	44	51	715	1,193
..Endometrial cancer (182)	77	15	38	103	345
..Ovarian cancer (183)	361	111	202	1,143	2,650
..Prostate cancer (185)	748	49	237	333	1,603
..Bladder cancer (188)	317	37	130	363	1,150	6.7	4.9	0	16.9	14.9	0
..Brain & other CNS cancer (191-192)	293	131	210	2,174	3,856	42.3	43.4	0	66.7	71.4	0
..Leukemia (204-208)	500	147	288	2,664	4,776	54.5	51.4	0	84.2	78.9	0
Diabetes mellitus (250)	1,073	237	506	2,783	6,395	48.6	35.8	0	98.3	72.7	1
..Diabetes-related (250)	4,485	700	1,930	6,845	19,470	120.0	100.4	0	288.7	250.6	1
..Diabetic ketoacidosis (DKA) (250.1)	18	9	11	238	338	4.6	.	0	6.0	.	0
Alzheimer's diseases (331.0)	494	16	68	90	505	1.6	0.8	0	6.9	5.0	0
Cardiovascular disease (390-459)	23,135	2,807	7,090	30,950	78,302	552.5	537.0	0	1191.2	1186.7	0
..Diseases of the heart (390-398,402,404-429)	18,394	2,385	5,907	25,829	65,574	462.3	448.5	0	1000.5	1001.0	0
...Heart disease-related (390-398,402,404-429)	30,602	4,227	10,340	52,979	122,866	964.9	923.3	0	1909.0	1870.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	13,390	1,714	4,321	15,904	44,867	277.1	283.0	0	669.3	693.5	0
....Congestive heart failure (CHF) (428.0)	949	31	140	283	1,035	5.3	3.4	0	14.7	12.7	0
..Hypertension with or without renal disease (401,403)	263	32	87	370	928	6.3	4.9	0	13.7	11.1	0
...Hypertension-related (401,403)	3,158	339	1,050	2,888	9,455	50.7	51.2	0	137.3	134.6	0
..Cerebrovascular disease (430-438)	3,412	303	775	3,749	8,849	66.4	61.2	0	134.5	124.9	0
..Atherosclerosis (440)	368	9	46	158	395	2.6	2.4	0	5.5	7.3	0
...Atherosclerosis-related (440)	1,704	71	315	633	2,373	10.8	11.1	0	32.5	35.7	0
..Aortic aneurysm (441)	354	32	163	315	1,253	5.7	8.3	0	17.2	19.8	0
Pneumonia & influenza (480-487)	2,248	163	398	2,766	5,388	51.3	42.4	0	86.2	73.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,184	223	796	1,885	6,672	34.4	27.5	0	95.9	84.4	0
..COPD-related (490-496)	5,315	509	1,914	4,010	15,317	72.3	65.6	0	217.2	198.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	79	37	52	748	1,180	14.1	8.3	0	20.3	12.5	0
Chronic liver disease and cirrhosis (571)	547	298	441	4,450	8,123	76.2	72.9	0	128.7	124.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	543	70	170	812	1,972	14.0	14.9	0	29.5	30.5	0
..Nephritis-related (580-589)	2,740	397	986	5,608	12,215	101.4	95.4	0	189.8	191.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	639	80	203	917	2,280	15.8	15.3	0	34.0	33.0	0
Unintentional injuries (E800-E949)	1,743	1,040	1,217	32,260	43,503	693.8	588.4	1	866.3	738.0	1
..Motor vehicle accidents (E810-E825)	619	475	542	16,071	21,153	373.0	344.9	0	455.8	421.9	0
..Falls and fall related injuries (E880-E888)	342	64	100	1,247	2,037	24.7	16.9	0	36.2	27.3	0
..Drowning (E830,E832,E910)	52	45	47	1,536	1,996	32.6	33.4	0	39.6	41.4	0
..Residential fires (E890-E899)	48	35	38	1,161	1,528	25.9	27.3	0	31.6	33.3	0
Suicide (E950-E959)	572	460	514	11,875	16,750	241.6	273.4	0	315.7	351.6	0
Homicide and legal intervention (E960-E978)	221	209	218	7,231	9,363	171.0	143.2	0	206.9	173.4	0
..Homicide (E960-E969)	219	207	216	7,181	9,293	170.2	142.4	0	205.9	172.6	0
All injury (E800-E999)	2,586	1,755	1,996	52,631	71,348	1130.1	1042.4	0	1419.4	1310.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	602	461	527	15,529	20,469	360.7	339.6	0	441.3	415.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	254	72	104	1,442	2,302	28.1	22.7	0	40.6	34.3	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	421	368	397	11,265	15,083	253.5	240.2	0	315.3	298.3	0
....Suicide (E955.0-.4)	265	217	242	5,728	8,020	118.8	125.8	0	154.1	160.4	0
....Homicide (E965.0-.4)	146	142	146	5,215	6,650	127.4	103.0	0	152.4	124.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	460	415	435	11,458	15,698	213.2	162.5	1	274.2	209.9	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	309	221	284	3,663	6,245	63.0	66.4	0	100.1	102.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	386	359	373	10,143	13,793	185.3	118.1	1	237.1	150.7	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	25,930	7,146	13,445	132,893	233,751	5166.6	4937.3	0	8098.8	7833.1	0
Infectious diseases and parasitic disease (1-139)	938	607	710	14,187	20,759	491.5	401.2	1	678.0	551.5	1
..Septicemia (038)	314	50	130	667	1,537	23.4	39.0	0	47.7	64.0	0
...Septicemia-related (038)	1,076	215	469	3,304	6,619	120.1	162.3	0	214.5	277.3	0
..HIV infection (042-044)	501	494	500	12,166	17,151	419.1	332.6	1	560.5	441.5	1
All cancer (140-208)	6,633	1,684	3,880	18,234	45,414	666.8	698.8	0	1451.2	1524.2	0
..Oral cavity or pharynx (140.0-149.9)	121	47	89	433	1,113	15.3	23.9	0	35.5	50.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	775	173	421	1,423	4,283	50.4	56.4	0	132.9	136.1	0
...Colon cancer (153)	604	128	313	945	3,053	33.5	46.8	0	94.1	112.2	0
...Rectal cancer (154)	162	44	105	455	1,188	16.2	9.4	0	37.5	22.9	0
..Pancreatic cancer (157)	356	98	227	900	2,493	31.9	23.4	0	78.2	59.7	0
..Lung and other respiratory cancer (160-165)	2,022	517	1,270	4,203	13,040	148.9	175.5	0	403.6	458.2	0
...Lung cancer (162.2-.9)	1,944	498	1,218	4,010	12,495	142.2	162.6	0	386.9	431.5	0
..Malignant melanoma of skin (172)	104	47	75	563	1,168	19.8	27.2	0	37.9	45.3	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	748	49	237	333	1,603	11.7	12.9	0	45.6	59.4	0
..Bladder cancer (188)	208	26	87	250	798	8.9	5.1	0	24.1	20.3	0
..Brain & other CNS cancer (191-192)	154	79	116	1,190	2,157	44.7	54.7	0	73.8	92.4	0
..Leukemia (204-208)	259	80	161	1,497	2,690	60.0	61.6	0	94.5	95.1	0
Diabetes mellitus (250)	470	129	260	1,533	3,450	55.5	44.7	0	111.5	90.8	0
..Diabetes-related (250)	2,039	408	1,022	3,985	10,945	143.4	125.9	0	343.5	309.0	0
..Diabetic ketoacidosis (DKA) (250.1)	6	6	6	175	235
Alzheimer's diseases (331.0)	156	7	31	33	218	1.2	0.7	0	6.3	5.6	0
Cardiovascular disease (390-459)	10,549	1,975	4,605	21,641	53,636	781.4	763.8	0	1703.9	1699.3	0
..Diseases of the heart (390-398,402,404-429)	8,685	1,730	3,949	18,622	46,250	673.5	663.3	0	1473.1	1481.3	0
...Heart disease-related (390-398,402,404-429)	14,471	2,837	6,533	35,147	80,607	1277.5	1254.4	0	2582.7	2568.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,481	1,310	3,005	12,482	33,580	444.1	455.7	0	1056.6	1092.1	0
....Congestive heart failure (CHF) (428.0)	357	17	75	143	543	4.9	5.3	0	15.7	16.6	0
..Hypertension with or without renal disease (401,403)	1,09	24	50	315	675	10.9	6.1	0	21.2	14.5	0
...Hypertension-related (401,403)	1,248	215	590	1,948	5,840	69.0	73.2	0	180.0	185.8	0
..Cerebrovascular disease (430-438)	1,268	162	407	2,036	4,774	72.9	65.2	0	150.3	136.5	0
..Atherosclerosis (440)	123	7	29	103	263	3.6	2.5	0	7.9	8.6	0
...Atherosclerosis-related (440)	642	45	182	383	1,440	13.3	13.8	0	42.1	48.7	0
..Aortic aneurysm (441)	215	25	114	253	950	9.4	12.8	0	28.3	31.8	0
Pneumonia & influenza (480-487)	985	99	238	1,564	3,176	57.1	62.3	0	102.6	103.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,035	105	398	823	3,195	30.6	28.6	0	95.7	95.3	0
..COPD-related (490-496)	2,747	273	1,046	2,108	8,310	77.8	73.8	0	248.2	235.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Signif-icance	1993-1994	1991-1992	Signif-icance
*****Causes of Death*****											
..Asthma (493)	26	14	19	290	458	11.2	8.0	0	16.2	12.3	0
Chronic liver disease and cirrhosis (571)	364	216	310	3,080	5,715	106.9	105.3	0	185.6	178.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	283	42	99	532	1,230	18.7	18.0	0	38.4	37.9	0
..Nephritis-related (580-589)	1,478	256	597	3,759	7,877	136.6	115.0	0	253.3	235.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	333	48	117	577	1,385	20.4	18.2	0	43.2	40.6	0
Unintentional injuries (E800-E949)	1,123	802	896	24,656	33,121	1033.0	893.0	0	1293.2	1119.0	0
..Motor vehicle accidents (E810-E825)	420	349	383	11,818	15,473	536.5	510.8	0	655.7	622.4	0
..Falls and fall related injuries (E880-E888)	155	49	68	953	1,530	37.5	28.3	0	54.9	44.3	0
..Drowning (E830,E832,E910)	44	38	39	1,268	1,656	50.8	57.6	0	62.2	71.6	0
..Residential fires (E890-E899)	28	22	24	689	919	29.1	27.0	0	36.1	33.1	0
Suicide (E950-E959)	444	361	400	9,593	13,385	391.3	453.5	0	508.2	582.9	0
Homicide and legal intervention (E960-E978)	159	156	159	5,317	6,895	250.0	216.6	0	303.4	263.3	0
..Homicide (E960-E969)	157	154	157	5,267	6,825	248.4	215.1	0	301.3	261.6	0
All injury (E800-E999)	1,768	1,358	1,494	40,663	54,888	1716.2	1615.0	0	2158.2	2030.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	405	337	370	11,343	14,875	515.1	500.9	0	630.4	609.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	142	55	75	1,098	1,743	42.6	35.4	0	62.0	52.7	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	352	305	329	9,333	12,503	418.1	421.2	0	521.2	523.5	0
....Suicide (E955.0-.4)	226	181	204	4,808	6,735	200.9	226.8	0	261.1	289.2	0
....Homicide (E965.0-.4)	117	116	117	4,235	5,398	203.8	175.2	0	244.1	211.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	351	327	339	9,143	12,458	336.8	252.1	1	432.3	324.5	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	237	172	217	2,760	4,758	96.5	100.6	0	156.2	155.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	294	284	291	8,040	10,903	291.4	182.3	1	372.9	230.5	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	27,705	4,118	8,833	71,272	133,500	2793.8	2541.2	0	4435.7	4126.1	0
Infectious diseases and parasitic disease (1-139)	666	208	279	5,616	8,009	209.7	138.8	1	275.4	186.1	1
..Septicemia (038)	419	43	101	882	1,562	34.0	32.4	0	51.3	50.2	0
...Septicemia-related (038)	1,433	176	411	2,899	5,652	111.9	114.9	0	183.2	189.8	0
..HIV infection (042-044)	131	130	130	3,839	5,139	137.1	91.9	0	173.4	115.0	0
All cancer (140-208)	6,561	1,651	3,496	18,675	43,827	662.7	654.2	0	1328.3	1324.4	0
..Oral cavity or pharynx (140.0-149.9)	83	16	44	120	415	4.1	5.3	0	11.6	14.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	793	124	303	1,100	3,193	37.0	40.1	0	90.6	94.4	0
...Colon cancer (153)	639	98	235	850	2,493	28.5	32.1	0	70.7	76.3	0
...Rectal cancer (154)	136	25	64	238	660	8.0	7.4	0	18.7	17.2	0
..Pancreatic cancer (157)	356	53	162	500	1,492	17.9	18.0	0	43.0	47.2	0
..Lung and other respiratory cancer (160-165)	1,484	416	944	3,795	10,550	128.4	132.4	0	304.9	310.2	0
...Lung cancer (162.2-.9)	1,450	408	923	3,680	10,273	124.6	130.6	0	296.9	305.1	0
..Malignant melanoma of skin (172)	72	34	48	500	905	16.5	18.0	0	27.8	30.4	0
..Female breast cancer (174)	1,111	389	692	4,573	9,950	154.6	169.8	0	300.2	323.3	0
..Cervical cancer (180)	65	44	51	715	1,193	23.5	26.7	0	37.1	41.2	0
..Endometrial cancer (182)	77	15	38	103	345	3.5	2.9	0	9.8	10.6	0
..Ovarian cancer (183)	361	111	202	1,143	2,650	39.5	37.5	0	80.6	79.1	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	109	11	43	113	353	4.6	4.7	0	10.4	10.4	0
..Brain & other CNS cancer (191-192)	139	52	94	984	1,699	40.4	32.7	0	60.4	51.7	0
..Leukemia (204-208)	241	67	127	1,167	2,087	49.3	41.2	0	74.6	63.2	0
Diabetes mellitus (250)	603	108	246	1,250	2,945	41.8	27.3	0	85.8	55.8	1
..Diabetes-related (250)	2,446	292	908	2,860	8,525	97.6	76.0	0	237.8	196.8	0
..Diabetic ketoacidosis (DKA) (250.1)	12	3	5	63	103	.	.	0	.	.	0
Alzheimer's diseases (331.0)	338	9	37	58	288	2.0	0.9	0	7.5	4.5	0
Cardiovascular disease (390-459)	12,586	832	2,485	9,309	24,667	330.7	318.8	0	712.7	712.4	0
..Diseases of the heart (390-398,402,404-429)	9,709	655	1,958	7,207	19,324	258.0	242.0	0	559.4	556.0	0
...Heart disease-related (390-398,402,404-429)	16,131	1,390	3,807	17,832	42,260	661.7	602.8	0	1279.3	1220.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,909	404	1,316	3,422	11,287	116.4	117.5	0	309.1	325.2	0
....Congestive heart failure (CHF) (428.0)	592	14	65	140	493	5.6	1.6	0	14.1	9.1	0
..Hypertension with or without renal disease (401,403)	154	8	37	55	253	1.9	3.7	0	6.5	8.0	0
...Hypertension-related (401,403)	1,910	124	460	940	3,615	33.4	30.1	0	97.9	87.2	0
..Cerebrovascular disease (430-438)	2,144	141	368	1,713	4,075	59.9	57.2	0	120.0	114.7	0
..Atherosclerosis (440)	245	2	17	55	133	1.7	2.3	0	3.2	6.3	0
...Atherosclerosis-related (440)	1,062	26	133	250	933	8.4	8.6	0	24.0	24.4	0
..Aortic aneurysm (441)	139	7	49	63	303	2.0	3.8	0	7.2	8.8	0
Pneumonia & influenza (480-487)	1,263	64	160	1,202	2,212	45.8	22.5	0	71.5	43.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,149	118	398	1,062	3,477	38.1	26.3	0	97.1	75.2	0
..COPD-related (490-496)	2,568	236	868	1,902	7,007	66.9	57.6	0	190.2	165.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	53	23	33	458	723	16.9	8.7	0	24.3	12.8	0
Chronic liver disease and cirrhosis (571)	183	82	131	1,370	2,408	46.7	41.5	0	74.8	72.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	260	28	71	280	743	9.3	11.9	0	21.1	23.7	0
..Nephritis-related (580-589)	1,262	141	389	1,849	4,339	66.6	76.7	0	129.2	150.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	306	32	86	340	895	11.2	12.6	0	25.2	26.0	0
Unintentional injuries (E800-E949)	620	238	321	7,604	10,382	348.6	276.8	0	433.7	350.7	0
..Motor vehicle accidents (E810-E825)	199	126	159	4,253	5,681	204.6	173.8	0	250.7	215.7	0
..Falls and fall related injuries (E880-E888)	187	15	32	295	507	12.0	5.5	0	17.7	10.6	0
..Drowning (E830,E832,E910)	8	7	8	268	340
..Residential fires (E890-E899)	20	13	14	472	609	22.8	27.5	0	27.3	33.5	0
Suicide (E950-E959)	128	99	114	2,283	3,365	89.4	90.5	0	121.2	118.4	0
Homicide and legal intervention (E960-E978)	62	53	59	1,914	2,469	89.2	67.7	0	107.3	81.4	0
..Homicide (E960-E969)	62	53	59	1,914	2,469	89.2	67.7	0	107.3	81.4	0
All injury (E800-E999)	818	397	502	11,968	16,460	532.6	457.6	0	669.7	579.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	197	124	157	4,186	5,594	201.6	173.3	0	247.1	214.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	112	17	29	345	560	13.5	9.8	0	19.4	16.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	69	63	68	1,933	2,580	83.9	54.5	0	104.4	68.4	0
....Suicide (E955.0-.4)	39	36	38	920	1,285	34.9	22.9	0	45.8	29.9	0
....Homicide (E965.0-.4)	29	26	29	980	1,253	47.9	28.6	0	57.3	34.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	109	88	96	2,315	3,240	89.6	72.8	0	116.5	95.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	72	49	67	903	1,488	30.3	33.0	0	46.2	51.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	92	75	82	2,103	2,890	79.4	53.6	0	101.9	70.5	0

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	53,635	11,264	22,278	204,165	367,250	3898.6	3675.6	1	6304.0	6045.4	0
Infectious diseases and parasitic disease (1-139)	1,604	815	989	19,803	28,768	304.7	234.3	1	416.2	322.4	1
..Septicemia (038)	733	93	231	1,549	3,099	28.1	35.5	0	50.5	58.6	0
...Septicemia-related (038)	2,509	391	880	6,203	12,270	111.9	134.7	0	200.8	236.2	0
..HIV infection (042-044)	632	624	630	16,005	22,290	233.8	178.8	1	306.9	232.7	1
All cancer (140-208)	13,194	3,335	7,376	36,909	89,241	663.4	676.2	0	1466.9	1503.0	0
..Oral cavity or pharynx (140.0-149.9)	204	63	133	553	1,528	10.0	14.7	0	25.3	33.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,568	297	724	2,523	7,475	44.4	48.2	0	121.3	123.6	0
...Colon cancer (153)	1,243	226	548	1,795	5,545	31.7	39.4	0	90.2	101.0	0
...Rectal cancer (154)	298	69	169	693	1,848	12.1	8.5	0	29.9	21.5	0
..Pancreatic cancer (157)	712	151	389	1,400	3,985	25.7	21.1	0	65.7	58.4	0
..Lung and other respiratory cancer (160-165)	3,506	933	2,214	7,998	23,590	142.2	158.9	0	385.2	416.6	0
...Lung cancer (162.2-.9)	3,394	906	2,141	7,690	22,768	137.2	151.1	0	372.5	399.5	0
..Malignant melanoma of skin (172)	176	81	123	1,063	2,073	17.1	20.7	0	32.3	36.3	0
..Female breast cancer (174)	1,111	389	692	4,573	9,950
..Cervical cancer (180)	65	44	51	715	1,193
..Endometrial cancer (182)	77	15	38	103	345
..Ovarian cancer (183)	361	111	202	1,143	2,650
..Prostate cancer (185)	748	49	237	333	1,603
..Bladder cancer (188)	317	37	130	363	1,150	6.8	5.1	0	18.6	16.9	0
..Brain & other CNS cancer (191-192)	293	131	210	2,174	3,856	42.4	43.0	0	67.9	72.5	0
..Leukemia (204-208)	500	147	288	2,664	4,776	54.7	51.5	0	86.4	80.4	0
Diabetes mellitus (250)	1,073	237	506	2,783	6,395	47.0	34.8	0	101.9	75.7	1
..Diabetes-related (250)	4,485	700	1,930	6,845	19,470	119.6	99.9	0	312.2	272.5	1
..Diabetic ketoacidosis (DKA) (250.1)	18	9	11	238	338	4.2	.	0	5.5	.	0
Alzheimer's diseases (331.0)	494	16	68	90	505	1.8	0.9	0	8.2	6.1	0
Cardiovascular disease (390-459)	23,135	2,807	7,090	30,950	78,302	551.0	537.2	0	1270.7	1273.0	0
..Diseases of the heart (390-398,402,404-429)	18,394	2,385	5,907	25,829	65,574	463.2	450.5	0	1070.0	1076.9	0
...Heart disease-related (390-398,402,404-429)	30,602	4,227	10,340	52,979	122,866	953.8	920.0	0	2006.3	1983.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	13,390	1,714	4,321	15,904	44,867	281.3	287.2	0	727.8	756.1	0
....Congestive heart failure (CHF) (428.0)	949	31	140	283	1,035	5.5	3.5	0	16.7	14.7	0
..Hypertension with or without renal disease (401,403)	263	32	87	370	928	6.1	4.8	0	14.4	11.8	0
...Hypertension-related (401,403)	3,158	339	1,050	2,888	9,455	52.2	52.4	0	152.6	148.6	0
..Cerebrovascular disease (430-438)	3,412	303	775	3,749	8,849	64.7	59.4	0	140.8	130.6	0
..Atherosclerosis (440)	368	9	46	158	395	2.3	2.6	0	5.5	8.3	0
...Atherosclerosis-related (440)	1,704	71	315	633	2,373	10.9	11.7	0	36.6	40.8	0
..Aortic aneurysm (441)	354	32	163	315	1,253	5.6	8.5	0	19.3	22.0	0
Pneumonia & influenza (480-487)	2,248	163	398	2,766	5,388	50.1	42.6	0	88.1	76.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,184	223	796	1,885	6,672	34.7	28.3	0	107.1	96.1	0
..COPD-related (490-496)	5,315	509	1,914	4,010	15,317	74.5	68.1	0	245.9	224.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	79	37	52	748	1,180	12.8	8.0	0	18.8	12.4	0
Chronic liver disease and cirrhosis (571)	547	298	441	4,450	8,123	71.5	67.5	0	125.4	120.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	543	70	170	812	1,972	13.5	14.4	0	30.9	32.0	0
..Nephritis-related (580-589)	2,740	397	986	5,608	12,215	99.4	93.0	0	197.2	200.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	639	80	203	917	2,280	15.2	14.9	0	35.6	34.9	0
Unintentional injuries (E800-E949)	1,743	1,040	1,217	32,260	43,503	655.2	558.6	1	808.3	694.2	1
..Motor vehicle accidents (E810-E825)	619	475	542	16,071	21,153	357.6	328.0	0	431.2	396.2	0
..Falls and fall related injuries (E880-E888)	342	64	100	1,247	2,037	23.8	15.9	0	35.3	26.8	0
..Drowning (E830,E832,E910)	52	45	47	1,536	1,996	31.8	32.4	0	37.8	39.6	0
..Residential fires (E890-E899)	48	35	38	1,161	1,528	26.7	28.8	0	32.1	34.7	0
Suicide (E950-E959)	572	460	514	11,875	16,750	218.3	247.7	0	284.6	316.9	0
Homicide and legal intervention (E960-E978)	221	209	218	7,231	9,363	163.7	133.8	0	195.0	159.4	0
..Homicide (E960-E969)	219	207	216	7,181	9,293	163.1	133.2	0	194.2	158.7	0
All injury (E800-E999)	2,586	1,755	1,996	52,631	71,348	1057.8	973.0	0	1314.2	1211.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	602	461	527	15,529	20,469	345.8	322.9	0	417.5	389.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	254	72	104	1,442	2,302	26.5	21.1	0	38.9	33.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	421	368	397	11,265	15,083	237.8	222.1	0	292.3	272.6	0
....Suicide (E955.0-.4)	265	217	242	5,728	8,020	108.4	114.3	0	140.0	144.8	0
....Homicide (E965.0-.4)	146	142	146	5,215	6,650	122.7	97.1	0	144.3	115.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	460	415	435	11,458	15,698	183.2	141.5	1	233.7	181.5	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	309	221	284	3,663	6,245	58.3	59.3	0	95.3	94.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	386	359	373	10,143	13,793	156.2	101.4	1	198.0	128.1	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	25,930	7,146	13,445	132,893	233,751	5010.2	4805.4	0	8114.2	7892.4	0
Infectious diseases and parasitic disease (1-139)	938	607	710	14,187	20,759	424.0	343.1	1	590.6	476.2	1
..Septicemia (038)	314	50	130	667	1,537	23.2	38.1	0	50.4	65.0	0
...Septicemia-related (038)	1,076	215	469	3,304	6,619	114.9	155.1	0	217.2	278.6	0
..HIV infection (042-044)	501	494	500	12,166	17,151	355.9	278.4	1	475.2	368.6	1
All cancer (140-208)	6,633	1,684	3,880	18,234	45,414	667.5	702.2	0	1553.1	1632.8	0
..Oral cavity or pharynx (140.0-149.9)	121	47	89	433	1,113	15.8	24.2	0	38.5	52.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	775	173	421	1,423	4,283	52.0	56.9	0	146.9	148.0	0
...Colon cancer (153)	604	128	313	945	3,053	34.9	47.2	0	105.3	121.8	0
...Rectal cancer (154)	162	44	105	455	1,188	16.4	9.5	0	40.4	25.0	0
..Pancreatic cancer (157)	356	98	227	900	2,493	32.8	24.2	0	85.3	65.8	0
..Lung and other respiratory cancer (160-165)	2,022	517	1,270	4,203	13,040	154.4	182.4	0	448.1	506.9	0
...Lung cancer (162.2-.9)	1,944	498	1,218	4,010	12,495	147.8	168.6	0	430.1	477.7	0
..Malignant melanoma of skin (172)	104	47	75	563	1,168	19.1	25.0	0	38.6	43.6	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	748	49	237	333	1,603	12.3	14.1	0	53.3	70.7	0
..Bladder cancer (188)	208	26	87	250	798	9.2	5.4	0	26.8	23.7	0
..Brain & other CNS cancer (191-192)	154	79	116	1,190	2,157	44.5	53.2	0	75.2	92.7	0
..Leukemia (204-208)	259	80	161	1,497	2,690	58.0	60.7	0	94.8	96.0	0
Diabetes mellitus (250)	470	129	260	1,533	3,450	54.3	43.6	0	116.1	94.7	0
..Diabetes-related (250)	2,039	408	1,022	3,985	10,945	144.5	124.9	0	372.8	334.6	0
..Diabetic ketoacidosis (DKA) (250.1)	6	6	6	175	235
Alzheimer's diseases (331.0)	156	7	31	33	218	1.4	0.8	0	7.6	6.8	0
Cardiovascular disease (390-459)	10,549	1,975	4,605	21,641	53,636	782.3	762.2	0	1821.3	1819.6	0
..Diseases of the heart (390-398,402,404-429)	8,685	1,730	3,949	18,622	46,250	676.7	662.5	0	1577.2	1586.2	0
...Heart disease-related (390-398,402,404-429)	14,471	2,837	6,533	35,147	80,607	1258.8	1242.2	0	2714.5	2713.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,481	1,310	3,005	12,482	33,580	450.4	460.1	0	1144.9	1183.0	0
....Congestive heart failure (CHF) (428.0)	357	17	75	143	543	5.1	5.3	0	17.9	18.6	0
..Hypertension with or without renal disease (401,403)	1,09	24	50	315	675	10.4	6.1	0	21.6	15.6	0
...Hypertension-related (401,403)	1,248	215	590	1,948	5,840	70.8	75.1	0	198.6	204.3	0
..Cerebrovascular disease (430-438)	1,268	162	407	2,036	4,774	71.7	63.5	0	158.4	143.7	0
..Atherosclerosis (440)	123	7	29	103	263	3.4	2.6	0	8.3	9.9	0
...Atherosclerosis-related (440)	642	45	182	383	1,440	13.6	14.6	0	47.6	56.3	0
..Aortic aneurysm (441)	215	25	114	253	950	9.3	13.6	0	31.6	36.1	0
Pneumonia & influenza (480-487)	985	99	238	1,564	3,176	54.7	62.0	0	104.4	107.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,035	105	398	823	3,195	31.2	29.9	0	108.6	109.8	0
..COPD-related (490-496)	2,747	273	1,046	2,108	8,310	80.8	77.6	0	283.7	270.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	26	14	19	290	458	10.3	7.6	0	15.1	12.1	0
Chronic liver disease and cirrhosis (571)	364	216	310	3,080	5,715	101.6	98.7	0	183.0	173.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	283	42	99	532	1,230	17.9	17.2	0	39.9	39.7	0
..Nephritis-related (580-589)	1,478	256	597	3,759	7,877	133.3	111.1	0	262.0	245.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	333	48	117	577	1,385	19.6	17.5	0	45.3	42.9	0
Unintentional injuries (E800-E949)	1,123	802	896	24,656	33,121	963.9	843.1	0	1192.2	1046.4	0
..Motor vehicle accidents (E810-E825)	420	349	383	11,818	15,473	511.2	485.9	0	616.2	584.1	0
..Falls and fall related injuries (E880-E888)	155	49	68	953	1,530	35.6	26.4	0	52.9	43.2	0
..Drowning (E830,E832,E910)	44	38	39	1,268	1,656	48.5	55.7	0	58.3	68.2	0
..Residential fires (E890-E899)	28	22	24	689	919	30.0	28.8	0	36.6	34.7	0
Suicide (E950-E959)	444	361	400	9,593	13,385	353.6	412.2	0	457.8	527.3	0
Homicide and legal intervention (E960-E978)	159	156	159	5,317	6,895	239.1	201.3	0	285.7	241.1	0
..Homicide (E960-E969)	157	154	157	5,267	6,825	237.7	200.2	0	284.0	239.7	0
All injury (E800-E999)	1,768	1,358	1,494	40,663	54,888	1593.3	1503.3	0	1981.9	1872.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	405	337	370	11,343	14,875	491.2	476.2	0	592.9	571.5	0
..All falls (E880-E886,E888,E957,E968.1,E987)	142	55	75	1,098	1,743	39.7	33.2	0	58.8	51.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	352	305	329	9,333	12,503	393.3	390.1	0	484.7	479.7	0
....Suicide (E955.0-.4)	226	181	204	4,808	6,735	184.8	207.0	0	239.3	262.7	0
....Homicide (E965.0-.4)	117	116	117	4,235	5,398	196.1	164.6	0	230.8	195.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	351	327	339	9,143	12,458	286.1	218.1	1	364.0	278.4	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	237	172	217	2,760	4,758	90.1	90.4	0	150.0	143.7	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	294	284	291	8,040	10,903	244.3	155.2	1	309.5	193.7	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	27,705	4,118	8,833	71,272	133,500	2783.1	2542.8	0	4548.5	4260.9	0
Infectious diseases and parasitic disease (1-139)	666	208	279	5,616	8,009	188.0	128.1	0	246.8	172.9	1
..Septicemia (038)	419	43	101	882	1,562	33.6	33.2	0	51.9	52.9	0
...Septicemia-related (038)	1,433	176	411	2,899	5,652	110.1	115.5	0	187.1	197.3	0
..HIV infection (042-044)	131	130	130	3,839	5,139	113.1	81.1	0	141.3	99.7	0
All cancer (140-208)	6,561	1,651	3,496	18,675	43,827	659.5	650.4	0	1394.3	1389.6	0
..Oral cavity or pharynx (140.0-149.9)	83	16	44	120	415	4.4	5.7	0	13.1	15.6	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	793	124	303	1,100	3,193	37.2	39.9	0	98.2	101.4	0
...Colon cancer (153)	639	98	235	850	2,493	28.8	31.9	0	76.8	82.0	0
...Rectal cancer (154)	136	25	64	238	660	8.0	7.5	0	20.2	18.5	0
..Pancreatic cancer (157)	356	53	162	500	1,492	19.0	18.3	0	47.9	51.8	0
..Lung and other respiratory cancer (160-165)	1,484	416	944	3,795	10,550	130.8	136.7	0	329.9	336.7	0
...Lung cancer (162.2-.9)	1,450	408	923	3,680	10,273	127.3	134.7	0	322.0	330.9	0
..Malignant melanoma of skin (172)	72	34	48	500	905	15.2	16.6	0	26.7	29.4	0
..Female breast cancer (174)	1,111	389	692	4,573	9,950	150.5	164.5	0	307.5	328.8	0
..Cervical cancer (180)	65	44	51	715	1,193	21.7	24.6	0	35.0	38.6	0
..Endometrial cancer (182)	77	15	38	103	345	3.7	3.3	0	11.0	12.4	0
..Ovarian cancer (183)	361	111	202	1,143	2,650	40.0	37.6	0	85.0	83.5	0
..Prostate cancer (185)	0	.	.	.
..Bladder cancer (188)	109	11	43	113	353	4.6	4.8	0	11.3	11.1	0
..Brain & other CNS cancer (191-192)	139	52	94	984	1,699	40.7	33.3	0	61.6	53.6	0
..Leukemia (204-208)	241	67	127	1,167	2,087	51.6	42.2	0	79.0	65.5	0
Diabetes mellitus (250)	603	108	246	1,250	2,945	39.8	26.3	0	88.3	58.2	1
..Diabetes-related (250)	2,446	292	908	2,860	8,525	95.6	76.0	0	256.2	215.8	0
..Diabetic ketoacidosis (DKA) (250.1)	12	3	5	63	103	.	.	0	.	.	.
Alzheimer's diseases (331.0)	338	9	37	58	288	2.2	1.0	0	8.8	5.4	0
Cardiovascular disease (390-459)	12,586	832	2,485	9,309	24,667	327.2	321.3	0	760.8	771.7	0
..Diseases of the heart (390-398,402,404-429)	9,709	655	1,958	7,207	19,324	257.1	247.3	0	600.1	609.1	0
...Heart disease-related (390-398,402,404-429)	16,131	1,390	3,807	17,832	42,260	658.7	609.1	0	1350.3	1308.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,909	404	1,316	3,422	11,287	119.1	122.0	0	342.8	364.7	0
....Congestive heart failure (CHF) (428.0)	592	14	65	140	493	5.8	1.8	0	15.8	11.0	0
..Hypertension with or without renal disease (401,403)	154	8	37	55	253	2.0	3.5	0	7.5	8.4	0
...Hypertension-related (401,403)	1,910	124	460	940	3,615	34.5	30.6	0	110.4	97.4	0
..Cerebrovascular disease (430-438)	2,144	141	368	1,713	4,075	57.7	55.4	0	124.5	119.2	0
..Atherosclerosis (440)	245	2	17	55	133	1.3	2.5	0	3.0	7.0	0
...Atherosclerosis-related (440)	1,062	26	133	250	933	8.3	9.1	0	26.8	27.5	0
..Aortic aneurysm (441)	139	7	49	63	303	2.0	3.3	0	8.3	9.1	0
Pneumonia & influenza (480-487)	1,263	64	160	1,202	2,212	46.0	23.1	0	73.6	47.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,149	118	398	1,062	3,477	38.1	26.8	0	106.7	84.6	0
..COPD-related (490-496)	2,568	236	868	1,902	7,007	68.3	58.8	0	213.1	185.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	53	23	33	458	723	15.2	8.4	0	22.3	12.7	0
Chronic liver disease and cirrhosis (571)	183	82	131	1,370	2,408	42.5	37.5	0	70.9	69.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	260	28	71	280	743	9.0	11.7	0	22.3	24.9	0
..Nephritis-related (580-589)	1,262	141	389	1,849	4,339	65.9	76.0	0	135.9	158.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	306	32	86	340	895	10.8	12.5	0	26.5	27.7	0
Unintentional injuries (E800-E949)	620	238	321	7,604	10,382	340.3	267.0	0	418.8	335.8	0
..Motor vehicle accidents (E810-E825)	199	126	159	4,253	5,681	199.1	164.9	0	241.0	202.6	0
..Falls and fall related injuries (E880-E888)	187	15	32	295	507	12.0	5.3	0	18.0	10.9	0
..Drowning (E830,E832,E910)	8	7	8	268	340
..Residential fires (E890-E899)	20	13	14	472	609	23.5	28.8	0	27.8	34.6	0
Suicide (E950-E959)	128	99	114	2,283	3,365	80.5	80.4	0	109.7	104.8	0
Homicide and legal intervention (E960-E978)	62	53	59	1,914	2,469	85.5	64.1	0	101.2	75.6	0
..Homicide (E960-E969)	62	53	59	1,914	2,469	85.5	64.1	0	101.2	75.6	0
All injury (E800-E999)	818	397	502	11,968	16,460	510.7	430.3	0	635.9	540.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	197	124	157	4,186	5,594	195.8	164.4	0	237.1	201.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	112	17	29	345	560	13.4	8.8	0	19.3	15.2	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	69	63	68	1,933	2,580	77.5	49.5	0	95.1	61.3	0
....Suicide (E955.0-.4)	39	36	38	920	1,285	30.3	19.6	0	39.6	25.5	0
....Homicide (E965.0-.4)	29	26	29	980	1,253	46.4	27.2	0	54.5	32.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	109	88	96	2,315	3,240	80.4	64.8	0	103.7	84.7	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	72	49	67	903	1,488	27.5	29.0	0	42.9	47.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	92	75	82	2,103	2,890	68.3	47.4	0	87.0	62.2	0

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Signif-icance	1993-1994	1991-1992	Signif-icance
*****Causes of Death*****											
All causes	53,635	11,264	22,278	204,165	367,250	4088.4	3847.8	1	6632.0	6349.3	1
Infectious diseases and parasitic disease (1-139)	1,604	815	989	19,803	28,768	370.6	285.0	1	501.6	388.3	1
..Septicemia (038)	733	93	231	1,549	3,099	31.2	36.5	0	55.5	60.9	0
...Septicemia-related (038)	2,509	391	880	6,203	12,270	124.2	147.5	0	219.6	256.2	0
..HIV infection (042-044)	632	624	630	16,005	22,290	294.4	224.9	1	383.9	291.3	1
All cancer (140-208)	13,194	3,335	7,376	36,909	89,241	756.4	775.7	0	1605.5	1650.7	0
..Oral cavity or pharynx (140.0-149.9)	204	63	133	553	1,528	11.6	17.4	0	27.7	37.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,568	297	724	2,523	7,475	51.9	56.7	0	132.4	136.4	0
...Colon cancer (153)	1,243	226	548	1,795	5,545	36.8	46.2	0	97.6	111.3	0
...Rectal cancer (154)	298	69	169	693	1,848	14.4	10.2	0	33.3	23.9	0
..Pancreatic cancer (157)	712	151	389	1,400	3,985	29.3	24.5	0	71.7	63.6	0
..Lung and other respiratory cancer (160-165)	3,506	933	2,214	7,998	23,590	166.1	183.5	0	420.5	453.5	0
...Lung cancer (162.2-.9)	3,394	906	2,141	7,690	22,768	160.1	175.1	0	406.3	435.4	0
..Malignant melanoma of skin (172)	176	81	123	1,063	2,073	21.2	25.5	0	37.8	42.7	0
..Female breast cancer (174)	1,111	389	692	4,573	9,950
..Cervical cancer (180)	65	44	51	715	1,193
..Endometrial cancer (182)	77	15	38	103	345
..Ovarian cancer (183)	361	111	202	1,143	2,650
..Prostate cancer (185)	748	49	237	333	1,603
..Bladder cancer (188)	317	37	130	363	1,150	7.6	5.8	0	20.2	18.1	0
..Brain & other CNS cancer (191-192)	293	131	210	2,174	3,856	44.9	47.0	0	72.2	78.5	0
..Leukemia (204-208)	500	147	288	2,664	4,776	54.7	53.3	0	87.6	84.2	0
Diabetes mellitus (250)	1,073	237	506	2,783	6,395	55.6	40.7	0	114.0	84.2	1
..Diabetes-related (250)	4,485	700	1,930	6,845	19,470	138.8	116.4	0	341.8	297.9	1
..Diabetic ketoacidosis (DKA) (250.1)	18	9	11	238	338	4.4	.	0	5.8	.	0
Alzheimer's diseases (331.0)	494	16	68	90	505	1.9	0.9	0	8.4	6.4	0
Cardiovascular disease (390-459)	23,135	2,807	7,090	30,950	78,302	630.5	614.7	0	1393.2	1393.4	0
..Diseases of the heart (390-398,402,404-429)	18,394	2,385	5,907	25,829	65,574	527.6	514.1	0	1169.4	1175.4	0
...Heart disease-related (390-398,402,404-429)	30,602	4,227	10,340	52,979	122,866	1072.0	1024.0	0	2189.3	2147.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	13,390	1,714	4,321	15,904	44,867	328.4	336.3	0	799.6	831.1	0
....Congestive heart failure (CHF) (428.0)	949	31	140	283	1,035	5.9	4.0	0	17.7	15.8	0
..Hypertension with or without renal disease (401,403)	263	32	87	370	928	7.5	5.6	0	16.5	13.1	0
...Hypertension-related (401,403)	3,158	339	1,050	2,888	9,455	60.0	61.0	0	165.6	162.6	0
..Cerebrovascular disease (430-438)	3,412	303	775	3,749	8,849	75.3	70.2	0	156.6	147.3	0
..Atherosclerosis (440)	368	9	46	158	395	3.0	2.9	0	6.6	9.0	0
...Atherosclerosis-related (440)	1,704	71	315	633	2,373	12.8	13.4	0	40.2	44.2	0
..Aortic aneurysm (441)	354	32	163	315	1,253	6.4	9.0	0	20.9	23.3	0
Pneumonia & influenza (480-487)	2,248	163	398	2,766	5,388	55.2	45.2	0	96.1	81.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,184	223	796	1,885	6,672	38.0	30.1	0	113.3	100.7	0
..COPD-related (490-496)	5,315	509	1,914	4,010	15,317	81.5	74.2	0	260.0	237.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	79	37	52	748	1,180	14.8	8.0	0	21.5	12.6	0
Chronic liver disease and cirrhosis (571)	547	298	441	4,450	8,123	89.5	85.4	0	149.9	144.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	543	70	170	812	1,972	15.9	16.4	0	34.4	35.2	0
..Nephritis-related (580-589)	2,740	397	986	5,608	12,215	111.2	104.9	0	215.4	218.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	639	80	203	917	2,280	18.1	17.0	0	39.8	38.1	0
Unintentional injuries (E800-E949)	1,743	1,040	1,217	32,260	43,503	646.1	541.5	1	804.7	679.3	1
..Motor vehicle accidents (E810-E825)	619	475	542	16,071	21,153	330.9	305.2	0	401.9	371.1	0
..Falls and fall related injuries (E880-E888)	342	64	100	1,247	2,037	25.5	17.1	0	37.9	28.7	0
..Drowning (E830,E832,E910)	52	45	47	1,536	1,996	31.0	31.5	0	37.3	38.9	0
..Residential fires (E890-E899)	48	35	38	1,161	1,528	24.3	25.5	0	29.5	31.2	0
Suicide (E950-E959)	572	460	514	11,875	16,750	232.8	260.4	0	304.8	334.9	0
Homicide and legal intervention (E960-E978)	221	209	218	7,231	9,363	150.5	127.1	0	180.4	152.3	0
..Homicide (E960-E969)	219	207	216	7,181	9,293	149.5	126.5	0	179.1	151.6	0
All injury (E800-E999)	2,586	1,755	1,996	52,631	71,348	1053.5	967.0	0	1320.6	1214.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	602	461	527	15,529	20,469	320.1	300.6	0	389.4	365.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	254	72	104	1,442	2,302	28.9	22.9	0	42.4	35.6	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	421	368	397	11,265	15,083	230.1	217.1	0	285.3	268.3	0
....Suicide (E955.0-.4)	265	217	242	5,728	8,020	113.4	116.8	0	147.4	149.0	0
....Homicide (E965.0-.4)	146	142	146	5,215	6,650	110.1	90.8	0	130.0	108.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	460	415	435	11,458	15,698	215.0	163.3	1	274.5	209.7	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	309	221	284	3,663	6,245	73.7	76.0	0	115.8	116.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	386	359	373	10,143	13,793	187.9	118.1	1	238.2	149.3	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	25,930	7,146	13,445	132,893	233,751	5304.5	5071.6	0	8597.4	8338.3	0
Infectious diseases and parasitic disease (1-139)	938	607	710	14,187	20,759	533.4	435.7	1	731.8	595.1	1
..Septicemia (038)	314	50	130	667	1,537	27.8	41.9	0	57.4	70.9	0
...Septicemia-related (038)	1,076	215	469	3,304	6,619	132.9	176.9	0	243.7	310.5	1
..HIV infection (042-044)	501	494	500	12,166	17,151	453.1	360.6	1	599.4	472.9	1
All cancer (140-208)	6,633	1,684	3,880	18,234	45,414	753.9	793.5	0	1685.7	1773.1	0
..Oral cavity or pharynx (140.0-149.9)	121	47	89	433	1,113	18.5	28.8	0	42.4	59.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	775	173	421	1,423	4,283	59.8	65.8	0	159.1	162.0	0
...Colon cancer (153)	604	128	313	945	3,053	39.6	54.3	0	112.6	133.1	0
...Rectal cancer (154)	162	44	105	455	1,188	19.3	11.3	0	44.9	27.7	0
..Pancreatic cancer (157)	356	98	227	900	2,493	38.3	27.9	0	93.9	71.7	0
..Lung and other respiratory cancer (160-165)	2,022	517	1,270	4,203	13,040	178.7	209.5	0	485.2	548.6	0
...Lung cancer (162.2-.9)	1,944	498	1,218	4,010	12,495	170.7	194.8	0	465.1	517.6	0
..Malignant melanoma of skin (172)	104	47	75	563	1,168	23.2	30.9	0	44.2	51.7	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	748	49	237	333	1,603	13.7	15.2	0	56.9	74.2	0
..Bladder cancer (188)	208	26	87	250	798	10.8	6.0	0	29.7	24.8	0
..Brain & other CNS cancer (191-192)	154	79	116	1,190	2,157	49.0	60.8	0	81.9	103.4	0
..Leukemia (204-208)	259	80	161	1,497	2,690	60.4	64.1	0	99.1	101.9	0
Diabetes mellitus (250)	470	129	260	1,533	3,450	62.9	51.8	0	128.6	106.2	0
..Diabetes-related (250)	2,039	408	1,022	3,985	10,945	166.5	147.3	0	406.9	368.8	0
..Diabetic ketoacidosis (DKA) (250.1)	6	6	6	175	235
Alzheimer's diseases (331.0)	156	7	31	33	218	1.4	0.8	0	7.7	7.0	0
Cardiovascular disease (390-459)	10,549	1,975	4,605	21,641	53,636	900.2	885.7	0	2001.5	2007.3	0
..Diseases of the heart (390-398,402,404-429)	8,685	1,730	3,949	18,622	46,250	776.3	770.1	0	1729.4	1748.3	0
...Heart disease-related (390-398,402,404-429)	14,471	2,837	6,533	35,147	80,607	1438.6	1409.4	0	2987.2	2969.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,481	1,310	3,005	12,482	33,580	525.9	543.6	0	1259.0	1307.9	0
....Congestive heart failure (CHF) (428.0)	357	17	75	143	543	6.0	6.2	0	19.6	20.1	0
..Hypertension with or without renal disease (401,403)	1,09	24	50	315	675	12.9	7.1	0	25.2	17.1	0
...Hypertension-related (401,403)	1,248	215	590	1,948	5,840	83.0	87.2	0	218.1	223.4	0
..Cerebrovascular disease (430-438)	1,268	162	407	2,036	4,774	83.7	75.8	0	176.7	162.9	0
..Atherosclerosis (440)	123	7	29	103	263	4.1	3.0	0	9.5	10.6	0
...Atherosclerosis-related (440)	642	45	182	383	1,440	15.8	16.5	0	51.8	60.6	0
..Aortic aneurysm (441)	215	25	114	253	950	10.4	13.9	0	33.8	37.4	0
Pneumonia & influenza (480-487)	985	99	238	1,564	3,176	62.4	65.8	0	116.1	114.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,035	105	398	823	3,195	33.9	31.7	0	114.3	115.0	0
..COPD-related (490-496)	2,747	273	1,046	2,108	8,310	87.5	83.0	0	298.7	283.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	26	14	19	290	458	11.7	7.9	0	17.1	12.5	0
Chronic liver disease and cirrhosis (571)	364	216	310	3,080	5,715	127.1	124.7	0	218.0	208.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	283	42	99	532	1,230	20.7	19.8	0	44.0	43.7	0
..Nephritis-related (580-589)	1,478	256	597	3,759	7,877	149.9	128.3	0	287.6	271.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	333	48	117	577	1,385	22.7	20.1	0	49.9	46.9	0
Unintentional injuries (E800-E949)	1,123	802	896	24,656	33,121	969.2	821.5	1	1209.2	1028.9	1
..Motor vehicle accidents (E810-E825)	420	349	383	11,818	15,473	477.0	450.3	0	578.9	544.5	0
..Falls and fall related injuries (E880-E888)	155	49	68	953	1,530	38.5	28.1	0	57.2	45.7	0
..Drowning (E830,E832,E910)	44	38	39	1,268	1,656	49.0	54.7	0	59.5	67.8	0
..Residential fires (E890-E899)	28	22	24	689	919	28.3	25.3	0	35.0	31.0	0
Suicide (E950-E959)	444	361	400	9,593	13,385	374.9	429.7	0	487.4	552.8	0
Homicide and legal intervention (E960-E978)	159	156	159	5,317	6,895	219.6	191.2	0	264.1	230.1	0
..Homicide (E960-E969)	157	154	157	5,267	6,825	217.7	190.0	0	261.6	228.7	0
All injury (E800-E999)	1,768	1,358	1,494	40,663	54,888	1605.9	1495.5	0	2014.1	1878.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	405	337	370	11,343	14,875	458.5	441.8	0	557.3	533.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	142	55	75	1,098	1,743	43.6	35.4	0	64.2	54.2	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	352	305	329	9,333	12,503	379.6	378.9	0	471.9	469.2	0
....Suicide (E955.0-.4)	226	181	204	4,808	6,735	191.3	209.1	0	249.4	267.1	0
....Homicide (E965.0-.4)	117	116	117	4,235	5,398	176.3	153.8	0	208.4	183.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	351	327	339	9,143	12,458	340.7	253.9	1	433.7	324.5	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	237	172	217	2,760	4,758	112.9	115.6	0	180.7	176.7	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	294	284	291	8,040	10,903	296.9	181.9	1	376.1	227.6	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	27,705	4,118	8,833	71,272	133,500	2875.0	2628.3	1	4732.9	4435.3	0
Infectious diseases and parasitic disease (1-139)	666	208	279	5,616	8,009	210.9	137.5	1	277.3	186.4	1
..Septicemia (038)	419	43	101	882	1,562	35.1	31.5	0	54.8	51.6	0
...Septicemia-related (038)	1,433	176	411	2,899	5,652	116.6	119.3	0	198.4	205.4	0
..HIV infection (042-044)	131	130	130	3,839	5,139	137.8	91.6	1	172.0	113.4	1
All cancer (140-208)	6,561	1,651	3,496	18,675	43,827	759.0	758.2	0	1539.7	1545.8	0
..Oral cavity or pharynx (140.0-149.9)	83	16	44	120	415	4.9	6.4	0	14.0	16.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	793	124	303	1,100	3,193	44.4	48.0	0	108.5	113.3	0
...Colon cancer (153)	639	98	235	850	2,493	34.1	38.3	0	84.4	91.5	0
...Rectal cancer (154)	136	25	64	238	660	9.7	9.0	0	22.7	20.6	0
..Pancreatic cancer (157)	356	53	162	500	1,492	20.8	21.3	0	51.2	56.2	0
..Lung and other respiratory cancer (160-165)	1,484	416	944	3,795	10,550	154.3	158.7	0	363.8	369.4	0
...Lung cancer (162.2-.9)	1,450	408	923	3,680	10,273	150.1	156.5	0	355.0	363.3	0
..Malignant melanoma of skin (172)	72	34	48	500	905	19.3	20.2	0	32.1	34.2	0
..Female breast cancer (174)	1,111	389	692	4,573	9,950	184.1	204.5	0	354.0	383.4	0
..Cervical cancer (180)	65	44	51	715	1,193	28.0	31.0	0	43.3	47.4	0
..Endometrial cancer (182)	77	15	38	103	345	4.2	3.4	0	11.8	12.6	0
..Ovarian cancer (183)	361	111	202	1,143	2,650	47.2	43.7	0	95.5	92.3	0
..Prostate cancer (185)	0	.	.	.
..Bladder cancer (188)	109	11	43	113	353	4.6	5.8	0	11.6	12.6	0
..Brain & other CNS cancer (191-192)	139	52	94	984	1,699	41.2	33.8	0	63.4	55.0	0
..Leukemia (204-208)	241	67	127	1,167	2,087	49.2	42.7	0	77.1	67.3	0
Diabetes mellitus (250)	603	108	246	1,250	2,945	48.4	30.1	0	100.3	63.7	1
..Diabetes-related (250)	2,446	292	908	2,860	8,525	112.2	86.7	0	281.6	232.9	0
..Diabetic ketoacidosis (DKA) (250.1)	12	3	5	63	103	.	.	0	.	.	.
Alzheimer's diseases (331.0)	338	9	37	58	288	2.3	1.1	0	9.1	5.9	0
Cardiovascular disease (390-459)	12,586	832	2,485	9,309	24,667	369.7	354.0	0	828.6	828.3	0
..Diseases of the heart (390-398,402,404-429)	9,709	655	1,958	7,207	19,324	287.3	268.1	0	649.4	647.2	0
...Heart disease-related (390-398,402,404-429)	16,131	1,390	3,807	17,832	42,260	716.9	651.7	0	1447.7	1386.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,909	404	1,316	3,422	11,287	138.4	137.5	0	374.3	392.3	0
....Congestive heart failure (CHF) (428.0)	592	14	65	140	493	5.8	1.9	0	16.2	11.7	0
..Hypertension with or without renal disease (401,403)	154	8	37	55	253	2.2	4.3	0	8.1	9.5	0
...Hypertension-related (401,403)	1,910	124	460	940	3,615	38.0	35.8	0	117.3	106.5	0
..Cerebrovascular disease (430-438)	2,144	141	368	1,713	4,075	66.9	64.8	0	138.2	133.5	0
..Atherosclerosis (440)	245	2	17	55	133	2.0	2.8	0	4.0	7.6	0
...Atherosclerosis-related (440)	1,062	26	133	250	933	10.0	10.4	0	29.9	30.1	0
..Aortic aneurysm (441)	139	7	49	63	303	2.5	4.2	0	9.3	10.6	0
Pneumonia & influenza (480-487)	1,263	64	160	1,202	2,212	48.4	24.6	0	78.2	50.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,149	118	398	1,062	3,477	42.1	28.6	0	113.5	88.8	0
..COPD-related (490-496)	2,568	236	868	1,902	7,007	75.8	65.7	0	226.9	198.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	53	23	33	458	723	17.8	8.2	0	25.8	12.7	0
Chronic liver disease and cirrhosis (571)	183	82	131	1,370	2,408	53.3	47.5	0	85.3	82.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	260	28	71	280	743	11.2	13.2	0	25.3	27.4	0
..Nephritis-related (580-589)	1,262	141	389	1,849	4,339	72.9	82.6	0	147.1	170.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	306	32	86	340	895	13.5	14.0	0	30.4	30.2	0
Unintentional injuries (E800-E949)	620	238	321	7,604	10,382	318.7	256.2	0	397.0	326.0	0
..Motor vehicle accidents (E810-E825)	199	126	159	4,253	5,681	180.9	156.0	0	221.0	193.4	0
..Falls and fall related injuries (E880-E888)	187	15	32	295	507	12.5	6.1	0	19.0	12.1	0
..Drowning (E830,E832,E910)	8	7	8	268	340
..Residential fires (E890-E899)	20	13	14	472	609	20.4	25.6	0	24.3	31.2	0
Suicide (E950-E959)	128	99	114	2,283	3,365	89.2	89.3	0	121.3	116.6	0
Homicide and legal intervention (E960-E978)	62	53	59	1,914	2,469	79.2	61.5	0	94.3	72.9	0
..Homicide (E960-E969)	62	53	59	1,914	2,469	79.2	61.5	0	94.3	72.9	0
All injury (E800-E999)	818	397	502	11,968	16,460	493.1	429.9	0	620.8	545.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	197	124	157	4,186	5,594	178.2	155.4	0	217.8	192.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	112	17	29	345	560	14.4	10.4	0	21.0	17.3	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	69	63	68	1,933	2,580	77.1	51.8	0	95.4	64.6	0
...Suicide (E955.0-.4)	39	36	38	920	1,285	34.5	23.2	0	45.1	30.2	0
...Homicide (E965.0-.4)	29	26	29	980	1,253	41.6	25.9	0	49.0	30.9	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	109	88	96	2,315	3,240	89.8	73.0	0	116.3	95.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	72	49	67	903	1,488	35.5	37.5	0	53.5	58.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	92	75	82	2,103	2,890	79.6	54.2	0	101.4	71.0	0

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).