

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex  
White Residents, 1997-1998

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables  
by Cause of Death and Sex, White Residents, 1997-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables  
by Cause of Death and Sex, White Residents, 1997-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT White Resident DEATHS, 1997-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1997-1998*****				*****1997-1998*****				*****1997-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR
*****Causes of Death*****															
All causes	54,675	947.9	403.4	1	420.1	25,696	915.2	500.3	1	529.8	28,979	979.0	324.1	0	331.3
Infectious diseases and parasitic disease (1-139)	1,197	20.8	10.9	1	15.9	624	22.2	14.2	1	22.9	573	19.4	7.8	0	9.5
..Septicemia (038)	714	12.4	4.5	0	4.5	306	10.9	5.3	0	5.7	408	13.8	3.9	0	3.6
....Septicemia-related (038)	2,613	45.3	18.5	0	17.8	1,189	42.3	21.9	0	21.8	1,424	48.1	16.0	0	14.9
..HIV infection (042-044)	219	3.8	3.5	1	8.9	170	6.1	5.3	1	13.8	49	1.7	1.6	1	4.0
All cancer (140-208)	13,194	228.8	115.8	0	119.6	6,500	231.5	132.5	0	139.1	6,694	226.1	104.2	0	106.3
..Oral cavity or pharynx (140.0-149.9)	160	2.8	1.5	0	1.9	96	3.4	2.2	0	3.0	64	2.2	0.9	0	0.9
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,403	24.3	10.9	0	11.4	652	23.2	12.7	0	14.3	751	25.4	9.6	0	9.1
....Colon cancer (153)	1,150	19.9	8.9	0	8.9	528	18.8	10.3	0	11.0	622	21.0	7.9	0	7.2
....Rectal cancer (154)	228	4.0	1.9	0	2.4	113	4.0	2.3	0	3.1	115	3.9	1.5	0	1.7
..Pancreatic cancer (157)	756	13.1	6.5	0	6.4	357	12.7	7.6	0	7.0	399	13.5	5.5	0	5.8
..Lung and other respiratory cancer (160-165)	3,584	62.1	33.8	0	34.7	1,974	70.3	42.4	0	44.6	1,610	54.4	27.3	0	27.3
....Lung cancer (162.2-.9)	3,482	60.4	32.9	0	33.6	1,901	67.7	40.8	0	42.7	1,581	53.4	26.8	0	26.9
..Malignant melanoma of skin (172)	176	3.1	1.7	0	2.1	89	3.2	2.0	0	2.9	87	2.9	1.4	0	1.3
..Female breast cancer (174)	1,089	.	.	.	.	.	.	.	.	1,089	36.8	19.1	0	21.1	
..Cervical cancer (180)	59	.	.	.	.	.	.	.	.	59	2.0	1.3	0	1.6	
..Endometrial cancer (182)	76	.	.	.	.	.	.	.	.	76	2.6	1.0	0	1.3	
..Ovarian cancer (183)	362	.	.	.	.	.	.	.	.	362	12.2	6.3	0	5.5	
..Prostate cancer (185)	729	.	.	.	.	729	26.0	10.9	0	12.4	.	.	.	.	
..Bladder cancer (188)	360	6.2	2.4	0	2.6	242	8.6	4.1	0	4.5	118	4.0	1.2	0	1.3
..Brain & other CNS cancer (191-192)	286	5.0	3.2	0	3.3	156	5.6	3.9	0	3.9	130	4.4	2.4	0	2.8
..Leukemia (204-208)	510	8.8	4.7	0	4.7	277	9.9	5.9	0	6.2	233	7.9	3.8	0	3.5
Diabetes mellitus (250)	1,140	19.8	8.8	0	9.2	539	19.2	10.5	0	10.3	601	20.3	7.5	0	8.4
..Diabetes-related (250)	4,541	78.7	33.5	0	34.1	2,257	80.4	42.4	0	40.8	2,284	77.2	26.6	0	29.0
..Diabetic ketoacidosis (DKA) (250.1)	17	0.3	0.2	0	0.3	10	0.4	.	.	.	7	0.2	.	.	.
Alzheimer's diseases (331.0)	512	8.9	2.1	0	2.1	151	5.4	2.0	0	2.0	361	12.2	2.2	0	2.1
Cardiovascular disease (390-459)	23,281	403.6	141.0	1	148.0	10,469	372.9	184.5	1	192.7	12,812	432.8	104.9	1	112.1
..Diseases of the heart (390-398,402,404-429)	18,205	315.6	112.6	1	119.3	8,482	302.1	152.0	0	158.8	9,723	328.5	80.0	1	87.5
....Heart disease-related (390-398,402,404-429)	30,582	530.2	194.1	1	204.3	14,253	507.6	253.2	1	265.0	16,329	551.7	146.7	1	156.9
....Coronary heart disease (CHD) (402,410-414,429.2)	13,033	226.0	81.3	1	86.6	6,294	224.2	113.6	1	121.0	6,739	227.7	54.7	1	58.8
....Congestive heart failure (CHF) (428.0)	1,123	19.5	4.9	0	4.6	386	13.7	5.2	0	5.0	737	24.9	4.7	0	4.3
..Hypertension with or without renal disease (401,403)	293	5.1	1.6	0	1.5	105	3.7	1.7	0	1.7	188	6.4	1.6	0	1.3
....Hypertension-related (401,403)	3,922	68.0	24.3	0	22.5	1,552	55.3	27.8	0	26.1	2,370	80.1	21.0	0	19.1
..Cerebrovascular disease (430-438)	3,633	63.0	19.5	0	20.2	1,338	47.7	21.1	0	22.6	2,295	77.5	18.0	0	18.1
..Atherosclerosis (440)	328	5.7	1.5	1	1.6	118	4.2	1.6	0	2.0	210	7.1	1.4	0	1.2
....Atherosclerosis-related (440)	1,400	24.3	6.7	1	7.8	539	19.2	8.0	1	9.6	861	29.1	5.7	0	6.4
..Aortic aneurysm (441)	434	7.5	3.0	0	3.0	251	8.9	4.6	0	4.8	183	6.2	1.7	0	1.7
Pneumonia & influenza (480-487)	2,340	40.6	11.3	0	11.0	1,056	37.6	15.0	0	14.0	1,284	43.4	8.8	0	9.1

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.  
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT White Resident DEATHS, 1997-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1997-1998*****					*****1997-1998*****					*****1997-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1995- 1996 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995- 1996 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995- 1996 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	2,431	42.1	16.3	0	15.9	1,093	38.9	18.1	0	18.6	1,338	45.2	15.4	0	14.4
..COPD-related (490-496)	5,517	95.7	37.0	0	36.7	2,672	95.2	44.8	0	46.5	2,845	96.1	32.0	0	30.4
..Asthma (493)	98	1.7	1.0	0	1.0	26	0.9	0.8	0	0.7	72	2.4	1.2	0	1.3
Chronic liver disease and cirrhosis (571)	541	9.4	6.3	0	6.9	328	11.7	8.7	0	9.7	213	7.2	4.0	0	4.2
Nephritis, nephrotic syndrome/nephrosis (580-589)	644	11.2	3.9	0	4.0	313	11.1	4.8	0	5.2	331	11.2	3.4	0	3.1
..Nephritis-related (580-589)	2,879	49.9	19.4	0	19.1	1,536	54.7	25.9	0	25.4	1,343	45.4	15.1	0	14.7
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	752	13.0	4.7	0	4.8	375	13.4	6.0	0	6.2	377	12.7	3.9	0	3.9
Unintentional injuries (E800-E949)	1,949	33.8	25.1	0	24.0	1,226	43.7	36.0	0	34.7	723	24.4	14.8	0	13.7
..Motor vehicle accidents (E810-E825)	606	10.5	10.3	0	10.3	377	13.4	13.5	0	14.1	229	7.7	7.0	0	6.5
..Falls and fall related injuries (E880-E888)	389	6.7	2.4	0	2.6	208	7.4	3.7	0	3.6	181	6.1	1.4	0	1.8
..Drowning (E830,E832,E910)	47	0.8	0.8	0	1.1	40	1.4	1.5	0	1.8	7	0.2	.	0	.
..Residential fires (E890-E899)	47	0.8	0.7	0	0.9	24	0.9	0.8	0	1.1	23	0.8	0.6	0	0.6
Suicide (E950-E959)	500	8.7	7.6	0	9.1	379	13.5	11.9	1	14.9	121	4.1	3.5	0	3.6
Homicide and legal intervention (E960-E978)	131	2.3	2.6	0	3.2	98	3.5	4.0	0	4.7	33	1.1	1.2	0	1.7
..Homicide (E960-E969)	130	2.3	2.6	0	3.2	97	3.5	4.0	0	4.7	33	1.1	1.2	0	1.7
All injury (E800-E999)	2,648	45.9	36.5	0	37.1	1,747	62.2	53.3	0	55.2	901	30.4	20.3	0	19.5
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	593	10.3	10.0	0	10.1	368	13.1	13.1	0	13.8	225	7.6	6.9	0	6.5
..All falls (E880-E886,E888,E957,E968.1,E987)	279	4.8	2.1	0	2.3	171	6.1	3.5	0	3.2	108	3.6	1.0	0	1.5
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	253	4.4	4.3	1	6.2	225	8.0	7.7	1	10.9	28	0.9	0.9	0	1.5
....Suicide (E955.0-.4)	181	3.1	2.7	1	3.8	163	5.8	5.0	1	7.0	18	0.6	0.5	0	0.7
....Homicide (E965.0-.4)	64	1.1	1.4	1	2.2	55	2.0	2.4	0	3.6	9	0.3	.	0	0.8
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	562	9.7	8.9	0	7.7	402	14.3	13.0	0	11.6	160	5.4	4.9	0	3.8
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	269	4.7	3.7	0	4.5	199	7.1	5.7	0	7.0	70	2.4	1.8	0	2.2
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	499	8.7	8.1	1	6.5	350	12.5	11.6	0	9.7	149	5.0	4.6	0	3.3

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.  
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT White Resident DEATHS, 1997-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1997-1998*****				*****1997-1998*****				*****1997-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR
*****Causes of Death*****															
All causes	54,675	947.9	573.7	1	591.6	25,696	915.2	705.2	1	740.6	28,979	979.0	473.9	0	481.2
Infectious diseases and parasitic disease (1-139)	1,197	20.8	13.3	1	17.6	624	22.2	17.0	1	24.6	573	19.4	10.2	0	11.4
..Septicemia (038)	714	12.4	7.0	0	7.0	306	10.9	8.1	0	8.8	408	13.8	6.2	0	5.8
....Septicemia-related (038)	2,613	45.3	26.9	0	26.1	1,189	42.3	32.0	0	31.9	1,424	48.1	23.5	0	22.1
..HIV infection (042-044)	219	3.8	3.0	1	7.5	170	6.1	4.7	1	11.8	49	1.7	1.4	1	3.3
All cancer (140-208)	13,194	228.8	154.7	0	159.3	6,500	231.5	182.9	0	191.9	6,694	226.1	136.3	0	138.5
..Oral cavity or pharynx (140.0-149.9)	160	2.8	2.0	0	2.4	96	3.4	2.8	0	3.7	64	2.2	1.3	0	1.3
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,403	24.3	15.4	0	16.0	652	23.2	17.9	0	19.9	751	25.4	13.5	0	13.1
....Colon cancer (153)	1,150	19.9	12.6	0	12.7	528	18.8	14.5	0	15.6	622	21.0	11.1	0	10.5
....Rectal cancer (154)	228	4.0	2.6	0	3.1	113	4.0	3.1	0	4.0	115	3.9	2.1	0	2.4
..Pancreatic cancer (157)	756	13.1	8.8	0	8.7	357	12.7	10.3	0	9.4	399	13.5	7.6	0	8.0
..Lung and other respiratory cancer (160-165)	3,584	62.1	44.5	0	45.5	1,974	70.3	57.0	0	60.4	1,610	54.4	35.4	0	35.0
....Lung cancer (162.2-.9)	3,482	60.4	43.2	0	44.1	1,901	67.7	54.9	0	58.0	1,581	53.4	34.8	0	34.5
..Malignant melanoma of skin (172)	176	3.1	2.1	0	2.5	89	3.2	2.6	0	3.6	87	2.9	1.7	0	1.6
..Female breast cancer (174)	1,089	.	.	.	.	.	.	.	.	1,089	36.8	23.6	0	25.8	
..Cervical cancer (180)	59	.	.	.	.	.	.	.	.	59	2.0	1.4	0	1.8	
..Endometrial cancer (182)	76	.	.	.	.	.	.	.	.	76	2.6	1.5	0	1.8	
..Ovarian cancer (183)	362	.	.	.	.	.	.	.	.	362	12.2	7.9	0	7.0	
..Prostate cancer (185)	729	.	.	.	.	729	26.0	18.5	0	21.1	.	.	.	.	.
..Bladder cancer (188)	360	6.2	3.7	0	3.8	242	8.6	6.4	0	6.8	118	4.0	1.8	0	1.9
..Brain & other CNS cancer (191-192)	286	5.0	3.7	0	3.8	156	5.6	4.6	0	4.6	130	4.4	3.0	0	3.2
..Leukemia (204-208)	510	8.8	6.1	0	6.1	277	9.9	7.9	0	8.3	233	7.9	4.8	0	4.5
Diabetes mellitus (250)	1,140	19.8	12.4	0	12.9	539	19.2	14.9	0	14.8	601	20.3	10.7	0	11.7
..Diabetes-related (250)	4,541	78.7	48.6	0	49.6	2,257	80.4	61.6	0	59.6	2,284	77.2	39.1	0	42.5
..Diabetic ketoacidosis (DKA) (250.1)	17	0.3	0.2	0	0.3	10	0.4	.	.	.	7	0.2	.	.	.
Alzheimer's diseases (331.0)	512	8.9	4.1	0	4.0	151	5.4	3.7	0	3.9	361	12.2	4.3	0	4.0
Cardiovascular disease (390-459)	23,281	403.6	222.3	1	232.9	10,469	372.9	279.5	1	293.9	12,812	432.8	176.7	1	186.6
..Diseases of the heart (390-398,402,404-429)	18,205	315.6	175.8	1	185.5	8,482	302.1	227.8	1	239.5	9,723	328.5	134.5	1	144.7
....Heart disease-related (390-398,402,404-429)	30,582	530.2	299.4	1	312.6	14,253	507.6	381.5	1	398.9	16,329	551.7	237.3	1	250.0
....Coronary heart disease (CHD) (402,410-414,429.2)	13,033	226.0	126.6	1	134.4	6,294	224.2	169.4	1	181.4	6,739	227.7	92.8	1	98.8
....Congestive heart failure (CHF) (428.0)	1,123	19.5	9.2	0	8.7	386	13.7	9.5	0	9.2	737	24.9	8.9	0	8.3
..Hypertension with or without renal disease (401,403)	293	5.1	2.7	0	2.4	105	3.7	2.7	0	2.7	188	6.4	2.6	0	2.2
....Hypertension-related (401,403)	3,922	68.0	38.2	1	35.2	1,552	55.3	41.7	0	38.7	2,370	80.1	34.6	0	31.6
..Cerebrovascular disease (430-438)	3,633	63.0	32.6	0	33.7	1,338	47.7	34.4	0	36.7	2,295	77.5	30.8	0	31.1
..Atherosclerosis (440)	328	5.7	2.7	0	3.1	118	4.2	3.0	0	3.7	210	7.1	2.5	0	2.6
....Atherosclerosis-related (440)	1,400	24.3	12.0	1	14.1	539	19.2	13.7	1	16.6	861	29.1	10.7	0	12.2
..Aortic aneurysm (441)	434	7.5	4.5	0	4.5	251	8.9	6.8	0	7.2	183	6.2	2.8	0	2.7
Pneumonia & influenza (480-487)	2,340	40.6	19.9	0	19.2	1,056	37.6	26.4	0	24.8	1,284	43.4	16.0	0	16.1

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.  
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT White Resident DEATHS, 1997-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1997-1998*****				*****1997-1998*****				*****1997-1998*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1995- 1996 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995- 1996 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995- 1996 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	2,431	42.1	24.9	0	24.2	1,093	38.9	28.7	0	29.6	1,338	45.2	23.0	0	21.3
..COPD-related (490-496)	5,517	95.7	56.4	0	56.1	2,672	95.2	70.4	0	73.7	2,845	96.1	48.0	0	45.8
..Asthma (493)	98	1.7	1.2	0	1.2	26	0.9	0.8	0	0.8	72	2.4	1.5	0	1.5
Chronic liver disease and cirrhosis (571)	541	9.4	7.2	0	7.8	328	11.7	9.8	0	10.8	213	7.2	4.9	0	5.1
Nephritis, nephrotic syndrome/nephrosis (580-589)	644	11.2	6.2	0	6.3	313	11.1	8.0	0	8.5	331	11.2	5.2	0	5.0
..Nephritis-related (580-589)	2,879	49.9	29.1	0	28.3	1,536	54.7	40.2	0	38.7	1,343	45.4	22.2	0	21.7
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	752	13.0	7.3	0	7.5	375	13.4	9.7	0	10.0	377	12.7	6.0	0	6.0
Unintentional injuries (E800-E949)	1,949	33.8	26.3	0	25.4	1,226	43.7	37.3	0	36.1	723	24.4	16.5	0	15.6
..Motor vehicle accidents (E810-E825)	606	10.5	10.0	0	10.1	377	13.4	13.1	0	13.8	229	7.7	7.1	0	6.5
..Falls and fall related injuries (E880-E888)	389	6.7	3.7	0	4.0	208	7.4	5.5	0	5.2	181	6.1	2.4	0	3.0
..Drowning (E830,E832,E910)	47	0.8	0.8	0	1.1	40	1.4	1.4	0	1.7	7	0.2	.	0	.
..Residential fires (E890-E899)	47	0.8	0.7	0	0.9	24	0.9	0.8	0	1.2	23	0.8	0.7	0	0.7
Suicide (E950-E959)	500	8.7	7.2	1	8.7	379	13.5	11.4	1	14.4	121	4.1	3.3	0	3.3
Homicide and legal intervention (E960-E978)	131	2.3	2.5	0	3.0	98	3.5	3.8	0	4.3	33	1.1	1.2	0	1.6
..Homicide (E960-E969)	130	2.3	2.5	0	2.9	97	3.5	3.8	0	4.3	33	1.1	1.2	0	1.6
All injury (E800-E999)	2,648	45.9	36.9	0	37.7	1,747	62.2	53.7	0	55.6	901	30.4	21.6	0	21.0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	593	10.3	9.8	0	9.9	368	13.1	12.7	0	13.4	225	7.6	7.0	0	6.5
..All falls (E880-E886,E888,E957,E968.1,E987)	279	4.8	2.9	0	3.2	171	6.1	4.7	0	4.4	108	3.6	1.5	1	2.3
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	253	4.4	4.0	1	5.8	225	8.0	7.3	1	10.4	28	0.9	0.8	0	1.4
....Suicide (E955.0-.4)	181	3.1	2.6	1	3.6	163	5.8	4.9	1	6.9	18	0.6	0.5	0	0.6
....Homicide (E965.0-.4)	64	1.1	1.3	0	2.0	55	2.0	2.2	0	3.2	9	0.3	.	0	0.8
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	562	9.7	7.8	0	6.8	402	14.3	11.3	0	10.1	160	5.4	4.4	0	3.4
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	269	4.7	3.8	0	4.7	199	7.1	5.9	0	7.3	70	2.4	1.9	0	2.4
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	499	8.7	7.0	1	5.6	350	12.5	9.8	0	8.3	149	5.0	4.1	0	2.9

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.  
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT White Resident DEATHS, 1997-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1997-1998*****				*****1997-1998*****				*****1997-1998*****						
	No. of deaths	Crude rate	Signif- AAMR	1995-1996 AAMR	No. of deaths	Crude rate	Signif- AAMR	1995-1996 AAMR	No. of deaths	Crude rate	Signif- AAMR	1995-1996 AAMR			
*****Causes of Death*****															
All causes	54,675	947.9	792.7	1	813.5	25,696	915.2	966.7	1	1014.5	28,979	979.0	669.0	0	675.1
Infectious diseases and parasitic disease (1-139)	1,197	20.8	17.9	1	23.5	624	22.2	22.7	1	32.8	573	19.4	13.9	0	15.6
..Septicemia (038)	714	12.4	10.1	0	10.4	306	10.9	11.7	0	13.1	408	13.8	9.1	0	8.8
....Septicemia-related (038)	2,613	45.3	37.6	0	36.7	1,189	42.3	45.0	0	45.1	1,424	48.1	32.9	0	31.4
..HIV infection (042-044)	219	3.8	3.6	1	9.4	170	6.1	5.7	1	14.8	49	1.7	1.6	1	4.1
All cancer (140-208)	13,194	228.8	195.7	0	200.8	6,500	231.5	236.6	1	248.7	6,694	226.1	171.1	0	172.9
..Oral cavity or pharynx (140.0-149.9)	160	2.8	2.4	0	2.8	96	3.4	3.4	0	4.3	64	2.2	1.6	0	1.6
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,403	24.3	20.4	0	21.0	652	23.2	23.8	0	25.8	751	25.4	18.0	0	17.5
....Colon cancer (153)	1,150	19.9	16.7	0	16.8	528	18.8	19.3	0	20.6	622	21.0	14.9	0	14.2
....Rectal cancer (154)	228	4.0	3.3	0	3.9	113	4.0	4.1	0	4.8	115	3.9	2.8	0	3.1
..Pancreatic cancer (157)	756	13.1	11.2	0	11.0	357	12.7	12.8	0	12.0	399	13.5	9.9	0	10.2
..Lung and other respiratory cancer (160-165)	3,584	62.1	53.7	0	54.9	1,974	70.3	70.6	0	74.8	1,610	54.4	42.4	0	41.8
....Lung cancer (162.2-.9)	3,482	60.4	52.2	0	53.3	1,901	67.7	67.9	0	72.0	1,581	53.4	41.6	0	41.1
..Malignant melanoma of skin (172)	176	3.1	2.7	0	3.0	89	3.2	3.2	0	4.6	87	2.9	2.2	0	2.0
..Female breast cancer (174)	1,089	.	.	.	.	.	.	.	.	1,089	36.8	29.0	0	31.4	
..Cervical cancer (180)	59	.	.	.	.	.	.	.	.	59	2.0	1.7	0	2.2	
..Endometrial cancer (182)	76	.	.	.	.	.	.	.	.	76	2.6	1.9	0	2.2	
..Ovarian cancer (183)	362	.	.	.	.	.	.	.	.	362	12.2	9.6	0	8.6	
..Prostate cancer (185)	729	.	.	.	.	729	26.0	28.2	0	32.2	.	.	.	.	.
..Bladder cancer (188)	360	6.2	5.1	0	5.1	242	8.6	9.1	0	9.6	118	4.0	2.7	0	2.5
..Brain & other CNS cancer (191-192)	286	5.0	4.4	0	4.4	156	5.6	5.5	0	5.4	130	4.4	3.6	0	3.7
..Leukemia (204-208)	510	8.8	7.6	0	7.7	277	9.9	10.0	0	10.6	233	7.9	6.0	0	5.8
Diabetes mellitus (250)	1,140	19.8	16.6	0	17.3	539	19.2	19.9	0	20.0	601	20.3	14.3	0	15.6
..Diabetes-related (250)	4,541	78.7	65.6	0	66.9	2,257	80.4	83.3	0	80.6	2,284	77.2	53.5	0	57.9
..Diabetic ketoacidosis (DKA) (250.1)	17	0.3	0.3	0	0.3	10	0.4	.	.	.	7	0.2	.	.	.
Alzheimer's diseases (331.0)	512	8.9	7.0	0	6.7	151	5.4	6.1	0	6.6	361	12.2	7.4	0	6.8
Cardiovascular disease (390-459)	23,281	403.6	329.5	1	344.5	10,469	372.9	399.5	1	422.8	12,812	432.8	275.2	1	288.1
..Diseases of the heart (390-398,402,404-429)	18,205	315.6	258.3	1	271.9	8,482	302.1	322.8	1	341.6	9,723	328.5	208.9	1	222.0
....Heart disease-related (390-398,402,404-429)	30,582	530.2	434.9	1	452.3	14,253	507.6	542.6	1	568.8	16,329	551.7	358.0	1	373.3
....Coronary heart disease (CHD) (402,410-414,429.2)	13,033	226.0	185.1	1	196.1	6,294	224.2	238.7	1	256.7	6,739	227.7	144.5	1	152.7
....Congestive heart failure (CHF) (428.0)	1,123	19.5	15.4	0	14.6	386	13.7	15.7	0	15.0	737	24.9	15.1	0	14.1
....Hypertension with or without renal disease (401,403)	293	5.1	4.1	0	3.6	105	3.7	4.1	0	4.0	188	6.4	4.1	0	3.4
....Hypertension-related (401,403)	3,922	68.0	55.6	1	51.0	1,552	55.3	58.4	0	53.5	2,370	80.1	52.0	1	47.5
..Cerebrovascular disease (430-438)	3,633	63.0	50.7	0	52.2	1,338	47.7	52.0	0	55.3	2,295	77.5	49.0	0	49.3
..Atherosclerosis (440)	328	5.7	4.5	0	5.3	118	4.2	4.9	0	6.2	210	7.1	4.3	0	4.7
....Atherosclerosis-related (440)	1,400	24.3	19.4	1	22.8	539	19.2	21.5	1	25.8	861	29.1	17.8	1	20.5
..Aortic aneurysm (441)	434	7.5	6.2	0	6.3	251	8.9	9.3	0	9.9	183	6.2	4.1	0	4.0
Pneumonia & influenza (480-487)	2,340	40.6	32.4	0	31.0	1,056	37.6	42.8	0	40.3	1,284	43.4	26.6	0	26.2

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.  
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT White Resident DEATHS, 1997-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1997-1998*****				*****1997-1998*****				*****1997-1998*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1995- 1996 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995- 1996 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995- 1996 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	2,431	42.1	34.6	0	33.5	1,093	38.9	41.4	0	42.5	1,338	45.2	31.3	0	29.0
..COPD-related (490-496)	5,517	95.7	78.6	0	78.1	2,672	95.2	100.7	0	105.7	2,845	96.1	66.2	0	63.0
..Asthma (493)	98	1.7	1.5	0	1.4	26	0.9	0.9	0	0.9	72	2.4	1.9	0	1.7
Chronic liver disease and cirrhosis (571)	541	9.4	8.5	0	9.3	328	11.7	11.5	0	12.8	213	7.2	5.9	0	6.1
Nephritis, nephrotic syndrome/nephrosis (580-589)	644	11.2	9.1	0	9.3	313	11.1	12.3	0	12.8	331	11.2	7.5	0	7.3
..Nephritis-related (580-589)	2,879	49.9	41.2	0	39.7	1,536	54.7	58.8	0	55.7	1,343	45.4	31.2	0	30.5
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	752	13.0	10.7	0	10.9	375	13.4	14.7	0	15.1	377	12.7	8.6	0	8.7
Unintentional injuries (E800-E949)	1,949	33.8	31.2	0	30.0	1,226	43.7	44.6	0	42.9	723	24.4	19.8	0	18.9
..Motor vehicle accidents (E810-E825)	606	10.5	10.4	0	10.3	377	13.4	13.6	0	14.3	229	7.7	7.4	0	6.6
..Falls and fall related injuries (E880-E888)	389	6.7	5.5	0	5.9	208	7.4	8.1	0	7.8	181	6.1	3.8	0	4.7
..Drowning (E830,E832,E910)	47	0.8	0.8	0	1.0	40	1.4	1.4	0	1.6	7	0.2	.	0	.
..Residential fires (E890-E899)	47	0.8	0.8	0	1.0	24	0.9	0.9	0	1.3	23	0.8	0.7	0	0.7
Suicide (E950-E959)	500	8.7	8.3	0	9.5	379	13.5	13.3	0	16.0	121	4.1	3.9	0	3.7
Homicide and legal intervention (E960-E978)	131	2.3	2.4	0	2.9	98	3.5	3.6	0	4.3	33	1.1	1.1	0	1.6
..Homicide (E960-E969)	130	2.3	2.4	0	2.9	97	3.5	3.6	0	4.2	33	1.1	1.1	0	1.6
All injury (E800-E999)	2,648	45.9	43.0	0	43.3	1,747	62.2	63.0	0	64.2	901	30.4	25.6	0	24.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	593	10.3	10.2	0	10.1	368	13.1	13.3	0	13.8	225	7.6	7.2	0	6.6
..All falls (E880-E886,E888,E957,E968.1,E987)	279	4.8	4.1	0	4.6	171	6.1	6.5	0	6.1	108	3.6	2.4	1	3.5
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	253	4.4	4.3	1	6.1	225	8.0	8.0	1	11.2	28	0.9	0.9	0	1.5
....Suicide (E955.0-.4)	181	3.1	3.0	1	4.0	163	5.8	5.7	1	7.8	18	0.6	0.6	0	0.7
....Homicide (E965.0-.4)	64	1.1	1.2	1	1.9	55	2.0	2.1	0	3.0	9	0.3	.	0	0.8
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	562	9.7	9.4	0	8.0	402	14.3	13.7	0	12.1	160	5.4	5.2	0	4.0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	269	4.7	4.4	0	5.5	199	7.1	6.9	0	8.6	70	2.4	2.2	0	2.7
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	499	8.7	8.4	1	6.7	350	12.5	11.9	0	10.0	149	5.0	4.9	1	3.4

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.  
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	54,675	10,285	20,163	176,003	323,818	3453.0	3765.7	1	5542.2	5976.5	1
Infectious diseases and parasitic disease (1-139)	1,197	423	596	8,879	13,906	160.5	308.2	1	230.8	422.6	1
..Septicemia (038)	714	92	203	1,376	2,799	25.3	23.1	0	44.9	40.9	0
...Septicemia-related (038)	2,613	433	928	6,167	12,684	114.0	106.5	0	204.8	193.5	0
..HIV infection (042-044)	219	214	219	5,192	7,365	91.9	239.0	1	122.4	317.4	1
All cancer (140-208)	13,194	3,208	6,766	35,494	84,169	611.3	646.5	0	1293.0	1356.9	0
..Oral cavity or pharynx (140.0-149.9)	160	51	87	533	1,238	8.7	9.8	0	18.8	22.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,403	251	599	2,598	6,753	42.8	43.0	0	100.1	104.0	0
...Colon cancer (153)	1,150	202	482	2,060	5,455	33.7	30.4	0	80.6	75.9	0
...Rectal cancer (154)	228	46	108	505	1,215	8.5	11.7	0	18.3	26.2	0
..Pancreatic cancer (157)	756	159	382	1,523	4,175	25.2	25.0	0	61.9	61.1	0
..Lung and other respiratory cancer (160-165)	3,584	923	2,097	7,748	22,583	127.4	133.3	0	335.5	346.8	0
...Lung cancer (162.2-.9)	3,482	890	2,040	7,485	21,875	123.1	128.2	0	324.7	334.3	0
..Malignant melanoma of skin (172)	176	60	100	800	1,585	12.8	19.8	0	23.8	34.2	0
..Female breast cancer (174)	1,089	372	646	4,580	9,545	.	.	.	.	.	.
..Cervical cancer (180)	59	33	41	578	958	.	.	.	.	.	.
..Endometrial cancer (182)	76	15	29	118	328	.	.	.	.	.	.
..Ovarian cancer (183)	362	108	211	1,170	2,753	.	.	.	.	.	.
..Prostate cancer (185)	729	39	186	253	1,320	.	.	.	.	.	.
..Bladder cancer (188)	360	39	110	298	1,015	4.9	5.9	0	14.7	18.0	0
..Brain & other CNS cancer (191-192)	286	123	194	2,064	3,641	38.4	41.5	0	60.9	65.9	0
..Leukemia (204-208)	510	136	259	2,539	4,462	52.2	50.9	0	79.8	78.4	0
Diabetes mellitus (250)	1,140	215	487	2,158	5,588	35.4	39.2	0	83.0	87.8	0
..Diabetes-related (250)	4,541	716	1,746	6,592	18,397	110.6	102.9	0	274.5	269.0	0
..Diabetic ketoacidosis (DKA) (250.1)	17	7	9	108	188	1.7	3.9	0	2.8	5.7	0
Alzheimer's diseases (331.0)	512	7	52	68	320	1.1	1.2	0	4.2	4.7	0
Cardiovascular disease (390-459)	23,281	2,628	6,264	29,598	72,228	514.8	532.7	0	1104.1	1148.7	0
..Diseases of the heart (390-398,402,404-429)	18,205	2,206	5,104	24,218	59,438	421.5	443.1	0	910.9	959.3	0
...Heart disease-related (390-398,402,404-429)	30,582	3,817	8,950	44,801	106,158	797.4	903.8	1	1648.5	1808.4	1
....Coronary heart disease (CHD) (402,410-414,429.2)	13,033	1,591	3,738	15,603	41,370	258.1	276.0	0	615.2	652.3	0
....Congestive heart failure (CHF) (428.0)	1,123	39	145	370	1,190	6.6	3.0	0	17.5	12.2	0
..Hypertension with or without renal disease (401,403)	293	28	69	352	815	6.1	4.1	0	12.4	10.1	0
...Hypertension-related (401,403)	3,922	419	1,101	3,620	10,805	60.0	57.3	0	158.9	150.6	0
..Cerebrovascular disease (430-438)	3,633	275	744	3,619	8,341	62.8	61.8	0	126.4	129.9	0
..Atherosclerosis (440)	328	15	50	188	500	3.0	2.5	0	7.1	5.0	0
...Atherosclerosis-related (440)	1,400	72	228	695	2,130	11.6	8.6	0	31.0	28.4	0
..Aortic aneurysm (441)	434	42	156	430	1,365	7.0	7.2	0	19.4	19.0	0
Pneumonia & influenza (480-487)	2,340	146	360	2,265	4,655	41.9	47.2	0	74.6	81.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,431	226	802	2,062	6,862	36.9	38.3	0	101.2	100.1	0
..COPD-related (490-496)	5,517	546	1,813	4,917	15,915	86.6	74.0	0	234.9	217.5	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
..Asthma (493)	98	46	53	775	1,258	15.1	19.7	0	22.3	27.1	0
Chronic liver disease and cirrhosis (571)	541	277	406	3,860	7,267	63.1	73.8	0	111.1	125.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	644	72	171	969	2,077	17.9	15.8	0	33.2	30.8	0
..Nephritis-related (580-589)	2,879	416	932	4,975	11,330	86.1	98.5	0	174.0	184.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	752	88	212	1,273	2,648	24.1	20.0	0	43.0	39.1	0
Unintentional injuries (E800-E949)	1,949	1,105	1,300	32,073	44,045	703.5	677.0	0	889.8	854.5	0
..Motor vehicle accidents (E810-E825)	606	457	516	14,532	19,379	346.7	350.5	0	427.5	432.7	0
..Falls and fall related injuries (E880-E888)	389	51	98	1,078	1,835	22.4	26.1	0	33.3	37.4	0
..Drowning (E830,E832,E910)	47	38	40	1,367	1,757	31.8	40.3	0	38.1	49.2	0
..Residential fires (E890-E899)	47	30	37	839	1,177	18.6	28.4	0	23.7	34.7	0
Suicide (E950-E959)	500	402	441	10,220	14,438	205.5	250.8	0	268.6	326.4	0
Homicide and legal intervention (E960-E978)	131	122	127	4,127	5,375	100.7	123.2	0	122.0	149.4	0
..Homicide (E960-E969)	130	121	126	4,105	5,342	100.4	122.3	0	121.5	148.2	0
All injury (E800-E999)	2,648	1,695	1,935	48,115	66,220	1041.9	1073.6	0	1322.3	1359.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	593	445	504	14,107	18,839	336.1	345.1	0	414.8	425.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	279	58	96	1,250	2,040	26.2	26.8	0	37.8	38.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	253	215	231	5,813	8,048	128.0	193.4	1	163.5	243.6	1
...Suicide (E955.0-.4)	181	144	159	3,540	5,058	70.0	100.8	0	92.7	131.3	0
...Homicide (E965.0-.4)	64	63	64	2,088	2,725	54.0	87.6	0	65.6	105.9	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	562	514	533	13,592	18,820	258.9	227.0	0	334.9	293.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	269	200	245	3,150	5,403	50.8	60.2	0	82.5	97.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	499	470	481	12,727	17,470	244.0	196.9	0	313.1	253.0	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	25,696	6,287	11,837	109,932	198,552	4316.8	4828.6	1	6925.4	7627.2	1
Infectious diseases and parasitic disease (1-139)	624	292	381	6,078	9,416	215.0	446.5	1	310.2	616.3	1
..Septicemia (038)	306	53	112	777	1,574	28.4	27.8	0	51.4	50.4	0
...Septicemia-related (038)	1,189	239	512	3,450	7,067	126.7	127.3	0	231.4	230.9	0
..HIV infection (042-044)	170	165	170	3,793	5,475	130.7	362.5	1	178.1	485.3	1
All cancer (140-208)	6,500	1,574	3,476	16,676	41,481	589.6	666.0	0	1317.4	1430.3	0
..Oral cavity or pharynx (140.0-149.9)	96	37	58	423	920	13.9	16.1	0	28.7	37.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	652	135	321	1,388	3,618	46.1	57.7	0	110.5	136.2	0
...Colon cancer (153)	528	107	255	1,083	2,898	36.1	39.3	0	88.8	97.3	0
...Rectal cancer (154)	113	27	64	298	700	9.7	17.5	0	21.1	37.0	0
..Pancreatic cancer (157)	357	93	209	783	2,308	26.1	32.0	0	71.1	72.2	0
..Lung and other respiratory cancer (160-165)	1,974	510	1,196	4,275	12,700	143.5	142.6	0	391.0	396.8	0
...Lung cancer (162.2-.9)	1,901	485	1,154	4,058	12,155	136.2	135.1	0	373.8	377.1	0
..Malignant melanoma of skin (172)	89	34	59	440	903	14.4	26.9	0	27.8	46.8	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	729	39	186	253	1,320	8.7	8.1	0	38.6	40.6	0
..Bladder cancer (188)	242	33	81	233	798	7.9	9.3	0	24.6	28.1	0
..Brain & other CNS cancer (191-192)	156	77	111	1,335	2,300	50.1	51.9	0	78.8	80.4	0
..Leukemia (204-208)	277	68	148	1,180	2,255	50.8	67.8	0	83.1	103.0	0
Diabetes mellitus (250)	539	120	270	1,265	3,200	41.4	38.2	0	97.5	89.3	0
..Diabetes-related (250)	2,257	446	1,013	4,167	11,190	140.9	117.0	0	346.4	311.9	0
..Diabetic ketoacidosis (DKA) (250.1)	10	5	6	78	135	.	.	.	.	.	.
Alzheimer's diseases (331.0)	151	3	24	28	170	0.9	0.9	0	4.7	4.2	0
Cardiovascular disease (390-459)	10,469	1,861	4,090	20,574	49,361	712.2	737.3	0	1550.9	1597.0	0
..Diseases of the heart (390-398,402,404-429)	8,482	1,615	3,428	17,625	42,097	611.1	624.9	0	1326.8	1358.3	0
...Heart disease-related (390-398,402,404-429)	14,253	2,555	5,631	30,151	69,916	1073.2	1197.7	0	2232.3	2404.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,294	1,208	2,602	12,300	30,855	412.8	438.7	0	954.3	1007.9	0
....Congestive heart failure (CHF) (428.0)	386	18	71	160	563	5.4	3.2	0	16.6	14.5	0
..Hypertension with or without renal disease (401,403)	105	13	36	168	410	5.3	6.3	0	12.1	14.0	0
...Hypertension-related (401,403)	1,552	267	629	2,383	6,703	79.8	83.3	0	206.0	207.4	0
..Cerebrovascular disease (430-438)	1,338	152	398	1,817	4,402	62.4	78.2	0	136.3	159.2	0
..Atherosclerosis (440)	118	8	29	110	283	3.6	4.3	0	8.3	8.5	0
...Atherosclerosis-related (440)	539	40	138	440	1,310	15.0	12.7	0	39.6	40.6	0
..Aortic aneurysm (441)	251	35	114	348	1,070	11.6	11.9	0	32.2	31.9	0
Pneumonia & influenza (480-487)	1,056	95	225	1,454	2,974	52.6	58.0	0	95.9	98.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,093	99	379	980	3,190	37.4	31.2	0	100.1	94.9	0
..COPD-related (490-496)	2,672	270	960	2,397	8,072	88.5	74.5	0	250.3	238.9	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
..Asthma (493)	26	19	20	393	585	16.7	13.6	0	22.8	18.7	0
Chronic liver disease and cirrhosis (571)	328	200	276	2,782	5,162	91.6	112.8	0	160.9	188.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	313	37	89	458	1,013	16.8	20.8	0	32.8	38.9	0
..Nephritis-related (580-589)	1,536	237	534	2,847	6,474	98.5	115.4	0	203.1	220.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	375	49	113	660	1,400	24.9	25.3	0	46.3	47.4	0
Unintentional injuries (E800-E949)	1,226	804	922	23,534	32,169	1013.1	989.5	0	1282.3	1250.1	0
..Motor vehicle accidents (E810-E825)	377	304	337	9,705	12,913	455.8	482.2	0	562.9	594.6	0
..Falls and fall related injuries (E880-E888)	208	43	72	968	1,560	40.7	35.7	0	58.6	52.1	0
..Drowning (E830,E832,E910)	40	34	36	1,260	1,610	57.4	66.5	0	68.7	81.3	0
..Residential fires (E890-E899)	24	16	19	497	680	22.8	33.0	0	28.6	41.4	0
Suicide (E950-E959)	379	305	333	7,803	10,998	315.0	399.4	0	411.9	521.5	0
Homicide and legal intervention (E960-E978)	98	92	96	3,131	4,071	153.9	182.7	0	186.5	221.2	0
..Homicide (E960-E969)	97	91	95	3,109	4,039	153.2	180.8	0	185.6	218.9	0
All injury (E800-E999)	1,747	1,243	1,394	35,553	48,750	1523.3	1599.7	0	1934.5	2028.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	368	294	329	9,315	12,433	436.5	471.5	0	540.4	580.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	171	49	76	1,103	1,745	46.3	36.7	0	65.9	53.8	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	225	189	204	5,188	7,155	229.3	334.4	1	292.6	421.9	1
...Suicide (E955.0-.4)	163	127	142	3,158	4,505	126.1	179.9	0	167.1	235.4	0
...Homicide (E965.0-.4)	55	55	55	1,873	2,423	96.1	144.6	0	116.2	173.9	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	402	372	384	10,040	13,815	381.5	341.3	0	491.5	441.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	199	153	181	2,428	4,113	79.6	97.7	0	128.5	156.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	350	338	343	9,360	12,753	357.4	297.4	0	456.4	381.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	28,979	3,998	8,326	66,071	125,266	2582.1	2694.3	0	4184.7	4353.6	0
Infectious diseases and parasitic disease (1-139)	573	131	215	2,801	4,491	106.9	171.5	1	153.2	232.0	1
..Septicemia (038)	408	39	91	600	1,225	22.4	18.5	0	38.9	31.9	0
...Septicemia-related (038)	1,424	194	416	2,717	5,617	101.8	85.7	0	179.9	157.6	0
..HIV infection (042-044)	49	49	49	1,400	1,890	53.9	116.6	1	68.0	151.4	1
All cancer (140-208)	6,694	1,634	3,290	18,818	42,688	632.3	624.9	0	1275.2	1289.3	0
..Oral cavity or pharynx (140.0-149.9)	64	14	29	110	318	3.6	3.6	0	9.2	8.9	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	751	116	278	1,210	3,135	39.7	28.5	0	90.6	73.6	0
...Colon cancer (153)	622	95	227	978	2,558	31.4	21.8	0	73.1	56.0	0
...Rectal cancer (154)	115	19	44	208	515	7.4	6.0	0	15.8	15.8	0
..Pancreatic cancer (157)	399	66	173	740	1,868	24.4	18.2	0	53.6	50.4	0
..Lung and other respiratory cancer (160-165)	1,610	413	901	3,473	9,883	111.9	124.5	0	284.8	302.3	0
...Lung cancer (162.2-.9)	1,581	405	886	3,428	9,720	110.4	121.8	0	280.0	296.5	0
..Malignant melanoma of skin (172)	87	26	41	360	683	11.3	12.7	0	20.0	22.0	0
..Female breast cancer (174)	1,089	372	646	4,580	9,545	144.6	160.0	0	278.2	309.8	0
..Cervical cancer (180)	59	33	41	578	958	19.3	23.7	0	29.8	36.1	0
..Endometrial cancer (182)	76	15	29	118	328	3.9	3.8	0	9.7	11.1	0
..Ovarian cancer (183)	362	108	211	1,170	2,753	38.2	31.9	0	80.9	68.5	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	118	6	29	65	218	2.0	2.6	0	5.7	8.8	0
..Brain & other CNS cancer (191-192)	130	46	83	729	1,342	26.6	30.8	0	43.3	51.4	0
..Leukemia (204-208)	233	68	111	1,359	2,207	53.7	33.6	0	77.2	53.9	0
Diabetes mellitus (250)	601	95	217	893	2,388	29.5	40.2	0	69.5	86.9	0
..Diabetes-related (250)	2,284	270	733	2,425	7,208	81.3	89.6	0	207.0	229.9	0
..Diabetic ketoacidosis (DKA) (250.1)	7	2	3	30	53	.	.	0	.	.	0
Alzheimer's diseases (331.0)	361	4	28	40	150	1.3	1.5	0	3.8	5.1	0
Cardiovascular disease (390-459)	12,812	767	2,174	9,025	22,867	323.9	334.1	0	683.9	727.2	0
..Diseases of the heart (390-398,402,404-429)	9,723	591	1,676	6,594	17,341	238.0	267.0	0	518.6	584.5	0
...Heart disease-related (390-398,402,404-429)	16,329	1,262	3,319	14,650	36,243	527.3	615.4	0	1095.3	1243.8	1
....Coronary heart disease (CHD) (402,410-414,429.2)	6,739	383	1,136	3,303	10,515	108.3	118.2	0	295.4	317.9	0
....Congestive heart failure (CHF) (428.0)	737	21	74	210	627	7.9	2.8	0	18.5	10.2	0
..Hypertension with or without renal disease (401,403)	188	15	33	185	405	7.0	1.9	0	13.0	6.3	0
...Hypertension-related (401,403)	2,370	152	472	1,237	4,102	40.9	32.2	0	114.8	97.1	0
..Cerebrovascular disease (430-438)	2,295	123	346	1,802	3,939	63.3	45.1	0	117.9	101.3	0
..Atherosclerosis (440)	210	7	21	78	218	2.4	0.6	0	6.0	1.8	0
...Atherosclerosis-related (440)	861	32	90	255	820	8.3	4.7	0	23.0	17.4	0
..Aortic aneurysm (441)	183	7	42	83	295	2.6	2.6	0	7.6	7.1	0
Pneumonia & influenza (480-487)	1,284	51	135	812	1,682	31.4	36.1	0	54.3	65.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,338	127	423	1,083	3,673	36.0	45.5	0	102.1	106.4	0
..COPD-related (490-496)	2,845	276	853	2,520	7,843	84.3	73.7	0	221.3	199.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
..Asthma (493)	72	27	33	383	673	13.2	26.0	0	21.4	35.5	0
Chronic liver disease and cirrhosis (571)	213	77	130	1,078	2,105	35.4	35.7	0	63.2	65.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	331	35	82	512	1,064	19.2	10.7	0	33.9	22.8	0
..Nephritis-related (580-589)	1,343	179	398	2,129	4,856	74.3	82.1	0	147.1	149.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	377	39	99	614	1,249	23.5	14.5	0	40.2	30.9	0
Unintentional injuries (E800-E949)	723	301	378	8,539	11,876	387.5	357.1	0	491.2	451.5	0
..Motor vehicle accidents (E810-E825)	229	153	179	4,827	6,467	234.5	214.4	0	288.7	265.9	0
..Falls and fall related injuries (E880-E888)	181	8	26	110	275	3.7	16.4	0	7.9	22.8	0
..Drowning (E830,E832,E910)	7	4	4	107	147	.	.	.	.	.	.
..Residential fires (E890-E899)	23	14	18	342	497	14.2	23.8	0	18.7	28.2	0
Suicide (E950-E959)	121	97	108	2,418	3,440	94.5	99.1	0	124.2	128.9	0
Homicide and legal intervention (E960-E978)	33	30	31	996	1,304	45.2	61.3	0	54.9	74.7	0
..Homicide (E960-E969)	33	30	31	996	1,304	45.2	61.3	0	54.9	74.7	0
All injury (E800-E999)	901	452	541	12,562	17,470	550.3	534.5	0	700.3	677.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	225	151	175	4,792	6,407	232.9	214.4	0	286.4	265.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	108	9	20	148	295	5.6	16.8	0	9.6	23.2	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	28	26	27	625	893	24.1	48.0	0	31.9	60.9	0
...Suicide (E955.0-.4)	18	17	17	383	553	13.2	20.1	0	17.9	25.9	0
...Homicide (E965.0-.4)	9	8	9	215	303	.	28.0	.	.	34.9	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	160	142	149	3,552	5,005	135.5	111.9	0	177.6	144.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	70	47	64	723	1,290	22.5	23.6	0	37.8	41.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	149	132	138	3,367	4,717	129.6	95.7	0	168.9	123.7	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	54,675	10,285	20,163	176,003	323,818	3403.5	3691.8	1	5644.4	6048.8	1
Infectious diseases and parasitic disease (1-139)	1,197	423	596	8,879	13,906	147.0	270.0	1	215.0	372.6	1
..Septicemia (038)	714	92	203	1,376	2,799	25.2	23.0	0	46.8	42.7	0
...Septicemia-related (038)	2,613	433	928	6,167	12,684	112.5	105.2	0	212.1	200.5	0
..HIV infection (042-044)	219	214	219	5,192	7,365	79.6	202.9	1	105.6	268.0	1
All cancer (140-208)	13,194	3,208	6,766	35,494	84,169	610.4	647.1	0	1372.2	1440.3	0
..Oral cavity or pharynx (140.0-149.9)	160	51	87	533	1,238	8.5	10.0	0	19.6	24.6	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,403	251	599	2,598	6,753	42.2	43.6	0	107.1	113.3	0
...Colon cancer (153)	1,150	202	482	2,060	5,455	33.4	30.6	0	86.5	82.8	0
...Rectal cancer (154)	228	46	108	505	1,215	8.3	12.1	0	19.3	28.4	0
..Pancreatic cancer (157)	756	159	382	1,523	4,175	25.8	25.5	0	67.6	66.6	0
..Lung and other respiratory cancer (160-165)	3,584	923	2,097	7,748	22,583	132.6	138.6	0	371.4	383.2	0
...Lung cancer (162.2-.9)	3,482	890	2,040	7,485	21,875	128.1	133.5	0	359.5	369.7	0
..Malignant melanoma of skin (172)	176	60	100	800	1,585	12.2	18.4	0	23.8	33.4	0
..Female breast cancer (174)	1,089	372	646	4,580	9,545	.	.	.	.	.	.
..Cervical cancer (180)	59	33	41	578	958	.	.	.	.	.	.
..Endometrial cancer (182)	76	15	29	118	328	.	.	.	.	.	.
..Ovarian cancer (183)	362	108	211	1,170	2,753	.	.	.	.	.	.
..Prostate cancer (185)	729	39	186	253	1,320	.	.	.	.	.	.
..Bladder cancer (188)	360	39	110	298	1,015	5.2	6.2	0	16.7	20.4	0
..Brain & other CNS cancer (191-192)	286	123	194	2,064	3,641	38.0	43.2	0	61.5	69.1	0
..Leukemia (204-208)	510	136	259	2,539	4,462	51.9	50.6	0	81.3	79.8	0
Diabetes mellitus (250)	1,140	215	487	2,158	5,588	35.0	38.8	0	88.8	93.4	0
..Diabetes-related (250)	4,541	716	1,746	6,592	18,397	112.6	104.9	0	300.2	295.9	0
..Diabetic ketoacidosis (DKA) (250.1)	17	7	9	108	188	1.6	3.4	0	2.7	5.1	0
Alzheimer's diseases (331.0)	512	7	52	68	320	1.1	1.3	0	4.9	5.5	0
Cardiovascular disease (390-459)	23,281	2,628	6,264	29,598	72,228	513.5	531.5	0	1177.3	1226.3	0
..Diseases of the heart (390-398,402,404-429)	18,205	2,206	5,104	24,218	59,438	422.5	442.3	0	973.9	1024.0	0
...Heart disease-related (390-398,402,404-429)	30,582	3,817	8,950	44,801	106,158	797.3	899.3	1	1753.9	1910.7	1
....Coronary heart disease (CHD) (402,410-414,429.2)	13,033	1,591	3,738	15,603	41,370	261.2	278.6	0	666.5	705.9	0
....Congestive heart failure (CHF) (428.0)	1,123	39	145	370	1,190	7.0	3.3	0	19.8	14.4	0
..Hypertension with or without renal disease (401,403)	293	28	69	352	815	6.3	4.2	0	13.4	11.1	0
...Hypertension-related (401,403)	3,922	419	1,101	3,620	10,805	62.1	59.7	0	176.3	167.4	0
..Cerebrovascular disease (430-438)	3,633	275	744	3,619	8,341	61.3	62.1	0	132.5	139.3	0
..Atherosclerosis (440)	328	15	50	188	500	3.0	2.3	0	7.6	5.2	0
...Atherosclerosis-related (440)	1,400	72	228	695	2,130	11.6	9.1	0	34.0	32.7	0
..Aortic aneurysm (441)	434	42	156	430	1,365	6.7	6.9	0	21.1	20.6	0
Pneumonia & influenza (480-487)	2,340	146	360	2,265	4,655	41.4	47.1	0	77.4	85.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,431	226	802	2,062	6,862	38.1	38.7	0	113.7	111.4	0
..COPD-related (490-496)	5,517	546	1,813	4,917	15,915	89.3	75.6	0	262.9	245.3	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
..Asthma (493)	98	46	53	775	1,258	14.6	18.8	0	21.8	26.0	0
Chronic liver disease and cirrhosis (571)	541	277	406	3,860	7,267	60.5	69.8	0	110.7	123.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	644	72	171	969	2,077	17.9	14.9	0	34.8	31.7	0
..Nephritis-related (580-589)	2,879	416	932	4,975	11,330	84.8	97.4	0	182.7	192.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	752	88	212	1,273	2,648	24.2	18.8	0	45.2	40.1	0
Unintentional injuries (E800-E949)	1,949	1,105	1,300	32,073	44,045	653.1	636.7	0	818.4	795.4	0
..Motor vehicle accidents (E810-E825)	606	457	516	14,532	19,379	328.4	335.4	0	399.7	408.8	0
..Falls and fall related injuries (E880-E888)	389	51	98	1,078	1,835	21.1	24.6	0	32.4	36.0	0
..Drowning (E830,E832,E910)	47	38	40	1,367	1,757	30.7	40.2	0	36.2	48.4	0
..Residential fires (E890-E899)	47	30	37	839	1,177	18.9	30.1	0	23.8	36.1	0
Suicide (E950-E959)	500	402	441	10,220	14,438	183.4	228.8	0	238.7	296.7	0
Homicide and legal intervention (E960-E978)	131	122	127	4,127	5,375	98.1	115.9	0	117.0	138.3	0
..Homicide (E960-E969)	130	121	126	4,105	5,342	97.8	115.2	0	116.5	137.4	0
All injury (E800-E999)	2,648	1,695	1,935	48,115	66,220	962.2	1001.2	0	1209.6	1255.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	593	445	504	14,107	18,839	318.4	330.7	0	387.9	402.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	279	58	96	1,250	2,040	24.6	24.9	0	36.3	36.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	253	215	231	5,813	8,048	115.1	176.6	1	146.2	220.6	1
...Suicide (E955.0-.4)	181	144	159	3,540	5,058	61.0	91.1	1	80.9	118.4	1
...Homicide (E965.0-.4)	64	63	64	2,088	2,725	50.5	81.2	0	60.5	96.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	562	514	533	13,592	18,820	222.7	197.9	0	285.7	253.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	269	200	245	3,150	5,403	46.7	55.8	0	78.4	93.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	499	470	481	12,727	17,470	209.3	169.3	0	265.9	215.3	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	25,696	6,287	11,837	109,932	198,552	4220.2	4686.6	1	7011.9	7654.2	1
Infectious diseases and parasitic disease (1-139)	624	292	381	6,078	9,416	194.1	386.8	1	285.1	538.0	1
..Septicemia (038)	306	53	112	777	1,574	28.0	27.0	0	53.2	51.7	0
...Septicemia-related (038)	1,189	239	512	3,450	7,067	123.4	124.2	0	238.5	237.2	0
..HIV infection (042-044)	170	165	170	3,793	5,475	111.1	308.1	1	151.9	410.8	1
All cancer (140-208)	6,500	1,574	3,476	16,676	41,481	592.6	671.9	0	1416.4	1534.1	0
..Oral cavity or pharynx (140.0-149.9)	96	37	58	423	920	13.2	16.5	0	29.4	40.6	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	652	135	321	1,388	3,618	45.8	58.6	0	119.1	147.9	0
...Colon cancer (153)	528	107	255	1,083	2,898	35.9	39.6	0	95.9	106.0	0
...Rectal cancer (154)	113	27	64	298	700	9.6	18.2	0	22.5	39.8	0
..Pancreatic cancer (157)	357	93	209	783	2,308	27.4	31.6	0	79.1	76.9	0
..Lung and other respiratory cancer (160-165)	1,974	510	1,196	4,275	12,700	149.4	149.8	0	435.0	444.1	0
...Lung cancer (162.2-.9)	1,901	485	1,154	4,058	12,155	141.8	142.0	0	416.4	422.3	0
..Malignant melanoma of skin (172)	89	34	59	440	903	13.9	24.8	0	28.3	45.6	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	729	39	186	253	1,320	9.4	9.1	0	45.7	48.7	0
..Bladder cancer (188)	242	33	81	233	798	8.5	9.8	0	28.0	31.8	0
..Brain & other CNS cancer (191-192)	156	77	111	1,335	2,300	48.6	54.7	0	78.4	84.9	0
..Leukemia (204-208)	277	68	148	1,180	2,255	48.5	68.8	0	83.6	106.5	0
Diabetes mellitus (250)	539	120	270	1,265	3,200	40.9	38.4	0	104.2	96.1	0
..Diabetes-related (250)	2,257	446	1,013	4,167	11,190	144.0	120.4	0	378.9	345.2	0
..Diabetic ketoacidosis (DKA) (250.1)	10	5	6	78	135	.	.	.	.	.	.
Alzheimer's diseases (331.0)	151	3	24	28	170	0.8	1.0	0	5.6	5.0	0
Cardiovascular disease (390-459)	10,469	1,861	4,090	20,574	49,361	710.3	736.9	0	1654.0	1704.7	0
..Diseases of the heart (390-398,402,404-429)	8,482	1,615	3,428	17,625	42,097	611.8	623.1	0	1415.8	1447.5	0
...Heart disease-related (390-398,402,404-429)	14,253	2,555	5,631	30,151	69,916	1071.6	1187.4	0	2373.1	2534.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,294	1,208	2,602	12,300	30,855	416.6	442.7	0	1028.0	1085.7	0
....Congestive heart failure (CHF) (428.0)	386	18	71	160	563	5.5	3.6	0	18.9	17.3	0
..Hypertension with or without renal disease (401,403)	1,05	13	36	168	410	5.2	6.4	0	12.8	15.0	0
...Hypertension-related (401,403)	1,552	267	629	2,383	6,703	82.0	87.1	0	226.8	229.2	0
..Cerebrovascular disease (430-438)	1,338	152	398	1,817	4,402	61.1	79.7	0	144.7	171.7	0
..Atherosclerosis (440)	118	8	29	110	283	3.6	4.1	0	9.0	8.6	0
...Atherosclerosis-related (440)	539	40	138	440	1,310	14.6	13.4	0	43.1	46.3	0
..Aortic aneurysm (441)	251	35	114	348	1,070	11.1	11.5	0	35.1	34.8	0
Pneumonia & influenza (480-487)	1,056	95	225	1,454	2,974	51.7	56.6	0	99.7	101.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,093	99	379	980	3,190	38.4	31.5	0	112.5	107.3	0
..COPD-related (490-496)	2,672	270	960	2,397	8,072	92.0	76.1	0	283.3	271.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
..Asthma (493)	26	19	20	393	585	16.0	12.9	0	21.8	17.9	0
Chronic liver disease and cirrhosis (571)	328	200	276	2,782	5,162	88.4	106.7	0	160.8	183.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	313	37	89	458	1,013	16.9	20.1	0	34.7	40.4	0
..Nephritis-related (580-589)	1,536	237	534	2,847	6,474	96.9	113.3	0	213.9	230.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	375	49	113	660	1,400	24.9	24.1	0	48.7	48.8	0
Unintentional injuries (E800-E949)	1,226	804	922	23,534	32,169	930.9	921.4	0	1167.3	1151.4	0
..Motor vehicle accidents (E810-E825)	377	304	337	9,705	12,913	427.0	459.1	0	520.7	558.5	0
..Falls and fall related injuries (E880-E888)	208	43	72	968	1,560	38.4	33.0	0	56.5	49.5	0
..Drowning (E830,E832,E910)	40	34	36	1,260	1,610	55.2	65.9	0	64.8	79.4	0
..Residential fires (E890-E899)	24	16	19	497	680	22.6	34.5	0	28.1	42.4	0
Suicide (E950-E959)	379	305	333	7,803	10,998	280.8	364.0	0	365.9	474.2	1
Homicide and legal intervention (E960-E978)	98	92	96	3,131	4,071	148.8	170.6	0	177.5	203.4	0
..Homicide (E960-E969)	97	91	95	3,109	4,039	148.2	169.1	0	176.6	201.5	0
All injury (E800-E999)	1,747	1,243	1,394	35,553	48,750	1395.9	1480.4	0	1756.5	1859.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	368	294	329	9,315	12,433	408.7	449.9	0	499.8	546.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	171	49	76	1,103	1,745	43.8	33.3	0	63.3	50.3	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	225	189	204	5,188	7,155	205.9	305.4	1	261.4	382.3	1
...Suicide (E955.0-.4)	163	127	142	3,158	4,505	109.5	163.0	0	145.7	213.1	1
...Homicide (E965.0-.4)	55	55	55	1,873	2,423	89.9	133.9	0	107.0	158.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	402	372	384	10,040	13,815	326.2	295.1	0	416.2	378.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	199	153	181	2,428	4,113	72.9	90.8	0	121.5	148.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	350	338	343	9,360	12,753	304.6	254.3	0	384.3	322.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	28,979	3,998	8,326	66,071	125,266	2579.9	2689.2	0	4311.1	4480.9	0
Infectious diseases and parasitic disease (1-139)	573	131	215	2,801	4,491	100.8	155.0	0	146.8	210.5	0
..Septicemia (038)	408	39	91	600	1,225	22.7	19.3	0	40.8	34.3	0
...Septicemia-related (038)	1,424	194	416	2,717	5,617	102.0	86.3	0	187.9	165.5	0
..HIV infection (042-044)	49	49	49	1,400	1,890	49.0	98.7	1	60.7	127.0	1
All cancer (140-208)	6,694	1,634	3,290	18,818	42,688	627.7	620.0	0	1336.8	1354.5	0
..Oral cavity or pharynx (140.0-149.9)	64	14	29	110	318	3.8	3.7	0	10.3	9.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	751	116	278	1,210	3,135	38.8	29.0	0	96.2	81.0	0
...Colon cancer (153)	622	95	227	978	2,558	30.9	21.9	0	77.9	61.4	0
...Rectal cancer (154)	115	19	44	208	515	7.0	6.2	0	16.4	17.5	0
..Pancreatic cancer (157)	399	66	173	740	1,868	24.4	19.6	0	57.2	56.8	0
..Lung and other respiratory cancer (160-165)	1,610	413	901	3,473	9,883	116.6	128.0	0	313.9	329.3	0
...Lung cancer (162.2-.9)	1,581	405	886	3,428	9,720	114.9	125.5	0	308.3	323.4	0
..Malignant melanoma of skin (172)	87	26	41	360	683	10.5	12.0	0	19.6	21.7	0
..Female breast cancer (174)	1,089	372	646	4,580	9,545	141.7	156.7	0	285.2	317.8	0
..Cervical cancer (180)	59	33	41	578	958	17.1	21.3	0	27.3	33.5	0
..Endometrial cancer (182)	76	15	29	118	328	4.1	4.0	0	10.8	12.5	0
..Ovarian cancer (183)	362	108	211	1,170	2,753	38.0	32.2	0	85.1	72.6	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	.
..Bladder cancer (188)	118	6	29	65	218	2.0	2.7	0	6.3	10.0	0
..Brain & other CNS cancer (191-192)	130	46	83	729	1,342	27.2	31.4	0	44.9	53.1	0
..Leukemia (204-208)	233	68	111	1,359	2,207	55.5	31.9	0	79.9	53.3	0
Diabetes mellitus (250)	601	95	217	893	2,388	29.2	39.3	0	74.6	91.3	0
..Diabetes-related (250)	2,284	270	733	2,425	7,208	82.3	90.1	0	226.7	251.3	0
..Diabetic ketoacidosis (DKA) (250.1)	7	2	3	30	53	.	.	0	.	.	.
Alzheimer's diseases (331.0)	361	4	28	40	150	1.4	1.7	0	4.4	6.0	0
Cardiovascular disease (390-459)	12,812	767	2,174	9,025	22,867	323.7	332.6	0	732.1	779.6	0
..Diseases of the heart (390-398,402,404-429)	9,723	591	1,676	6,594	17,341	239.6	267.6	0	559.7	629.1	0
...Heart disease-related (390-398,402,404-429)	16,329	1,262	3,319	14,650	36,243	529.1	617.0	0	1171.3	1324.4	1
...Coronary heart disease (CHD) (402,410-414,429.2)	6,739	383	1,136	3,303	10,515	111.0	119.8	0	327.9	351.2	0
...Congestive heart failure (CHF) (428.0)	737	21	74	210	627	8.6	2.9	0	21.1	11.8	0
..Hypertension with or without renal disease (401,403)	188	15	33	185	405	7.5	2.0	0	14.2	7.3	0
...Hypertension-related (401,403)	2,370	152	472	1,237	4,102	43.1	33.3	0	129.4	109.5	0
..Cerebrovascular disease (430-438)	2,295	123	346	1,802	3,939	61.8	44.1	0	122.0	107.9	0
..Atherosclerosis (440)	210	7	21	78	218	2.3	0.6	0	6.4	2.0	0
...Atherosclerosis-related (440)	861	32	90	255	820	8.7	5.0	0	25.7	20.3	0
..Aortic aneurysm (441)	183	7	42	83	295	2.5	2.5	0	8.3	7.7	0
Pneumonia & influenza (480-487)	1,284	51	135	812	1,682	31.2	37.3	0	56.4	69.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,338	127	423	1,083	3,673	37.4	45.9	0	114.8	116.7	0
..COPD-related (490-496)	2,845	276	853	2,520	7,843	86.3	75.3	0	245.1	223.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
..Asthma (493)	72	27	33	383	673	13.0	24.8	0	21.4	34.2	0
Chronic liver disease and cirrhosis (571)	213	77	130	1,078	2,105	33.4	33.7	0	62.7	64.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	331	35	82	512	1,064	19.1	9.7	0	35.3	23.3	0
..Nephritis-related (580-589)	1,343	179	398	2,129	4,856	73.2	82.0	0	154.1	157.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	377	39	99	614	1,249	23.7	13.3	0	42.1	31.6	0
Unintentional injuries (E800-E949)	723	301	378	8,539	11,876	369.0	344.7	0	463.8	432.3	0
..Motor vehicle accidents (E810-E825)	229	153	179	4,827	6,467	226.8	207.2	0	275.5	254.3	0
..Falls and fall related injuries (E880-E888)	181	8	26	110	275	3.4	16.2	0	8.1	22.8	0
..Drowning (E830,E832,E910)	7	4	4	107	147	.	.	.	.	.	.
..Residential fires (E890-E899)	23	14	18	342	497	14.9	25.8	0	19.3	30.1	0
Suicide (E950-E959)	121	97	108	2,418	3,440	84.4	90.7	0	110.4	117.3	0
Homicide and legal intervention (E960-E978)	33	30	31	996	1,304	45.3	58.8	0	53.9	70.4	0
..Homicide (E960-E969)	33	30	31	996	1,304	45.3	58.8	0	53.9	70.4	0
All injury (E800-E999)	901	452	541	12,562	17,470	518.3	509.3	0	653.6	639.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	225	151	175	4,792	6,407	225.4	207.2	0	273.4	254.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	108	9	20	148	295	5.0	16.6	0	9.2	23.1	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	28	26	27	625	893	21.8	43.7	0	28.6	54.9	0
....Suicide (E955.0-.4)	18	17	17	383	553	11.8	17.6	0	15.8	22.6	0
....Homicide (E965.0-.4)	9	8	9	215	303	.	26.1	.	.	32.1	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	160	142	149	3,552	5,005	118.6	100.0	0	154.5	127.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	70	47	64	723	1,290	21.2	21.7	0	36.7	40.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	149	132	138	3,367	4,717	113.2	83.7	0	146.6	107.3	0

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	54,675	10,285	20,163	176,003	323,818	3573.8	3890.6	1	5940.7	6385.3	1
Infectious diseases and parasitic disease (1-139)	1,197	423	596	8,879	13,906	172.8	333.0	1	249.8	454.7	1
..Septicemia (038)	714	92	203	1,376	2,799	27.6	25.0	0	50.5	45.9	0
...Septicemia-related (038)	2,613	433	928	6,167	12,684	123.6	118.3	0	229.4	220.3	0
..HIV infection (042-044)	219	214	219	5,192	7,365	99.0	260.2	1	130.6	341.4	1
All cancer (140-208)	13,194	3,208	6,766	35,494	84,169	700.8	737.6	0	1505.7	1574.8	0
..Oral cavity or pharynx (140.0-149.9)	160	51	87	533	1,238	10.2	11.4	0	22.0	26.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,403	251	599	2,598	6,753	50.5	50.1	0	119.2	123.3	0
...Colon cancer (153)	1,150	202	482	2,060	5,455	40.1	35.4	0	96.1	90.2	0
...Rectal cancer (154)	228	46	108	505	1,215	9.8	13.7	0	21.5	30.8	0
..Pancreatic cancer (157)	756	159	382	1,523	4,175	30.0	29.7	0	74.1	72.8	0
..Lung and other respiratory cancer (160-165)	3,584	923	2,097	7,748	22,583	152.7	159.9	0	401.4	415.2	0
...Lung cancer (162.2-.9)	3,482	890	2,040	7,485	21,875	147.5	153.8	0	388.6	400.3	0
..Malignant melanoma of skin (172)	176	60	100	800	1,585	15.3	22.2	0	28.1	38.5	0
..Female breast cancer (174)	1,089	372	646	4,580	9,545	.	.	.	.	.	.
..Cervical cancer (180)	59	33	41	578	958	.	.	.	.	.	.
..Endometrial cancer (182)	76	15	29	118	328	.	.	.	.	.	.
..Ovarian cancer (183)	362	108	211	1,170	2,753	.	.	.	.	.	.
..Prostate cancer (185)	729	39	186	253	1,320	.	.	.	.	.	.
..Bladder cancer (188)	360	39	110	298	1,015	5.9	6.9	0	17.9	21.7	0
..Brain & other CNS cancer (191-192)	286	123	194	2,064	3,641	41.1	44.9	0	66.3	72.5	0
..Leukemia (204-208)	510	136	259	2,539	4,462	52.2	51.9	0	82.8	82.5	0
Diabetes mellitus (250)	1,140	215	487	2,158	5,588	41.9	46.3	0	98.7	104.2	0
..Diabetes-related (250)	4,541	716	1,746	6,592	18,397	129.8	122.4	0	326.4	322.3	0
..Diabetic ketoacidosis (DKA) (250.1)	17	7	9	108	188	2.1	4.4	0	3.3	6.4	0
Alzheimer's diseases (331.0)	512	7	52	68	320	1.3	1.4	0	5.4	5.7	0
Cardiovascular disease (390-459)	23,281	2,628	6,264	29,598	72,228	585.4	608.8	0	1287.7	1345.6	0
..Diseases of the heart (390-398,402,404-429)	18,205	2,206	5,104	24,218	59,438	479.8	507.5	0	1061.6	1123.5	0
...Heart disease-related (390-398,402,404-429)	30,582	3,817	8,950	44,801	106,158	890.4	1009.3	1	1899.3	2081.5	1
....Coronary heart disease (CHD) (402,410-414,429.2)	13,033	1,591	3,738	15,603	41,370	306.4	327.9	0	734.4	780.7	0
....Congestive heart failure (CHF) (428.0)	1,123	39	145	370	1,190	7.4	3.6	0	20.9	15.3	0
..Hypertension with or without renal disease (401,403)	293	28	69	352	815	7.0	5.0	0	14.6	12.4	0
...Hypertension-related (401,403)	3,922	419	1,101	3,620	10,805	71.2	67.9	0	191.0	181.0	0
..Cerebrovascular disease (430-438)	3,633	275	744	3,619	8,341	71.1	69.3	0	147.8	151.3	0
..Atherosclerosis (440)	328	15	50	188	500	3.7	3.0	0	8.7	6.3	0
...Atherosclerosis-related (440)	1,400	72	228	695	2,130	13.6	10.3	0	37.2	35.2	0
..Aortic aneurysm (441)	434	42	156	430	1,365	8.2	8.3	0	23.5	23.0	0
Pneumonia & influenza (480-487)	2,340	146	360	2,265	4,655	45.1	49.0	0	83.6	89.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,431	226	802	2,062	6,862	41.4	40.6	0	120.6	116.2	0
..COPD-related (490-496)	5,517	546	1,813	4,917	15,915	98.3	82.3	0	280.1	258.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
..Asthma (493)	98	46	53	775	1,258	15.8	18.7	0	23.5	26.3	0
Chronic liver disease and cirrhosis (571)	541	277	406	3,860	7,267	75.0	87.6	0	130.5	147.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	644	72	171	969	2,077	19.5	17.1	0	37.5	35.0	0
..Nephritis-related (580-589)	2,879	416	932	4,975	11,330	98.0	108.3	0	202.4	210.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	752	88	212	1,273	2,648	25.8	21.7	0	48.1	44.5	0
Unintentional injuries (E800-E949)	1,949	1,105	1,300	32,073	44,045	664.2	638.1	0	839.4	805.0	0
..Motor vehicle accidents (E810-E825)	606	457	516	14,532	19,379	312.0	314.3	0	382.9	386.3	0
..Falls and fall related injuries (E880-E888)	389	51	98	1,078	1,835	22.0	26.1	0	33.9	38.4	0
..Drowning (E830,E832,E910)	47	38	40	1,367	1,757	29.0	37.1	0	34.4	45.1	0
..Residential fires (E890-E899)	47	30	37	839	1,177	17.8	27.1	0	22.9	33.1	0
Suicide (E950-E959)	500	402	441	10,220	14,438	204.5	241.8	0	266.9	315.3	0
Homicide and legal intervention (E960-E978)	131	122	127	4,127	5,375	90.4	109.9	0	108.6	131.9	0
..Homicide (E960-E969)	130	121	126	4,105	5,342	90.0	108.9	0	108.0	130.6	0
All injury (E800-E999)	2,648	1,695	1,935	48,115	66,220	992.2	1013.0	0	1257.7	1281.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	593	445	504	14,107	18,839	302.7	309.0	0	372.0	379.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	279	58	96	1,250	2,040	25.6	27.1	0	37.9	39.8	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	253	215	231	5,813	8,048	120.5	177.9	1	153.7	223.7	1
....Suicide (E955.0-.4)	181	144	159	3,540	5,058	69.8	96.7	0	92.3	126.3	0
....Homicide (E965.0-.4)	64	63	64	2,088	2,725	46.9	76.3	1	56.5	91.2	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	562	514	533	13,592	18,820	265.3	231.0	0	340.6	296.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	269	200	245	3,150	5,403	60.2	70.9	0	96.1	113.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	499	470	481	12,727	17,470	248.6	201.7	1	316.3	256.9	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	25,696	6,287	11,837	109,932	198,552	4460.0	4986.6	1	7413.3	8139.5	1
Infectious diseases and parasitic disease (1-139)	624	292	381	6,078	9,416	235.6	490.2	1	340.1	671.9	1
..Septicemia (038)	306	53	112	777	1,574	31.2	30.7	0	58.3	57.1	0
...Septicemia-related (038)	1,189	239	512	3,450	7,067	138.6	141.0	0	261.7	262.5	0
..HIV infection (042-044)	170	165	170	3,793	5,475	144.1	399.4	1	194.1	528.0	1
All cancer (140-208)	6,500	1,574	3,476	16,676	41,481	670.6	746.0	0	1535.3	1650.8	0
..Oral cavity or pharynx (140.0-149.9)	96	37	58	423	920	16.3	18.7	0	33.4	43.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	652	135	321	1,388	3,618	55.0	67.1	0	132.6	161.3	0
...Colon cancer (153)	528	107	255	1,083	2,898	42.9	45.9	0	106.2	115.8	0
...Rectal cancer (154)	113	27	64	298	700	11.7	20.2	0	25.7	43.2	0
..Pancreatic cancer (157)	357	93	209	783	2,308	31.5	37.9	0	85.4	86.2	0
..Lung and other respiratory cancer (160-165)	1,974	510	1,196	4,275	12,700	171.7	170.0	0	469.2	476.2	0
...Lung cancer (162.2-.9)	1,901	485	1,154	4,058	12,155	163.0	161.1	0	449.0	452.6	0
..Malignant melanoma of skin (172)	89	34	59	440	903	17.3	29.6	0	33.1	52.0	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	729	39	186	253	1,320	10.3	9.5	0	48.1	50.6	0
..Bladder cancer (188)	242	33	81	233	798	9.4	11.1	0	29.5	34.2	0
..Brain & other CNS cancer (191-192)	156	77	111	1,335	2,300	53.1	55.6	0	84.8	87.5	0
..Leukemia (204-208)	277	68	148	1,180	2,255	49.1	68.6	0	85.3	108.2	0
Diabetes mellitus (250)	539	120	270	1,265	3,200	49.8	46.0	0	117.0	107.5	0
..Diabetes-related (250)	2,257	446	1,013	4,167	11,190	166.9	140.5	0	413.6	376.4	0
..Diabetic ketoacidosis (DKA) (250.1)	10	5	6	78	135	.	.	.	.	.	.
Alzheimer's diseases (331.0)	151	3	24	28	170	1.1	1.0	0	6.0	5.2	0
Cardiovascular disease (390-459)	10,469	1,861	4,090	20,574	49,361	822.1	849.7	0	1822.2	1876.6	0
..Diseases of the heart (390-398,402,404-429)	8,482	1,615	3,428	17,625	42,097	705.8	723.2	0	1556.8	1597.9	0
...Heart disease-related (390-398,402,404-429)	14,253	2,555	5,631	30,151	69,916	1209.3	1344.4	1	2585.0	2774.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,294	1,208	2,602	12,300	30,855	491.3	520.7	0	1139.2	1202.8	0
....Congestive heart failure (CHF) (428.0)	386	18	71	160	563	6.4	3.8	0	20.5	18.0	0
..Hypertension with or without renal disease (401,403)	105	13	36	168	410	6.6	7.7	0	14.9	17.0	0
...Hypertension-related (401,403)	1,552	267	629	2,383	6,703	95.2	99.0	0	247.3	248.5	0
..Cerebrovascular disease (430-438)	1,338	152	398	1,817	4,402	71.8	85.7	0	161.1	182.6	0
..Atherosclerosis (440)	118	8	29	110	283	4.4	5.4	0	10.4	10.5	0
...Atherosclerosis-related (440)	539	40	138	440	1,310	17.4	15.3	0	47.7	50.2	0
..Aortic aneurysm (441)	251	35	114	348	1,070	13.5	13.6	0	38.7	38.4	0
Pneumonia & influenza (480-487)	1,056	95	225	1,454	2,974	57.8	60.0	0	109.3	107.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,093	99	379	980	3,190	40.2	33.6	0	117.8	112.6	0
..COPD-related (490-496)	2,672	270	960	2,397	8,072	98.3	83.5	0	298.5	287.2	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
..Asthma (493)	26	19	20	393	585	16.3	12.7	0	22.4	17.9	0
Chronic liver disease and cirrhosis (571)	328	200	276	2,782	5,162	109.7	133.7	0	189.9	220.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	313	37	89	458	1,013	18.7	22.0	0	37.9	43.7	0
..Nephritis-related (580-589)	1,536	237	534	2,847	6,474	113.3	128.5	0	238.6	254.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	375	49	113	660	1,400	27.0	26.6	0	52.4	52.9	0
Unintentional injuries (E800-E949)	1,226	804	922	23,534	32,169	961.3	940.2	0	1214.9	1185.9	0
..Motor vehicle accidents (E810-E825)	377	304	337	9,705	12,913	409.9	433.8	0	503.8	532.2	0
..Falls and fall related injuries (E880-E888)	208	43	72	968	1,560	39.6	35.9	0	58.6	53.9	0
..Drowning (E830,E832,E910)	40	34	36	1,260	1,610	52.5	60.4	0	62.1	73.4	0
..Residential fires (E890-E899)	24	16	19	497	680	21.2	32.4	0	26.6	40.7	0
Suicide (E950-E959)	379	305	333	7,803	10,998	312.0	385.1	0	407.5	504.0	0
Homicide and legal intervention (E960-E978)	98	92	96	3,131	4,071	136.6	162.0	0	164.1	194.2	0
..Homicide (E960-E969)	97	91	95	3,109	4,039	135.7	160.0	0	162.9	191.7	0
All injury (E800-E999)	1,747	1,243	1,394	35,553	48,750	1452.5	1516.6	0	1841.6	1921.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	368	294	329	9,315	12,433	393.1	423.3	0	484.6	518.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	171	49	76	1,103	1,745	45.1	37.5	0	65.7	56.3	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	225	189	204	5,188	7,155	214.0	308.2	1	272.8	388.4	1
...Suicide (E955.0-.4)	163	127	142	3,158	4,505	124.3	173.0	0	164.7	227.2	0
...Homicide (E965.0-.4)	55	55	55	1,873	2,423	83.1	125.7	0	99.4	149.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	402	372	384	10,040	13,815	391.1	349.5	0	499.6	448.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	199	153	181	2,428	4,113	93.6	115.1	0	148.8	181.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	350	338	343	9,360	12,753	364.5	306.0	0	460.9	389.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	28,979	3,998	8,326	66,071	125,266	2685.8	2792.8	0	4511.2	4679.0	0
Infectious diseases and parasitic disease (1-139)	573	131	215	2,801	4,491	111.2	178.0	1	161.7	241.4	1
..Septicemia (038)	408	39	91	600	1,225	24.1	19.6	0	43.4	35.4	0
...Septicemia-related (038)	1,424	194	416	2,717	5,617	109.0	95.7	0	199.4	180.2	0
..HIV infection (042-044)	49	49	49	1,400	1,890	54.9	122.6	1	68.6	157.4	1
All cancer (140-208)	6,694	1,634	3,290	18,818	42,688	730.2	727.1	0	1485.4	1507.8	0
..Oral cavity or pharynx (140.0-149.9)	64	14	29	110	318	4.3	4.4	0	11.0	10.9	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	751	116	278	1,210	3,135	46.3	33.4	0	106.9	87.8	0
...Colon cancer (153)	622	95	227	978	2,558	37.3	25.2	0	87.0	66.5	0
...Rectal cancer (154)	115	19	44	208	515	8.0	7.3	0	17.7	19.1	0
..Pancreatic cancer (157)	399	66	173	740	1,868	28.7	21.7	0	64.0	60.2	0
..Lung and other respiratory cancer (160-165)	1,610	413	901	3,473	9,883	134.3	150.4	0	339.9	361.6	0
...Lung cancer (162.2-.9)	1,581	405	886	3,428	9,720	132.6	147.0	0	334.3	354.6	0
..Malignant melanoma of skin (172)	87	26	41	360	683	13.5	14.9	0	23.6	25.6	0
..Female breast cancer (174)	1,089	372	646	4,580	9,545	175.5	192.4	0	332.6	367.1	0
..Cervical cancer (180)	59	33	41	578	958	21.7	26.5	0	33.4	40.3	0
..Endometrial cancer (182)	76	15	29	118	328	4.6	4.7	0	11.5	13.5	0
..Ovarian cancer (183)	362	108	211	1,170	2,753	45.0	38.1	0	95.3	81.3	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	.
..Bladder cancer (188)	118	6	29	65	218	2.5	3.0	0	7.1	10.5	0
..Brain & other CNS cancer (191-192)	130	46	83	729	1,342	29.1	34.0	0	48.2	57.5	0
..Leukemia (204-208)	233	68	111	1,359	2,207	55.4	34.8	0	81.1	57.4	0
Diabetes mellitus (250)	601	95	217	893	2,388	34.3	46.7	0	81.8	101.5	0
..Diabetes-related (250)	2,284	270	733	2,425	7,208	94.0	105.2	0	245.0	273.3	0
..Diabetic ketoacidosis (DKA) (250.1)	7	2	3	30	53	.	.	0	.	.	.
Alzheimer's diseases (331.0)	361	4	28	40	150	1.6	1.8	0	4.9	6.2	0
Cardiovascular disease (390-459)	12,812	767	2,174	9,025	22,867	356.7	375.4	0	787.3	849.1	0
..Diseases of the heart (390-398,402,404-429)	9,723	591	1,676	6,594	17,341	261.1	298.7	0	596.5	680.1	0
...Heart disease-related (390-398,402,404-429)	16,329	1,262	3,319	14,650	36,243	579.1	681.4	1	1253.8	1429.1	1
....Coronary heart disease (CHD) (402,410-414,429.2)	6,739	383	1,136	3,303	10,515	127.5	141.2	0	354.4	385.6	0
....Congestive heart failure (CHF) (428.0)	737	21	74	210	627	8.6	3.4	0	21.6	13.0	0
..Hypertension with or without renal disease (401,403)	188	15	33	185	405	7.6	2.3	0	14.5	8.0	0
...Hypertension-related (401,403)	2,370	152	472	1,237	4,102	48.2	38.0	0	138.3	117.6	0
..Cerebrovascular disease (430-438)	2,295	123	346	1,802	3,939	70.7	52.7	0	136.2	121.3	0
..Atherosclerosis (440)	210	7	21	78	218	2.9	0.8	0	7.2	2.3	0
...Atherosclerosis-related (440)	861	32	90	255	820	9.8	5.6	0	27.7	21.7	0
..Aortic aneurysm (441)	183	7	42	83	295	3.1	3.1	0	9.5	8.9	0
Pneumonia & influenza (480-487)	1,284	51	135	812	1,682	32.7	37.9	0	59.4	71.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,338	127	423	1,083	3,673	42.2	47.7	0	123.2	120.9	0
..COPD-related (490-496)	2,845	276	853	2,520	7,843	98.0	81.3	0	264.6	235.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT White Resident DEATHS, 1997-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
..Asthma (493)	72	27	33	383	673	15.1	24.8	0	24.4	34.6	0
Chronic liver disease and cirrhosis (571)	213	77	130	1,078	2,105	41.3	42.6	0	73.5	77.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	331	35	82	512	1,064	20.4	12.1	0	37.5	26.7	0
..Nephritis-related (580-589)	1,343	179	398	2,129	4,856	83.3	88.6	0	169.1	168.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	377	39	99	614	1,249	24.8	16.7	0	44.3	36.4	0
Unintentional injuries (E800-E949)	723	301	378	8,539	11,876	362.3	330.6	0	460.3	419.5	0
..Motor vehicle accidents (E810-E825)	229	153	179	4,827	6,467	211.6	191.3	0	259.7	236.9	0
..Falls and fall related injuries (E880-E888)	181	8	26	110	275	4.2	16.2	0	9.2	23.3	0
..Drowning (E830,E832,E910)	7	4	4	107	147	.	.	.	.	.	.
..Residential fires (E890-E899)	23	14	18	342	497	14.3	21.8	0	19.0	25.7	0
Suicide (E950-E959)	121	97	108	2,418	3,440	96.1	96.5	0	126.0	125.7	0
Homicide and legal intervention (E960-E978)	33	30	31	996	1,304	42.4	55.7	0	51.1	67.4	0
..Homicide (E960-E969)	33	30	31	996	1,304	42.4	55.7	0	51.1	67.4	0
All injury (E800-E999)	901	452	541	12,562	17,470	524.6	500.2	0	668.1	634.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	225	151	175	4,792	6,407	210.2	191.3	0	257.4	236.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	108	9	20	148	295	5.7	16.7	0	10.3	23.7	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	28	26	27	625	893	25.1	44.3	0	33.1	56.2	0
....Suicide (E955.0-.4)	18	17	17	383	553	14.9	19.3	0	19.9	24.9	0
....Homicide (E965.0-.4)	9	8	9	215	303	.	25.0	.	.	31.1	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	160	142	149	3,552	5,005	139.3	112.4	0	181.6	144.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	70	47	64	723	1,290	27.4	27.7	0	45.1	48.2	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	149	132	138	3,367	4,717	132.4	97.2	0	171.5	124.8	0

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).