April 22, 2008

For copies of the articles listed below, please call Fred Morton at (860) 418-6664 or email frederic.morton.state.ct.us.

Amodeo, Maryann, Ellis, Michael A., & Samet, Jeffrey H. (2006). Introducing evidence-based practices into substance abuse treatment using organization development methods. The American Journal of Drug and Alcohol Abuse. 32, 555-560.

Back, Sudie E., Dansky, Bonnie S., Carroll, Kathleen M., Foa, Edna B. & Brady, Kathleen T. (2001). Exposure therapy in the treatment of PTSD among cocaine-dependent individuals: description of procedures. Journal of Substance Abuse Treatment. 21, 35-45.

Baker, Kathryn D., Lubman Dan I, Cosgrave, Elizabeth M., Killackey, Eoin J., Yuen, Hok Pan, Hides, Leanner, Baksheev, Gennady N., Buckby, Joe A. & Yung, Alison R. (2007). Impact of co-occurring substance use on 6 month outcomes for young people seeking mental health treatment. Australian and New Zealand Journal of Psychiatry. 41, 896-902.

Boegenschutz, Michael P. (2007). 12-Step Approach for the dually diagnosed: mechanisms of change. Alcoholism: Clinical and Experimental Research. 31(53) 64S-66S.

Bradley, Gail M., Couchman, Grace M., Perlesz, Amaryll, Nguyen, Anh Thu, Singh, Bruce & Riess, Colin. (2006) Multiple Family Group treatment for English and Vietnamese-speaking families living with schizophrenia. Psychiatric Services. 57(4), 521-530.

Brady, Kathleen T., Dansky, Bonnie S., Back, Sudie E., Foa, Edna B., & Carroll, Kathleen M. (2001). Exposure therapy in the treatment of PTSD among cocaine dependent individuals: preliminary findings. Journal of Substance Abuse Treatment. 21, 47-54.

Brown, Richard A., Evans, D. Matthew, Miller, Ivan W., Burgess, Ellen S., & Mueller, Timothy I. (1997). Cognitive-behavioral treatment for depression in alcoholism. Journal of Consulting and Clinical Psychology. 65(5), 715-726.

Brown, Richard A., Ramsey, & Susan E. (2000). Addressing comorbid depressive symptomatology in alcohol treatment. Professional Psychology: Research and Practice. 31(4), 418-422.

Bundy, Christine, (2004). Changing behaviour: using motivational interviewing technicques. Journal of the Royal Society of Medicine. 97(Suppl. 44) 43-47.

Carroll, Jerome F.X., & McGinley, John J. (2001). A screening form for identifying mental health problems in alcohol/other drug dependent persons. Alcoholism Treatment Quarterly. 19(4), 33-47.

Caton, Carol L. M., Drake, Robert E., Hasin, Deborah S., Dominquez, Boanerges, Shrout, Patrick, Samet, Sharon, and Schanzer, Bella. (2005). Differences between early-phase primary psychotic disorders with concurrent substance use and substance-induced psychoses. Archives of General Psychiatry. 62, 137-145.

Chan, Ya-Fen, Dennis Michael L. & Funk, Rodney R. (2008). Prevalence and co-morbidity if major internalizing and externalizing problems among adolescents and adults presenting to substance abuse treatment. Journal of Substance Abuse Treatment. 34, 14-24.

Chander, Geetanjali, Himelhoch, Seth, & Moore, Richard D. (2006). Substance abuse and psychiatric disorders in HIV-positive patients Epidemiology and impact on antiretroviral therapy. Drugs. 66(6), 769-789.

Clark, H. Westley, Power, A. Kathryn, Le Fauve, Charlene E., and Lopez, Elizabeth I. (2008). Policy and practice implications of epidemiological surveys on co-occurring mental and substance use disorders. Journal of Substance Abuse Treatment. 34, 3-13.

Clark, Robin E., Samnaliev, Mihail, & McGovern, Mark P. (2007). Treatment for cooccurring mental and substance use disorders in five state Medicaid programs. Psychiatric Services. 58(7), 942-948.

Cohen, Amy N., Glynn, Shirley, M., Murray-Swank, Aaron B., Barrio, Concepion, Fischer, Ellen P., McCutcheon. Susan J., Perlick, Deborah A., Rotondi, Armando J., Sayers, Steven L., Sherman, Michelle D., &Dixon, Lisa B. (2008). The family forum: directions for the implementation of family psychoeducation for severe mental illness.

Collins, Charles, Phields, Miriam E., & Duncan, Ted. (2007). An agency capacity model to facilitate implementation of evidence-based behavioral interventions by community-based organizations. Journal of Public Health Management Practice. Jan; Suppl: S16-23.

Compton, Wilson M., Conway, Kevin P., Stinson, Frederick S. & Grant, Bridget F. (2006). Changes in the prevalence of major depression and comorbid substance use disorders in the United States between 1991-1992 and 2001-2002. American Journal of Psychiatry, 163(12), 2141-2147.

Curran, G.M., Booth, B.M., Kirchner, J.E., & Deneke, D.E. (2007). Recognition and management of depression in a substance use disorder treatment population. The American Journal of Drug and Alcohol Abuse. 33, 563-569.

Cusack, Karen J., Morrissey, Joseph P. and Ellis, Alan R. (2008) Targeting traumarelated interventions and improving outcomes for women with co-occurring disorders. Administration and Policy in Mental Health. 35(3):147-58

Dausey, David J., Pincus, Harold Alan, Herrell, James M., & Rickards, Lawrence, (2007). State's early experience in improving systems-level care for persons with co-occurring disorders. Psychiatric Services. 58 (7) 903-905.

Davidson, Larry & Roe, David. (2007). Recovery from versus recovery in serious mental illness: one strategy for lessening confusion plaguing recovery. Journal of Mental Health. 16 (4), 459-470.

Day, Stephen L. (2006). Issues in Medicaid policy and system transformation: recommendations from the President's Commission. Psychiatric Services. 57(12), 1713-1718.

de Graaf, Ron., Bijl, Rob.V., Smit, Filip., Vollebergh, Wilma .A.M., & Spijker, J. (2002). Risk factors for 12-month comorbidity of mood, anxiety and substance use disorders: findings from the Netherlands mental health survey and incidence study. American Journal of Psychiatry. 159(4), 620-626.

Dickey, Barbara, & Hocine, Azeni (1996). Persons with dual diagnoses of substance abuse and major mental illness: their excess costs of psychiatric care. American Journal of Public Health. 86(7), 973-977.

DiClemente, Carlo, C., Nidecker, Melissa & Bellack, Alan. (2008). Motivation and the stages of change among individuals with severe mental illness and substance use disorders. Journal of Substance Abuse Treatment. 34, 25-35.

Dilonardo, Joan, Coffey, Rosanna, Vandivort-Warren, & Buck, Jeffrey. (2008). Datapoints: Impatient utilization for persons with co-occurring disorders. Psychiatric Services. 59, 14.

Drake, Robert E., & Green, Alan I. (2006). Current research on co-occurring substance-use disorder in schizophrenia. Schizophrenia Bulletin. 32(4), 616-617.

Drake, Robert E., Mueser, Kim T. & Brunette, Mary F. (2007). Management of persons with co-occurring severe mental illness and substance use disorder: program implications. World Psychiatry. 6, 131-136.

Drake, Robert E., Mueser, Kim T., Brunette, Mary F., & McHugo, Gregory J. (2004) A review of treatments for people with severe mental illnesses and co-occurring substance use disorders. Psychiatric Rehabilitation Journal. 27, 360-374.

Drake, Robert E., O'Neal, Erica L., & Wallach, Michael A. (2008) A systematic review of psychological research on psychosocial interventions for people with co-occurring severe mental and substance use disorders. Journal of Substance Abuse Treatment. 34, 123-138.

Dyck, Dennis G., Hendryx, Michael S., Short, Robert A., Voss, William D., & McFarlane, William R. (2002). Service use among patients with schizophrenia in psychoeducational multiple-family group treatment. Psychiatric Services. 53 (6), 749-754.

Erickson, David H., Janeck, Amy S., & Tallman, Karen. (2007). A Cognitive-behavioral group for patients with various anxiety disorders. Psychiatric Services. 58 (9), 1205-1211.

Farren, Conor Kevin, & McElroy, Sharon. (2008). Treatment response of bipolar and unipolar alcoholics to an inpatient dual diagnosis program. Journal of Affective Disorders. 106, 265-272.

Fleming, Michael F. (1997). Strategies to increase alcohol screenings in health care settings. Alcohol, Health and Research World. 21(4), 340-347.

Flynn, Patrick M., & Brown, Barry S. (2008). Co-occurring disorders in substance abuse treatment: issues and prospects. Journal of Substance Abuse Treatment. 34, 36-47.

Green, Alan I., Noordsy, Douglas L., Brunette, Mary F., & O'Keefe, Christopher. (2008). Substance abuse and schizophrenia: Pharmacotherapeutic intervention. Journal of Substance Abuse Treatment. 34, 61-71.

Grella, Christine E., Gil-Rivas, Virgina, & Cooper, Leslie. (2004). Perceptions of mental health and substance abuse program administrators and staff on service delivery to persons with co-occurring substance abuse and mental disorders. The Journal of Behavioral Health Services & Research. 31(1), 38-49.

Grella, Christine E., & Yih-Ing Hser. (1997). A county survey of mental health services in drug treatment programs. Psychiatric Services. 48(7), 950-952.

Grella, Christine E., & Stein, Judith A. (2006). Impact of program services on treatment outcomes of patients with comorbid mental and substance use disorders. Psychiatric Services. 57(7), 1007-1015.

Hazel, Nicholas, McDonald, Michael G., Short, Robert A., Berry, Christopher M., Voss, William D., Rogers, Martina L., & Dyck, Dennis G. (2004). Impact of multiple family groups for outpatients with schizophrenia on caregivers' distress and resources. Psychiatric Services. 55(1), 35-41.

Hides, Leanne, Lubman, Dan I., Elkins, Kathryn, Catania, Lisa A., & Rogers, Nich. (2007). Feasibility and acceptability of a mental health screening tool and training program in the youth alcohol and other drug sector. Drug and Alcohol Review. 26, 509-515.

Hien, Denise A., Cohen, Lisa R., Miele, Gloria M., Litt, Lisa Caren, & Capstick, Carrie. (2004). Promising treatments for women with comorbid PTSD and substance use disorders. American Journal of Psychiatry. 161, 1426-1432.

Himle, Joseph A., Van Etten, Michelle, & Fischer, Daniel J. (2003). Group cognitive behavioral therapy for obsessive-compulsive disorder: a review. Brief Treatment and Crisis Intervention. 3(2) 217-229.

Kerwin, MaryLouise E., Walker-Smith, Katherine, & Kirby, Kimberly C. (2006). Comparative analysis of state requirements for the training of substance abuse and mental health counselors. Journal of Substance Abuse Treatment. 30, 173-181.

Kessler, Ronald C., Chiu, Wai Tat, Jin, Robert, Ruscio, Ayelet M., Shear, Katherine, & Walters, Ellen E. (2006). The epidemiology of panic attacks, panic disorder, and agoraphobia in the national comorbidity survey replication. Archives of General Psychiatry. 63, 415-424.

Levin, Frances R., Bisaga, Adam, Raby, Wilfrid, Aharonovich, Efrat, Rubin, Eric, Garawi, Fatima, & Nunes, Edward V. (2008). Effects of major depressive disorder on the outcome of treatment for cocaine dependence. Journal of Substance Abuse Treatment. 34, 80-89.

Maynard, Charles, & Cox, Gary B. (1998). Psychiatric hospitalization of presons with dual diagnoses: estimates from two national surveys. Psychiatric Services. 49(12), 1615-1617.

Mazade, Noel A., & Glover, Robert W. (2007). Critical priorities confronting state mental health agencies. Psychiatric Services. 58(9), 1148-1150.

McLellan, A. Thomas, Chalk, Mady, & Bartlett, John. (2007). Outcomes, performance and quality - what's the difference? Journal of Substance Abuse Treatment. 32, 331-340.

McGovern, Mark P., Clark, Robin E., & Samnaliev, Mihail (2007). Co-occurring psychiatric and substance use disorders: A multistate feasibility study of the quadrant model. Psychiatric Services. 58, 949-954.

McGovern, Mark P., Matzkin, Aurora L., & Giard, Julienne (2007). Assessing the dual diagnosis capability of addicition treatment services: the dual diagnosis capability in addicition treatment (DDCAT) index. Journal of Dual Diagnosis. 3(2), 111-123.

McGovern, Mark P., Xie, Haiyi, Acquilano, Stephanie, Segal, Samuel, Siembab, Lauren, & Drake, Robert E. (2007). Addiction treatment services and co-occurring disorders: the ASAM-PPC-2R taxonomy of program dual diagnosis capability. Journal of Addictive Diseases. 26(3), 27-73.

McGovern, Mark P., Xie, Haiyi, Segal, Sam R., Siembab, Lauren, & Drake, Robert E. (2006). Addiction treatment services and co-occurring disorders: prevalence estimates, treatment practices, and barriers. Journal of Substance Abuse Treatment. 31, 267-275.

Messina, Nena P., Wish, Eric D., Hoffman, Jeffrey A., & Nemes, Susanna. (2002). Antisocial personality disorder and TC treatment outcomes. American Journal of Drug and Alcohol Abuse. 28(2), 197-212.

Pickett-Schenk, Susan A., Lippincott, Richard C., Bennett, Cynthia, & Steigman, Pamela J. (2008). Improving knowledge about mental illness through family-led education: The journey of hope. Psychiatric Services. 59, 40-48.

Nuefeld, Karin J., Kidorf, Michael S., Kolodner, Kenneth, King, Van L., Clark, Michael, & Brooner, Robert K. (2008). A behavioral treatment for opioid-dependent patients with antisocial personality. Journal of Substance Abuse Treatment. 34, 101-111.

Proctor, Enola, Knudsen, Kraig J., Fedoravicius, Nicole, Hovmand, Peter, Rosen, Aron, & Perron, Brian. (2007). Implementation of Evidence-Based Practices in community behavioral health: agency director perspectives. Administration and Policy in Mental. Health. 34, 479-488.

RachBeisel, Jill, Scott, Jack, & Dixon, Lisa. (1999). Co-occurring severe mental illness and substance use disorders: a review of recent research. Psychiatric Services. 50(11), 1427-1434.

Randall, Carrie L., Thomas, Suzanne, & Thevos, Angelica K. (2001). Concurrent alcoholism and social anxiety disorder: a first step toward developing effective treatments. Alcoholism: Clinical and Experimental Research. 25(2), 210-220.

Rowe, Michael, Bellamy, Chyrell, Baranoski, Madelon, Wieland, Melissa, O'Connell, Maria J., Benedict, Patricia, Davidson, Larry, Buchanan, Josephine, & Sells, Dave. (2007). A peer-support, group intervention to reduce substances use and criminality among persons with severe mental illness. Psychiatric Services. 58 (7), 955-961.

Ries, Richard K., Yuodleis-Flores, Christine, Comtois, Katherine Anne, Roy-Byrne, Peter P., & Russo, Joan E. (2008). Substance induced admissions to an acute psychiatric service: characteristics and outcomes. Journal of Substance Abuse Treatment. 34, 72-79.

Sacks, JoAann Y., McKendrick, Karen, & Banks, Steven. (2008). The impact of early trauma and abuse residential substance abuse treatment outcomes for women. Journal of Substance Abuse Treatment. 34, 90-100.

Sacks, Stanley, Banks, Steven, McKendrick, Karen, & Sacks, JoAnn. (2008). Modified therapeutic community for co-occurring disorders: a summary of four studies. Journal of Substance Abuse Treatment. 34, 112-122.

Sacks, Stanley, Chandler, Redonna, & Gonzales, Junius. (2008). Responding to the challenge of co-occurring disorders: suggestions for future research. Journal of Substance Abuse Treatment. 34, 139-146.

Sacks, Stanley, McKendrick, Karen, Sacks, JoAnn Y., Banks, Steven, & Harle, Michael. (2008). Enhanced outpatient treatment for co-occurring disorders: main outcomes. Journal of Substance Abuse Treatment. 34, 48-60.

Salyers, Michelle, P., McKasson, Michael, Bond, Gary R., & McGrew, John H. (2007). The role of technical assistance cetners in implementing evidence-based practices: lessons learned. American Journal of Psychiatric Rehabilitation. 10: 85-101

Salyers, Michelle P., Rollins, Angela L., Bond, Gary R., Tsai, Jack, Moser, Lorna, & Brunette, Mary F. (2007). Development of a scale to assess practitioner knowledge in providing integrated dual disorders treatment. Administration and Policy in Mental. Health. 34, 570-581.

Triffleman, Elisa, Carroll, Kathleen, & Kellogg, Scott. (1998). Substance dependence post traumatic stress disorder therapy. Journal of Substance Abuse Treatment. 17 (1-2), 3-14.

Urbanoski, Karen A., Cairney, John, Bassani. Diego G., & Rush, Brian R. (2007). Perceived unmet need for mental health care for Canadians with co-occurring mental and substance use disorders. Psychiatric Services. 59(3), 283-289.

Urbanoski, Karen A., Rush, Brian R., Wild, T. Cameron, Bassani. Diego G., & Castel, Saulo. (2007). Use of mental health care services by Canadians with co-occurring substance dependence and mental disorders. Psychiatric Services. 58(7), 962-969.

Watkins, Katherine E., Hunter, Sarah B., Burnam, M. Audrey, Pincus, Harold Alan, & Nicolson, Gina. (2005). Review of treatment recommendations for persons with a co-occurring affective or anxiety and substance use disorder. Psychiatric Services. 56(8), 913-926.

Wieder, B.L., & Kruszynski, Ric. (2007). The salience of staffing in IDDT implementation: one agency's experience. American Journal of Psychiatric Rehabilitation. 10, 103-112.

Wieder, B.L., Lutz, W.J., & Boyle, P. (2006). Adapting Integrated Dual Disorders Treatment for in-patient settings. Journal of Dual Diagnosis, 2 (1), 101-107.

Woolf, Steven H., Glasgow, Russell E., Krist, Alex, Bartz, Claudia, Flocke, Susan A., Holtrop, Jodi Summers, Rothemich, Stephen F., & Wald, Ellen R. (2005). Putting it together: finding success in behavior change through integration of services. Annals of Family Medicine. 3(2), 520-527.

Zlotnick, Caron, Najavits, Lisa M., Rohsenow, Damaris J., & Johnson, Dawn M. (2003). A cognitive-behavioral treatment for incarcerated women with substance abuse disorder and posttraumatic stress disorder: findings from a pilot study. Journal of Substance Abuse Treatment. 25, 99-105.